



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>






1990-1991


14615.3

G63




HG15.3

G63



POCKET-BOOK
OF
BIOCHEMICAL PRACTICE



MANUAL
AND
CLINICAL REPERTORY

OF A

Complete List of Tissue Remedies.

(Biochemistry and Cellular Therapy.)

*"The essence of disease consists
in the change within the cells."
—R. Virchow.*

BY

DR. MED. ERIC GRAF VON DER GOLTZ,

NEW YORK.

PHILADELPHIA :
BOERICKE & TAFEL.
1905.

COPYRIGHTED BY
BOERICKE & TAFEL.

1905.

PREFACE.

The aim of the author is to introduce the student of Biochemistry into its clinical practicum.

This manual is intended to be a reference book for the selection of the right remedy, potency, etc.

The arrangement of the book is so self-evident, that no explanations are necessary.


It must be mentioned, that the use of this manual cannot be likened to a dictionary, as the individual critic, in the concrete case, must give the decision; it is therefore necessary to use more time in going over this manual, than merely to expect an alphabetically arranged repertory.

THE AUTHOR.

New York, 1905.

137224

© J 9. 14. 05



INTRODUCTION.

Supposing the reader more or less familiar with the general outline of Biochemistry, the author, in the following paragraphs, will try to give a most concise exposition of the evolution and further development of the tissue salts in the clinical field, RESULTING FROM AN EXCLUSIVE PRACTICE WITH BIOCHEMICAL REMEDIES FOR THE PAST TEN YEARS.

The 25th and last original Edition of the late Schüssler's Therapy, gives a meagre and, for most perusers, a very unsatisfactory exposition of the inner working of his remedies.

We can almost call his Therapy a disposition or sketch to a larger missing work.

This wanting explanation of the late Dr. Schüssler, felt especially during the time of changing from the Homœopathic description of the "Twelve Tissue Salts," caused the author, from the start, to collect notes from his own experience, and all available literature, for self instructing reference.

The present volume has resulted from this, and by its publication is intended to fill out the gap existing between "Schüssler's Abridged Therapy," and the many questions arising in the daily use of Biochemistry.

THE REMEDY, POTENCY AND DOSE.

In the "Mittheilungen über Biochemie" (Biochemical reports), No. II., 1903, the reader will find an interesting article, dealing with the preparation of tissue salts without milk-sugar, as deteriorating to the clean action of the remedy. The milk-sugar containing on its own part tissue remedies. The writer (no physician) commends an expensive and somewhat unclear procedure of mutual chemical action, resulting in a præcipitate of the questionable tissue salt now soluble in water.

The writer claims also possible deterioration of the remedy from the trituration in the porcelain mortars, possibly thus adding particles of the porcelain to the remedy.

Although this essay at first appeared quite logical, after due consideration of all pro and contra, you cannot help being opposed to this hairsplitting opinion. The biochemical, as well as the homœopathic triturations, have to the present time worked to the entire satisfaction of the late Dr. Schüssler and all other physicians. But let us suppose the writer of the said article was right!

Now, how shall the adulteration of the perfect remedy be prevented, when the patient puts this chemically pure salt into his mouth?

The remedy works almost exclusively from the mouth (papillæ of the tongue). The remedy either as powder, tablet or solution, comes in contact with the saliva. The analysis of the saliva gives the following startling information :

Epithel and Mucin.	37.985
Ptyalin and Albumen	23.978
Rhodankalium.	0.707
Inorganic salts	38.037

Again the ash analysis of inorganic salts of this saliva informs us that our remedy will be mixed up with the following salts:

K Cl.	38.006
K ₂ SO ₄	13.908
K ₃ PO ₄	21.278
Na ₃ PO ₄	16.917
Ca ₃ P ₂ O ₄	9.246
Mg ₃ P ₂ O ₈	0.338

It is evident that the remedy must work from another point than that of chemical purity, the postulate of the foregoing writer.

The "Tissue Salts" are curing and effective, but the question of the *quo modo* cannot be solved from the point of pure chemistry; the action of the remedy will be more readily understood from the action of the potency.

Some time ago the author discovered that the nearly universal opinion existed, that tissue rem-

edies must be prescribed in 6x or 12x or in still lower potencies if judged as biochemical; but if prescribed in the 30th, 30x, 200th, etc., the prescription was considered homœopathic.

We know to-day that the inorganic constituents of the body correspond to the 6x-12x trituration; but does this fact indicate the necessity of giving the 6th or 12th trituration?

And, furthermore, how could 1x-6x be acceptable if so far below the actual percentage in the living tissues?

Schüssler himself advised the giving of small doses and having them repeated, in preference to large and frequent doses.

We must never forget, that the actual use and manner of selecting the remedy, and not the potency, will decide the question between Homœopathy and Biochemistry (Cellulartherapy), as the potency must be selected according to special need in the concrete case.

The real working of the high or low potency can best be elucidated from the side of a new but daily growing science "Radiant Energy," destined perhaps to overthrow all that which has been accepted as immovable canons for decades.

Not only the working, but also the material existence of crude but high potencies, will be explained in the following quotation:

“The Atom is composed of a multitude of infinitely small atoms called electrons, which revolve around each other like the planets. But the electrons, while they constitute the atoms of which all material substances are made, are not themselves conceived as being matter. Experiments prove that they are purely electric in their nature.” (Edg. Larkin.)

And if we remember the facts found recently by the physiological chemists, Gautier, Bourcet, Gley and others, in regard to Arsenic, Iodine, etc., in the human body, what former analytical chemists, in their searching investigations not even suspected, we may adopt the following thesis:

I. That all criticism against high or low potencies must be refuted, as the ability to chemically find or not find Arsenic, Iodine, etc., in the 30th or 200th potency is not conclusive for the presence or non-presence of the remedy. Mathematically a substance will be divisible ad infinitum; therefore the question will not be out of place, why shall a substance not be contained materially everywhere in progressive potency and thus not discernible?

II. This also refutes the opinion of the crude drug action expressed in the essay, criticised in a former paragraph. The real action of the remedy must be regarded as a wave, caused by the surrounding action of the trituration in the spe-

cial electric irritation of enervation, etc., finally causing its entrance and thus replenishing the cell salt mancos out of the surrounding medium of the impoverished cell. We have thus a replenishing of the cell deficit.

And, besides the now so far considered subdivision of the atom, we must remember the law of the molecule, teaching that the difference between a molecule of an elementary substance and that of a chemical combination (salt, etc.), is, that an element-molecule is composed of at least two equal atoms, whereas the molecule of a combination consists of at least in the union of two unequal atoms.

We have to-day a subdivision of the atom, the Electron; do we know if not in time this Electron will again be found to be constituted of other parts and other forces?

The more recent result of the experiments and observations of the Roentgen, Bacquerel, and now also the Radium rays, is, that everything originates from one source (urstoff), and that everything, flower, stone, metal, air, living organisms, etc., are nothing else than different aggregations.

The spectral analysis was the fore-runner of the last mentioned discoveries, which possibly will demonstrate the faults and fundamental errors of all our proud natural sciences.

Molecule, Atom, Electron.—The proportion perhaps between the atom (unseen till to-day) and the Electron can be compared to that of a ball with a diameter of 800 feet to a ball with a diameter of one-eighth inch. (Croke.)

If, therefore, we return to our starting point, we will see that in a certain way our understanding of the so-called chemismus of the cell and of the action of the potency ($p^{\circ\circ}$) has been, after all this time of speculation, brought to a nearly satisfactory point of understanding. We can now claim that the mathematical proof has been added for removing one of the greatest stumbling stones in the minds of thinking physicians.

It will be seen that the potentized remedy can be potentized according to mathematical consideration, *ad infinitum*; the objection not to find the potentized drug is equally untenable, as would be against color, not visible to the eye on account of either too many or too few ethereal vibrations.

Also the remedy cannot act like a direct cramming of particles into the diseased cells, but as a certain stimulus on the nervous system, enabling the diseased cell to be provided out of deposits in the intercellular fluid.

To illustrate what material quantities, or their subdivisions, are necessary in the replenishing of an impoverished cell, the author will add the quantitative distribution of some salts in the

blood-cell from the physiological labors of C. Schmitt.

A blood cell measures 0.0072 mm. in diameter and is in height the fourth part of this number. The discus, a cylinder, will give the cubic dimensions of the blood cell to be as follows:

$$v^3 \pi \frac{v}{4} = 0.0072 \times 0.0072 \times 3.14 \cdot \frac{0.0072}{4}$$

$$= 0,0000029299968 \text{ c. c. mm.}$$

If now we find in 1000 grm. blood corpuscles Kal. muriat, 1.62, Mag. phos. 0.03, the calculation will result in the following numbers:

$$\text{Kal. muriat} = 0.0000000000004746594816$$

$$\text{Mag. phos.} = 0.000000000000175799808$$

But we must not forget that these quantities are spread and equally distributed over the whole cell; therefore, the quantitative value in any place will be less than these infinitesimally minute decimal fractions.

The failure of having results in high potencies is caused either by false indications or diagnosis, or faulty knowledge of the *Materia Medica* (Cellulartherapy or Homœopathy).

And again the claim that 3x-6x act as stimulants and 30x-200x act as nutritive builders must be regarded as false, because the logic of the cellular deficit seeks only to re-incorporate into the cell the lost molecules of the salt or salts in the concrete case.

This rule will always remain: Use a priori 6x-12x and then go lower or higher, according to presenting features.

A case well progressing for weeks under the same remedy will generally be cured by the same remedy; but always in a higher and higher potency, representing the smaller growing portions needed by the cell-salt manco, corresponding to the lesser growing nerve stimulant of the needed molecule in the cell, expressed in the higher potency, representing the necessary modification of the accentuation on the stimulus, thus directing the introduction of proportional smaller fractions into the cell body.

It is at present the author's custom to prepare a saturated watery solution of the remedy, and in acute cases, order the patient to take ten drops every half hour; in chronic cases, ten drops three times per day. If it should be necessary to give two different remedies, they are given alternately every three hours.

The higher potencies are given less frequently; it may happen that perhaps the dose (generally a single one) will be repeated but once after twenty-four hours, or after eight days, or later on after one or two months.

Again, in some cases 30x will be repeated as often as 6x or 12x.

The dose as also the potency is, especially in

complicated cases, further dependent on rules put down by v. Grauvogl.

The late Dr. Schüssler in his *Therapy* calls attention, page 75, to hydræmia; this corresponds to v. Grauvogl's hydrogenoid constitution.

As this paradigmata is referred to in relation to *Natrum sulfuricum* in different *Materia Medica* books, the author thought it necessary to become acquainted with the entire teachings of v. Grauvogl.

His rules, at first difficult, gave the author a specially valuable understanding for the selection of the potency and doses.

v. Grauvogl begins with the division of the curable diseases into three groups; according to the greatest characteristics to be found in the human organism. These groups were called by him, Constitutional Groups.

These three groups will best be understood if the reader will follow the generalization,

- I. Too great a water percentage.
- II. Too great an oxydation of the blood.
- III. Too slow an oxydation of the blood.

v. Grauvogl puts up the following paradigmata:

I. HYDROGENOID CONSTITUTION:

(a) Aggravated (<) by dampness or anything increasing the percentage of water in the blood or tissues.

- (b) The characteristic periodicity.
- (c) The aggravation effected by medical electricity (amelioration oxygenoid constitution).

II. OXYGENOID CONSTITUTION:

- (a) Gracile body.
- (b) Aggravation by change of weather, but the aggravation only during the change.
- (c) Amelioration during snowfall and rain.
- (d) Hysteria, chlorosis, hæmorrhage, diseases of the sexual apparatus.

III. CARBONITROGEN CONSTITUTION.

- (a) The urine is wanting in chlorides and phosphates.
- (b) Irregularity of the lungs and heart.
- (c) Epilepsy, tabes.
- (d) Pains in the periphery.
- (e) Blood contains melaneous cells.

Corresponding to this paradigm are the following rules for potency and doses:

Hydrogenoid Constitution will best be treated by the low potencies up to 12x, but foremost 3x-6x.

Oxygenoid Constitution will mostly be the field for 20x-30x, seldom going as low as 12x.

Carbonitrogen Constitution can be treated only by high potencies, this means 30th centesimal and higher potencies.

The special rules are the following: The low potencies dissolved in a glass of water (about

fifteen drops), one teaspoonful every two, three or four hours.

The medium potencies dissolved in the foregoing way, one teaspoonful every three to six hours.

The high potencies will best be taken in single doses of one to three grains. Each dose repeated for three successive days, with following Placebo, to observe any reaction in the present status.

Schüssler, mostly addressing the lay public, refrained from all more technical and difficult prescription in dose and potency, although he himself made use of various potencies, as seen by the reports of his cures and pamphlets.

THE SELECTION OF THE REMEDY.

After having studied Schüssler's original Biochemic Therapy, the student will observe that Schüssler does not make direct statements, but leaves most to the reader's care.

The practical way to successfully treat diseases from the physician's standpoint will be different from that of an interested layman. In the latter's case more patience, and waiting for results will be granted than to the physician; at times unreasonable people expect almost to feel better when either the medicine or even only a prescription is given.

The *Materia Medica* division of this book will enable the physician to ask such questions which plainly will bring out the full details of a case, so that before having consulted Part III the beginner will have made some choice of a remedy.

Should now the student find in Part III different remedies, and between them his preselected one, the affirmation of this selection will be gained by carefully going over the second division of Part I. Here the reader will find the two divisions **WILL CURE** and **further AND WILL THEREFORE BE USED IN.**

The student, after each successful cure, must try and impress upon his mind certain facial expressions, so that in time with the aid of *Facial Diagnosis*, he will acquire certain points for recognizing certain expressions as coming under a special salt.

The same can be said in regard to the selection of the new remedies, but with this precaution: The new remedies must not be used before all means have been exhausted to cure with the aid of the older remedies or with the aid of changed potencies; also where a priori we know that these new combinations must be applied, viz., Phos. cannot replace Arsenic, Iod., etc.

The coating of the tongue cannot always be absolutely relied upon, but in a great majority

of chronic cases a certain confidence can be placed in it, if accompanied by other indications.

The selection of a remedy will only be difficult in old or neglected cases, with many foregoing different treatments. Here, first of all, a remedy, respectively a regime, must be introduced to make the patient amenable to treatment. For this Kali phos. will generally prove the cardinal remedy.

SCHUESSLER AND HIS CRITICS.

During the process of compiling and sifting the material of the present work the author studied all critics of past and recent times. In all these criticisms the principle and fundamental idea of the critic was not observed. Moreover, the deductions attained were that when the critic found he was coming to the contrary end of his undertaking, *i. e.*, he was really endorsing Schüssler, he cut short his argument and pleaded the sentimental part pro Homœopathy as the older and better part, etc., etc., even if the good and great traits could not be denied.

In this vein, we can observe—more or less all critics have written from Constantin Hering down to the present time.

The author has found no critical remark touching the theme from the side he will present in the following lines: Schüssler based his Theory

of the Tissue Salts on the teachings of Mole-schott, Virchow, and last, not least, Bunge. It can hardly be comprehended by any physiologically schooled physician, that in all this time not one word has been written or said against such a selection as Schüssler's tissue salts. It must not be forgotten that at his time Arsenic, Iod., Bromium, Plumbum, Mangan., etc., were not as yet recognized as constituents of the human organism.

It is incomprehensible that no voice was raised by any of the leading critics to ask Schüssler, and now his followers, how just those twelve salts and no others were selected, where it is known as a common fact that, regarding the ash analysis and the proof for salt formation, no absolute certainty has existed or will be reached for some time.

We know the constituents of the human structure so well that the opinion can be pronounced that not many more elements are wanting, but we do not know with absolute certainty the formation *intra vitam* of these salts.

The analysis teaches the different parts, elements and acids. The salts found in the analysis are more or less products of the process of analyzing; the found acids often prove to be nothing else than products of the analysis also.

This and only this would constitute a formid-

able argumentation against Schüssler and his teachings.

Having recognized this fact, the author tried to sustain Schüssler, and found a comparatively easy solution, as also a logical coercing necessity for the additional remedies.

1. The cure of diseases (so far as curable *per se*) will be effected by replenishing the deficient cell salt or salts.

2. The deficient salts must be selected from a larger number of tissue salts than Schüssler's, as all those combinations must be taken into consideration which may possibly be formed by the elements found in the ash analysis, for instance: Calc. phos. and Calc. hypophos., etc., and again, combinations between Iod., Ars., Phos., Calc., Natr., Mangan, etc.

By widening the limits of Schüssler's original twelve remedies in such an indicated way we eliminate the fundamental error of restraining the inorganic salts of the tissues to those salt formations, and, furthermore, we have gained by this proceeding a larger armamentarium, which will more readily work a cure.

It must be emphasized that Schüssler selected the twelve most prominent remedies (cell salts), and, therefore, it is understood that, to a certain degree, Schüssler and his followers effected such brilliant cures.

It is thus evident that with an enlarged sphere of working remedies the natural limitation of effectiveness of the remedies in so-called incurable cases will be put off further and further with the increased knowledge of the special *Materia Medica*.

THE ADDITIONAL REMEDIES.

What has been done in regard to those additional remedies?

They have been added sparingly into the *Semiotik* or *Symptomatology* of the *Tissue Remedies* of Schüssler, where there was a gap, according to pathological and chemical considerations.

The clinical notes in the *Homœopathic Materia Medica* gave the material for the experiments, etc.

The author must here refer to his observations, published in the *Homœopathic Recorder*, March 15, 1903, regarding *Sepia* and *Natr. mur.*, and, again, the finding of the homœopathic *Simile* with the help of T. F. Allen's *Boenninghausen's Therapeutic Pocket-Book* to exchange with the oftimes seemingly strange tissue salt ally.

The description of each of the new remedies is given very carefully, without mere suggestions, but bona fide facts to be enlarged upon as opportunity arises.

If now it would be remarked that if the clini-

cal notes in the homœopathic literature were the support of Cellular-Therapy, the present work would not be necessary, the answer would be:


(1.) The homœopathic selections consider too many remedies, thus hiding the clear-cut features of the indications, and forming of the clinical notes—a lost book.

(2.) The pathological phenomena have certain undeniable symptoms, which are few compared with the unlimited ones of the homœopathic drug. And that even those pathological symptoms, variable to a certain degree by the individuality of the patient, are not so numerous and bewildering as those dealt with from the homœopathic standpoint.

Those pathological symptoms (congruent to the term Semiotik instead of Symptomatology) are the indications for the remedies.

For this reason we well understand that the homœopathic physician will use, for example, in worm diseases, Calc. fluor., Ferrum phos., Kali mur., and many other remedies, against Natrum phos. and Natrum mur. according to biochemical teaching.


PART I.
MATERIA MEDICA.



FIRST DIVISION.

BIOCHEMISTRY.

THE ORIGINAL TWELVE TISSUE
REMEDIES.



MATERIA MEDICA.

I.

SELECTION OF THE REMEDIES.

I. KALI SULFURICUM.

Aggravation : External dry heat; in a warm room; during the evening; warm, fatty food; coffee; sour fruit; tobacco.

Amelioration : Cool, open air; denuding or lying on the painful side or parts.

General Symptoms : Feeling of heaviness; weariness, chilliness; palpitation, fear, melancholy; the localized pains show an intermittent roaming character.

Kali sulf. will cure: (1.) By effecting the access of oxygen and so hastening the formation of new cells of the epidermis and epithelium, loosening and throwing off the old ones.

(2.) The deficiency as expressed in the yellow slimy deposit on the tongue; yellow sticky secretion, but mostly of a thin character nearly resembling the *Nat. mur.* secretion, but always with a

certain yellowish green tint. *Kali sulf.*, sticky, moist scales; *Nat. mur.*, dry.

If **Magn. Phos.** in pains or cramps fails, often *Kali sulf.* must be used instead. *Kali sulf.* will be found always closely related to *Nat. mur.* and *Kali mur.*

2. NATRUM SULFURICUM.

Aggravation: External cold; external cold application; cold moisture; coughing; sneezing; bending; repose; time of menstruation; change of weather.

Amelioration: Change of position; walking around; after defæcation and urination.

General Symptoms: A general green or greenish yellow coating on the tongue, with bitter taste. The secretion under *Nat. sulf.* indication is greenish yellow. *Nat. sulf.* will cure by eliminating the water that was formed during the retrogressive metamorphosis of the cells from the body. The bitter taste belonging to *Nat. sulf.* must never be confounded with the bitter taste of *Kali mur.* or *Nat. phos.*

Kali mur., taste sour and bitter.

Nat. phos., taste sour and bitter, but rancid, sharp and pungent, as the taste of an acid.

3. **CALCAREA FLUORICA.**

Aggravation: Heating drinks.

Amelioration: Application of cold moisture.

Between *Calcar. fluor.* and *Ferrum phos.* will be found a certain relation as in lesions of the bones, elastic fibres, etc. We observe, therefore, the same characteristic amelioration by cold, cold moisture, etc.

4. **SILICEA.**

Aggravation: In cold air; cold, wet application; lying on the painful side; motion.

Amelioration: Warm room; radiating heat, hot application (agreeable if very hot, almost scalding.)

General Symptoms: Arising from suppressed foot sweat; sensitive to noise; general aggravation (*Calc. phos.*) at night.

Silicea will cure: Pus by absorption, also blood. Helps out *Calc. phos.*, chronic arthritis; renal gravel; old cases of paralysis; catarrhs.

Silicea is closely allied to *Calc. phos.*, *Calc. sulf.*, *Kali mur.*, *Magn. phos.*, and *Nat. phos.*

5. **CALCAREA SULFURICA.**

Will be used only supplementary to *Nat. phos.*, *Nat. sulf.*, *Silicea*, *Kali sulf.*

Calc. sulf. will cure: Diseases of the connective tissue.

All more or less chronic diseases as rheumatism, eruptions, catarrhs, (with yellowish-white lumpy secretion).

6. **NATRUM MURIATICUM.**

Aggravation: Summer heat; bending forward; overstudy; soft touch.

Amelioration: Firmly leaning against anything; loosening the clothing; drinking cold water; lying down.

General Symptoms: Morose, tearful disposition; dislikes consolation; periodical diseases; tongue clean; clear, watery, frothy saliva.

7. **KALI MURIATICUM.**

Aggravation: Inhaling raw air; quickly cooling off; strong glaring light; cold wet applications; fatty rich food.

Amelioration: Dry heat; dry hot applications; keeping quiet.

Kali mur. works clinically together with *Ferr. phos.*, *Calc. sulf.* and *Kali sulf.*—*Nat. mur.*; *Silicea*.

The difference between *Kali mur.* and *Magn. phos.* will be found in the fact that *Magn. phos.* will only be relieved by hot, and *Kali mur.* by cold and hot applications. And furthermore, the *Magn. phos.* patient will be relieved by hard pressure, while the *Kali mur.* patient will be aggravated by it.

Kali mur. will cure: Plastic exudations (gray white coating, catarrhs); second stage of inflammation; skin diseases (here related to *Kali sulf.* and *Natrum mur.*).

8. **CALCAREA PHOSPHORICA.**

Aggravation: Every change of weather; taking a bath; dangling the limbs; after defæcation.

Amelioration: Crouching; motion of lower extremities; lying down. -

General Symptoms: Cold, numb, clammy sensation; worse at night; parts fall asleep easily; pains along bones; and sutures of bones; skin becomes red and itches after a bath; getting hungry soon after eating.

Calc. phos. may often be alternated with *Ferr. phos.*; skin burns by cold washing, *Silicea*; skin feels better from cold washing, *Calc fluor.*

It is interesting to notice the great affinity between *Calc. phos.* and *Nat. mur.*

9. **MAGNESIA PHOSPHORICA.**

Aggravation: Soft touch; slow motion; moist warmth; restriction to move.

Amelioration: Hard pressure with the hand; dry warmth; quick motion; bent position.

General Symptoms: Darting, spasmodic, burning, lightning-like pains with constrictive feeling. In all dubious cases *Calc. phos.* and *Kali sulf.* must be compared.

The claimed preference for the right side of the body, could not be observed as a characteristic trait.

10. **FERRUM PHOSPHORICUM.**

Aggravation: Motion; excitement; warmth.

Amelioration: Cold; slow motion.

After *Ferrum phos.* often *Kali sulf.* will follow better than *Kali mur.* In many cases we will find a close relation between *Ferrum phos.* and *Nat. phos.* (so in headaches).

11. **NATRUM PHOSPHORICUM.**

Aggravation: In the afternoon; thunder-storm; eating fatty food, milk, sweets; coming from the cold into a warm room.

General Symptoms: Moist, creamy, golden yellow coating of the tongue; creamy, yellow, thick catarrh; secretions with an acid smell; arthritic pains.

Nat. phos. restores the catalytic functions of the cell.

Nat. phos. must be compared with *Calc. phos.* in diarrhoea infantum; as both remedies are nearly equal, only *Calc. phos.* does not exhibit the same acid character as *Nat. phos.*


Calc. phos. is often jointly indicated with *Nat. phos.* for clinical purposes.

12. KALI PHOSPHORICUM.

Aggravation: Depression; excitement; over-study; beginning motion; coming from the warm into the cold.

Amelioration: Motion of the upper extremities; fanning; cold applications.

General Symptoms: Paralyzing after-effects of any pain or mental commotion; beneficial of a little excitement or company, and aggravation if alone; fears to be left alone; night terror; agoraphobia.



II.

CLINICAL SYNOPSIS OF THE REMEDIES.

The Synopsis gives under each remedy the full possibility of clinical application, with remarks regarding potency, etc.

Calcarea fluorica. (12x-30x; 200th).

WILL CURE:

1. Hard lumpy exudations on the bone.
2. Relaxation of muscular fibres (elastic elements); hemorrhoidal knots; enlargement of vessels; deviation of the uterus; relaxation and sagging of the abdominal walls; after pains are delayed or deficient (post partum hemorrhage).
3. Skin crusts.
4. Cephalæmatom.
5. Hardened exudation: Glands; tumors; tumors in the glands.
6. Delayed dentition.

AND WILL BE USED THEREFORE IN:

1. Lesions, injuries of the bones, in preference to *Ferr. phos.*
2. Larynx and Trachea.
3. Cephalæmatom.
4. Tympanitis ossificata.
5. Teeth loose and painful. (Compare *Calc. phos.*).

6. Hard inflammation of the gums.
7. Coming of the teeth. (*Calc. phos.*)
8. Styes. (*Silicea.*)
9. Nodules, induration in the eyelid.
10. Induration in any part. (Tongue.)
11. Vomiting during dentition.
12. Hæmorrhoids. (Chief remedy, per os and locally.)
13. Hard crusts, with or without chaps, per os and locally.
14. Rhagades, simple or syphilitic.
15. Carbuncles.
16. Mastitis. (Mostly together with *Kali mur.*)
17. Hard chancre.
18. Chronic syphilis, bones. (200th.)
19. Indurations. (Compare *Kali mur.*)
20. Ganglion tendinosum.
21. Varicose ulcers of the leg. (*Nat. sulf.*)
22. Hard, knobby elevations on bones. (*Silicea.*)
23. Uterine hæmorrhage.
24. Hæmorrhoidal hæmorrhage. (*Ferr. phos.*)
25. Deficient labor. (*Kali phos.*)
26. Glenard's disease. (Backache relieved by motion).
27. Hard ulcers. (as salve with 2x.)
28. Tuberculosis. (*Calc. phos., Mag. phos., Silicea.*)
29. Dryness of the larynx and hoarseness.
30. Tired aching in the back.
31. Malnutrition of bones and teeth.

32. Chronic synovitis.
33. Ineffectual desire to sneeze. (*Silicea.*)
34. Cold sores on the corners of the mouth.
(*Nat. mur.*)
35. Syphilitic periosteal swelling. (200th.)
36. Giant celled sarcoma of the upper maxilla.
37. Malnutrition of children with regard to bones.
38. Varicose veins of fat persons. (200th.)

CALCAREA PHOSPHORICA. 2x-3x; 200th.

WILL CURE:

1. Delayed formation of the bone; rachitis, craniotabes, defective ossification, delayed or defective union of broken bones, large fontanelles, delayed dentition.
2. Absorption — sero-albuminous effusion in sacs, cavities, hygroma patellæ, hydrops genu (compare *Silicea*), crusts on the skin. (*Calc. fluor.*)
3. Cramps and spasms—anæmic cramps and spasms, numbness, coldness, aggravation at night. (Compare *Magn. phos.*, *Kali sulf.*, *Sil.*, *Kali phos.*)
4. Sensation as if parts were asleep, with more or less retarded circulation; abdomen, buttocks, hands, fingers, toes and soles; lame and tired above knees; aggravation especially from change of weather, at night, from thought, after dinner (eating).

AND WILL THEREFORE BE USED IN:

1. Exudation of albumen.
2. Albuminuria. (*Kali sulf.*)
3. Diphtheria.
4. Croup. (Compare *Kali sulf.*, later *Calc. fluor.*)
5. Cramps, pains.
6. Hydrocephaloid.
7. Chronic hydrocephalus.
8. Craniotabes.
9. Fontanelles too long open. (30x.)
10. Nervous (anæmic) pains (earache).
11. Dentition. (Compare *Calc. fluor.*, *Fer. phos.*, *Magn. phos.*)
12. Dentition, spasms without fever. (12x.)
13. Dentition, inflammation of the eyes. (2x locally also.)
14. Inflammation of the cornea—exudation milky white.
15. Gums are pale.
16. Vomiting during dentition. (*Calc. fluor.*)
12x.
17. Whooping cough. (12x.)
18. Secretion is albuminous. (Vide *Kali mur.*)
19. Polypus. (Vide *Nat. mur.*) 30x; 200th.
20. Vesicles with albuminous contents.
21. Yellowish white crusts.
22. Orchitis.
23. Hydrocele. (*Nat. mur.*, *Sil.*)
24. Fracture of bones. (*Fer. phos.*, *Calc. fluor.*)

25. Rickets.
26. Increase of milk (nursing women). (6x.)
27. Backache, worse at night. (*Sil.*)
28. Hygroma patellæ; hydrops genu. (*Nat. mur., Sil.*)
29. Every cold brings rheumatoid pains (draught of air).
30. Tobacco habit. (5x.)
31. Anæmia, chlorosis.
32. Anæmic headaches. (*Nat. mur., Kali phos., Sil.*) (12x, 30th, 200th.)
33. Neuralgia. (*Nat. mur., Kali phos., Sil.*) (12x, 30th, 200th.)
34. Oophoritis chronica—cured several cases where extirpation was advised.
35. Nymphomania. (Dose of 30x and 200th.)
36. Chloasma. (Dose of 200th.)
37. Tubercular diarrhœa. (Differentiate from *Nat. phos.*)
38. Phosphaturia.
39. Scrofulous ulcers. (Never below 12x.)
40. Retarded growth. (200th at long intervals.)
41. Roborans, during puberty in girls—mental depression.
42. Lumbago, during puberty in girls—mental depression.
43. Tonsilitis chronica. (*Magn phos.*)
44. Dull heavy headaches after dinner. (*Kali phos.*)

45. Pimples only on upper part of body, never below navel.
46. Night sweats.
47. Unnatural weakness. (Compare *Sil.* and *Kali phos.*)
48. Cold sweat on hand and face—body dry but cold.
49. Dry skin, with (often) cold moisture in the hands.
50. Headaches in maturing schoolgirls (sensation of ice on the head; dyspepsia; desire for unusual things).
51. Maturing girls; cannot eat much, and are hungry after eating.
52. Dysmenorrhœa; leucorrhœa after prolonged nursing.
53. Nymphomania, worse before menses.
54. Flushes of heat with fainting, pain in vagina.
55. Chorea in little girls, from fright (seldom in boys).
56. Menses suppressed from cold.
57. Cold goes through the entire body.
58. Feet icy cold. (Compare *Sil.*)
59. Vertigo on going upstairs.
60. Left ovary (especially) painfully swollen < menses.
61. Obesity.
62. Sacral pains.
63. Glands swollen and painful to touch.

64. Short breath. (Compare *Ferr. phos.*)
65. Visions before closed eyes. (Compare *Mag. phos.* and *Nat. phos.*)
66. Sweat on forehead.
67. Menses too early, too long, too profuse. (*Kali phos.*, *Calc. fluor.*)
68. Craving for eggs.
69. Hypertrophy of organs; prostata.
70. Mammæ painful and swollen before menses. (*Nat. mur.*)
71. Coxygodynia. (Compare *Nat. mur.*)
72. Menstrual eruption (warts) around the mouth.
73. Tendency to masturbate. (200th in single doses.)
74. Voluptuous sensation, body in general or genitals only.
75. Sore breasts.
76. Excessive flatulence. (Compare *Mag. phos.*, *Sil.*, *Nat. sulf.*)
77. Forgetfulness (nymphomania?) before menses.

CALCAREA SULFURICA. (30th and 200th.)

WILL CURE:

1. Diseases of the connective tissue.
2. Old and chronic and neglected diseases.
3. Eruptions and catarrhs with lumpy, whitish yellow secretions.

AND WILL BE USED THEREFORE IN:

1. Chronic diseases after allopathic treatment.
(*Kali phos.*)
2. Purulent exudations in serous sacs.
3. Suppurative processes.
4. Tubercular affections.
5. Cornea, ulcerated.
6. Teeth, ulcerated.
7. Gumboils (an almost absolute specific).
8. Dysentery. (Follows well after *Kali mur.*)
9. Headache, after other remedies have failed.
10. Oozing ulcers.
11. Gray-white exudations turning lumpy and knobby under *Kali mur.*
12. Generally following after *Nat. phos.* and *Sil.* and *Calc. sulfide.*
13. Enlarged glands, very sensitive.
14. Herpes (old).
15. Restrains suppuration (antagonistic action to *Sil.*).
16. Pancreas, liver, kidney diseases after *Nat. sulf.*
17. Enlarged ovaries.
18. Ulcers on the genitals.
19. Sensation of splinter in abscess.
20. Sensitiveness of nerves. (30x.)
21. Neuralgia of old people. (12x is best.)
22. Craving for strong stimulants. (30th-200th.)
23. Headaches—sensation of nail in the brain.
24. Inflammation—sometimes abortive. (200th.)

FERRUM PHOSPHORICUM. (1x-30x; 200th.)

WILL CURE:

1. The first stage of inflammation.
2. Pains and hæmorrhages, caused by hyperæmia.
3. Fresh traumatic insults.

AND WILL BE USED THEREFORE IN:

1. Fevers,
2. Mucous inflammation,
3. Hyperæmia,
4. Meningitis,
5. Pleuritis,
6. Endocarditis,
7. Peritonitis,
8. Nephritis,
9. Pericarditis,
10. Dysentery,
11. Scarletina,
12. Morbilli,
13. Gastritis,
14. Conjunctivitis,
15. Pertussis,
16. Erysipelas,
17. Contusions,
18. Gastralgia,
19. Fresh wounds,
20. Retinitis,

In the first stage.

For the second stage in all feverish diseases, *Kali mur.* is the remedy.

21. *Ferr. phos.* is one of the most prominent children's remedies.
22. Sudden coughing, beginning of cold. (*Nat. mur.*)
23. Sudden, quick cooling off. (*Kali sulf.*)
24. Pains, with redness of parts. (Face, hands, etc.)
25. Pains increased by shaking.
26. Children's headache.
27. Vertigo from rush of blood to the head.
28. Pain and deafness from hyperæmia.
29. Pain relieved by cold drink.
30. Dentition with fever. (Compare *Calc. phos.*)
31. Dentition with cramps and fever.
32. Dentition with inflamed eyes.
33. Mouth, tonsils, pharynx inflamed, red and painful.
34. Tongue inflamed (swollen and red).
35. Vomiting of undigested food and sour fluid.
36. Vomiting of blood.
37. Gastralgia, worse from pressure. (Compare *Kali mur.*)
38. Evacuation, undigested.
39. Varices, inflamed.
40. Hoarseness of professionals. (Compare *Kali mur.*, *Kali sulf.*)
41. Acute, sharp and painful cough.
42. Retention of urine in small children.
43. Tenalgia crepitans.

44. Fracture of bones. (*Calc. fluor.*, *Calc. phos.*)
45. Hæmorrhage, bright red; easily coagulating.
46. Uterine, hæmorrhoidal hæmorrhages.
47. Vaginismus. (Compare *Magn. phos.*)
48. Menstrual pain—with red face.
49. Mania transitoria in puerperio. (*Kali phos.*)
50. Pains, aggravated by motion.
51. Crick in the back.
52. Hip, inflammatory pains.
53. Excessive menses. (*Calc. fluor.*, *Kali phos.*)
54. Nymphomania, fever, cramps and sharp pains.
55. Ovarian neuralgia, fever, cramps and sharp pains.
56. Oophoritis acuta, fever, cramps and sharp pains.
57. Constant dribbling of urine in daytime.
58. Sleeplessness from congestion (30x).
59. Vaginitis.
60. Florid complexion.
61. Dysmenorrhœa with pulsating headaches.
(*Kali mur.*)
62. Dry heat in vola manus. (*Kali phos.*)
63. Headaches, etc., relieved by bleeding (nose).
64. Hyperæmia, even of a low order. (Raynaud's disease.)
65. Leucophlegmatic temperament.
66. General oppression of the chest.

67. Neurasthenia (with tumultuous action of the heart, followed by passing weakness) 3x repeated.
68. Neurasthenia (congestion, backache, irritable bladder, leucorrhœa, hæmorrhoids, menorrhagia) 4x-6x repeated.
69. Excruciating pain of inflamed, incarcerated hæmorrhoids, preventing patient from sitting, alleviated immediately and quite painless in five minutes after single dose of 2x, one tablet.

KALI MURIATICUM. (12x-30x; 200th).

WILL CURE:

1. By dissolution of white-grey secretion.
2. Plastic exudations, as found in
 - (a) dysmenorrhagia.
 - (b) dysmenorrhœa membranacea.
 - (c) catarrh of white or gray-white secretion.
 - (d) croupous and diphthretic exudations.
3. Second stage of inflammation. (1-20 under *Ferr. phos.*)
4. Mealy coverings, eczema, erysipelas, ulceration.
5. Blisters with white contents, eczema, erysipelas, ulceration.

AND WILL BE USED THEREFORE IN:

1. Inflammation, second stage.

2. Exudation of febrine.
3. Pseudo-croup.
4. Diphtheritis.
5. Variola. (Compare *Nat mur.*)
6. Headache, faceache, etc., with whitish-gray retching.
7. Deafness from swollen Eustachian tube.
8. Mumps. (Compare *Nat. mur.*)
9. Ulceration of the base of the tongue.
10. Pleuritic adhesions. (Compare *Mag. phos.*)
11. Soft, white rheumatic swelling of the joints.
12. Toothache with swelling of the gum. (Compare *Calc. fluor.*)
13. Conjunctivitis.
14. Trachoma.
15. Cornea, iris—inflammation.
16. Flat ulcers on the cornea.
17. Retinal exudation.
18. Stomatitis with white exudation.
19. Tongue with white mucous coating.
20. Aphthæ (whitish gray).
21. Retching of white mucus.
22. Gastralgia, white tongue.
23. Evacuation: white, bloody, mucus, gray white.
24. Best remedy for constipation in puerperis.
25. Dry coryza.
26. Simple hoarseness. (Compare *Kali sulf.*)
27. Acute cough, following *Ferr. phos.*

28. Asthma.
29. Fibrinous secretion.
30. Vesicles, sero-fibrinous contents.
31. Eruption after vaccination. (*Nat. phos., Sil.*)
32. Mealy scurf.
33. Burns and scalds. (*Nat. mur.*) Also externally.
34. Cero luxurians. (*Calc. sulf.*) Also externally.
35. Warts on hands. (*Nat. sulf.*) Also externally.
36. Soft chancre.
37. Chronic syphilitis.
38. Condylomata.
39. Uvulitis, second stage; later *Calc. phos.*
40. Enlarged glands in chlorosis.
41. Epilepsy. (*Sil.*)
42. Hæmorrhage, black, clotted, viscid.
43. Pain in the back; after *Ferr. phos.*
44. Palpitatio cordis; after *Ferr. phos.*
45. Mechanical injury; after *Ferr. phos.*
46. Mastitis. (*Nat. phos., Sil.*)
47. Lymphatic glands. (*Calc. fluor.*)
48. Gonorrhœa. (*Nat. phos.*)
49. Lues. (*Nat. phos.*)
50. Lupus. (*Kali sulf.*)
51. Scorbutic infiltrations.

It is lamentable that, to the present date, most writers of *Materia Medica* have confounded *Kali*

muriat. with *Kali chloricum*. Thus it is found that writers as Dr. Thos. L. Bradford in his *Index to Homœopathic Provings*, page 169, writes *Kali chloricum*—*Potassium chlorate*, *Potassæ chloras*, *Kali hyper oxygenatum*, *Chlorate of Potash*, *Kali muriaticum*. Allen, *Cyclopædia*, vol. 5, vol. 10, and further, on page 170, *Kali muriaticum*, see *Kali chloricum*.

In justice to the memory of the great T. F. Allen, it must be stated that the *Cyclopædia* especially refers only to *Kali chloricum* as *Potassium chlorate*, KClO_3 .

In the supplement, Vol. X, page 561, T. F. Allen also refers only to toxic doses of *Kali chloricum* and merely on the clinical use of *Kali mur.* by Dr. Schüssler, page 611, in this handbook.

According to Dr. John H. Clarke's *Dictionary of Practical Materia Medica*, Vol. II., Part I., *Kali mur.* was first introduced by the late Schüssler, and later on C. Hering (*vide* Vol. II., page 117) amalgamated the symptoms of the two under the heading *Kali mur.*

KALIUM PHOSPHORICUM.

(12x–30x; 200th. 1x–5x exceptional.)

WILL CURE:

1. Despondency (hysterical ill-humor).
2. Weakness, verging on complete paralysis.

3. Disturbances of the nervous system.
4. Sepsis.

AND WILL BE USED THEREFORE IN:

1. Neurasthenia from sexual excitement.
2. Pollution.
3. Impotence; pain in sacrum. (*Nat. phos.*)
4. Great excitability.
5. Despair.
6. Tenesmus vesicæ; deposit of uric acid.
7. Tympanitis. (*Mag. phos.* and *Nat. sulf.*)
8. Exudations become smeary and fetid.
9. Pus becomes smeary.
10. Albuminuria (a cardinal remedy).
11. Ineffectual labor pains. (Repeated doses of 2x.)
12. Puerperal fever. (*Nat. mur.*, *Nat. phos.*, *Mag. phos.*)
13. Typhoid. (*Nat. mur.*, *Nat. phos.*, *Mag. phos.*)
14. Typhus. (*Nat. mur.*, *Nat. phos.*, *Mag. phos.*)
15. Septic hæmorrhage. (*Nat. mur.*, *Nat. phos.*, *Mag. phos.*)
16. Diphtheritic gangrene. (*Nat. mur.*, *Nat. phos.*, *Mag. phos.*)
17. Dysentery with cadaverous evacuations.
18. Variola and other eruptive, infectious diseases with adynamia.
19. Head-, face-, ear-aches, in nervous persons.

20. Paroxysms of pain, with following prostration.
21. Alopecia areata. (With cadaverous diarrhoea, *Nat. mur.*)
22. Concussion of the brain. (With cadaverous diarrhoea, *Nat. mur.*)
23. Delirium tremens. (With cadaverous diarrhoea, *Nat. mur.*)
24. Vertigo, nervous.
25. Gums bleed and have a bright red border.
26. Photophobia nervosa.
27. Paralysis after diphtheria.
28. Strabismus after diphtheria.
29. Tongue spread as with liquid mustard.
30. Fetor ex ore.
31. Noma.
32. Vomiting of thin, blackish, uncoagulated blood.
33. Acute gastritis after allopathic treatment.
34. Ulceration of the stomach. (12x.)
35. Enlargement of the stomach. (12x.)
36. Evacuation, carrion-like. (12x.)
37. Rice-water evacuation. (*Nat. sulf.*)
38. Asthma.
39. Pertussis.
40. Dyspnoea. (Compare *Nat. mur.*)
41. Fetid secretions.
42. Secretions are excoriating.
43. Ischuria from neurasthenia.

44. Vesicles with bloody ichorous contents.
45. Excoriations of infants with carrion-like diarrhoea.
46. Gonorrhœa—bleeding of urethra.
47. Balanitis. (*Kali sulf.*, primary remedy.)
48. Pemphigus malignus.
49. Mechanical injury, sanious discharge. (*Calc. sulf.*)
50. Rachitis, fœtid diarrhoea.
51. Hæmorrhage, thin, red. (*Nat. mur.*)
52. Hæmorrhage, blackish.
53. Uterine hæmorrhage.
54. Menstrual colic. (*Mag. phos.*)
55. Excessive menses.
56. Laming pains in the back. (*Mag. phos.*)
57. Neurasthenic, nervous (neuralgic, spasmodic). (*Mag. phos.*)
58. Pains better from gentle, worse from exerting motion.
59. Hip, nervous pains.
60. Palpitation of the heart. (200th.)
61. Epilepsy. (*Kali mur.*) (*Kali phos.* 12x.)
62. Spasms, nervous. (*Calc. phos.*)
63. Cramp from over-exertion.
64. Agoraphobia.
65. Chlorosis. (*Calc. phos.*)
66. Appendicitis. (*Kali mur.* and *Nat. sulf.*)
Paroxysms of pain. (*Mag. phos.*)
67. Reduction of fever and pulse. (2x in extremis.)

68. First remedy after allopathic treatment.
(30x.)
69. Softening of tissues and decay.
70. Decubitus. (Externally, 1x.)
71. Retarded nutrition with characteristic depression.
72. Muscular atrophy. (30th and 200th.)
73. Somnambulismus.
74. Fretting children.
75. All pains worse after rest and on commencing to move.
76. Aggravation on rising.
77. Sciatica. (After *Ferr. phos.*)
78. Nymphomania. (*Calc. phos., Nat. mur.*)
79. Satyriasis. (*Calc. phos., Nat. mur.*)
80. Nervous itching, most on palms and soles.
(*Calc. sulf.*)
81. Incubus nocturnus sive asthma.

KALIUM SULFURICUM. (6x-12x; 200th.)

WILL CURE:

As described in "Selection of Remedies."

AND WILL BE USED THEREFORE IN:

1. Catarrh. (Mucous discharge becoming yellow after *Nat. mur.*)
2. Albuminuria. (*Kali phos.*)
3. Albuminuria, after infectious skin diseases.
4. Genuine croup. (Alternate with *Calc. phos.*)

5. Diphtheria, white exudation.
6. Dropsy in scarlatina.
7. Morbilli.
8. Pains, worse in warm room.
9. Pains, worse toward evening.
10. Sensation of heaviness.
11. Chilliness; palpitatio cordis, according to symptoms.
12. Anxiety; vertigo; according to symptoms.
13. Sadness, comforted by consolation; opposite to *Nat. mur.*
14. Emaciation in spite of good living.
15. Secretion. (Yellow, sticky, slimy, mucous.)
16. Tooth, head, limb ache in *Kali sulf.*, aggravated by motion.
17. Asthma, if expectoration has *Kali sulf.* characteristics.
18. Ear inflammation; conjunctivitis; tongue yellow, sticky secretion.
19. Gastralgia, according to symptoms.
20. Coryza. (After *Kali mur.*)
21. Hoarseness. (After *Kali mur.*)
22. Whooping cough, according to symptoms.
23. Chronic syphilis, according to symptoms.
24. Sacral pains, according to symptoms.
25. Tuberculosis, according to symptoms.
26. Balanitis, according to symptoms.
27. Tuberculosis. (After *Nat. mur.*)
28. Gastro-duodenal catarrh,

29. Profuse scaling off of the epidermis on viscid basis. (*Sil.*)
30. Desquamation. (After skin diseases, *Ferr. phos.*)
31. Anæmia. (After *Nat. mur.* and *Calc. phos.*)
32. Spasms. (After *Mag. phos.*)
33. Spasms of infants.
34. Shifting rheumatic pains.
35. Great rattling on the chest (coarse râles).
36. Ophthalmia neonatorum, yellow crusts.
37. Polypus. (*Calc. phos.* and *Nat. mur.*)
38. Lupus faciei. (Locally 2x; internally 12x.)
39. Insipid, lost, pappy taste, but more sticky than *Kali mur.*
40. Desire for cold air. (Differentiate from *Kali phos.*)
41. Skin diseases (principal remedy).
42. Malaria. (After *Nat. sulf.* often intercurrently.)
43. Cramps. (Clonic 6x.)

MAGNESIA PHOSPHORICA. (1x-30x; 200th.)

WILL CURE:

1. Various cramps.
2. Pains, radiating from a center; better by warmth in any form (often accompanied by hot watery diarrhœa).
3. Lightning-like, burning, stabbing, electric-shock like sensations.

AND WILL BE USED THEREFORE IN:

1. Nervousness with trembling; hands shaking.
2. Cramps in the calves. (Compare *Nat. sulf.*)
3. Neuralgic headaches > tight bandage around head.
4. Obstinate gastralgia. (2x.)
5. Cannot endure room air; cannot have fresh air either.
6. Keeping quiet, impossible in most cases.
7. Supra-orbital neuralgia.
8. Nervous itching over entire body.
9. Gastralgia, with irregular periods.
10. Neuralgia of the bladder.
11. Singultus. (Compare *Calc. phos.* and *Kali sulf.*)
12. Paralysis agitans.
13. Neuralgia intercostalis. (Compare *Calc. phos.*)
14. Enuresis. (Confer *Nat. sulf.*)
15. Chromotopsy. (*Nat. phos.*)
16. Graphospasmus.
17. Vertigo. (Compare *Calc. phos.* and *Kali phos.*)
18. Tympanitis. (Compare *Kali phos.* and *Nat. sulf.*)
19. Dysentery. (Compare principally *Nat. sulf.*)
20. Face-, ear-, tooth-ache.
21. Dentition; larynx' spasms; spasms without fever. (*Calc. phos.*, spasms, cough.)

22. Inflammation of the eyes (rheumatic); violent burning.
23. Spasmodic (temporary) strabismus.
24. Angina tonsillaris. (Compare *Calc. phos.*)
25. Gastrodynia.
26. Pinching of abdomen by flatulence.
27. Colic around umbilical region.
28. Flatulence, colic, etc., in infants.
29. Gall-stone colic. (Continued with *Mag. phos.* often cures.)
30. Watery diarrhoea, with colic before evacuation.
31. Violent hemorrhoidal pains (burning, etc.), without inflammation.
32. Ozæna.
33. Genuine whooping cough(?).
34. Hypertrophy of prostate gland.
35. Strangury; spasms of the sphincter.
36. Pruritus. (Compare *Kali phos.* and *Calc. phos.*)
37. Scrofulosis. (*Nat. phos.*, *Sil.*, mostly single doses 200th.)
38. Goitre. (Single doses of 200th.)
39. Labor pains, spasmodic. (Repeated doses 1x.)
40. Rigor. (Repeated doses 1x.)
41. Menstrual pains. (Rather high potencies, single doses, then low and repeated ones.)
42. Pains in back and limbs. (Rather high potencies, single doses, then low and repeated ones.)

43. Vaginismus. (Rather high potencies, single doses, then low and repeated ones.)
44. Cancer (one of chief remedies). (Rather high potencies, single doses, then low and repeated ones.)
45. Cramps and spasms: glottis, lock-jaw, muscular, St. Vitus, hiccough, etc.
46. Rules for discrimination:
- Kali mur.*, pressure and warmth aggravate.
- Calc. phos.* equals *Mag. phos.*, with the addition of numbness, besides their special indications.
- Kali sulf.*, returning in more periodical attacks of cramp, etc., besides the special indications.
- Nat. mur.*, returning in more periodical attacks of cramps, etc., at certain times.
- Ferr. phos.* amelioration by cold, whatever, cramp, pain, etc., may be.
- Kali phos.* patient much weakened after each cramp. (*Mag. phos.* patient seemingly well after each attack.)

NATRUM MURIATICUM.
(1x-30x; 200th-1000th.)

WILL CURE:

1. By effecting the attraction of water, destined to be put to use in the organism.
2. By causing the splitting of the cells necessary for their multiple action.

AND WILL BE USED THEREFORE IN:

1. Exudation of mucus, glassy, clear, watery.
 2. Hydræmia,
 3. Blisters,
 4. Anæmia,
 5. Catarrhs,
 6. Dyspepsia,
 7. Œdemata,
 8. Pains,
 9. Entritis,
- } Under symptoms representing
the lack of *Nat. mur.* Vide
§ 1, No. 6.
10. Articular rheumatism.
 11. Albuminuria.
 12. Confluent pustules.
 13. Morbilli.
 14. Sopor. (Compare *Kali phos.*)
 15. Disguised intermittents.
 16. Headaches; vomiting of transparent mucus; clear tongue; acrid tears; salivation.
 17. Pains; vomiting of transparent mucus; clear tongue; acrid tears; salivation.
 18. Scab-head. (Externally, 1x solution.)
 19. Falling out of hair. (Externally, 1x solution.)
 20. Delirium tremens. (Compare *Kali phos.*)
 21. Catarrh of the Eustachian tube. (Compare *Kali mur.*)
 22. Mumps with salivation. (*Kali mur.*)
 23. Toothache; salivation; lachrymation.
 24. Salpingitis catarrhalis.

25. Pruritus vulvæ; sensation of dryness in the vagina.
26. Early and profuse menses in chlorotic girls.
27. Patient better when lying on back.
28. Malnutrition (yellow complexion).
29. General malaise in both sexes after coitus.
30. Traumatic pains. (After *Ferr. phos.* 200th.)
31. Nymphomania. (200th-1000th.)
32. Vulvitis.
33. Polypus uteri.
34. Difficult defecation. (200th.)
35. Chronic morning headache. (200th.)
36. One-sided neuralgia. (Repeated doses of 12x.)
37. Melancholia before menses. (30x.)
38. Pain in the root of nose.
39. Worse in cold weather, also in the sun.
40. Sinking of the viscera.
41. Dentition, slaving.
42. Conjunctivitis, watery discharge.
43. Vesicles on the cornea.
44. Spots on the cornea.
45. Inflammation of the iris.
46. Hydræmic asthenopia.
47. Eye pains with lachrymation. (Opposite to *Ferr. phos.*)
48. Frothy mucous on the tongue.
49. Tongue, bubbles on edges.
50. Vomiting of transparent, watery mucus, or fluid.

51. Inflammation of the uvula.
52. Mucous saliva. (After *Nat. sulf.*)
53. Jaundice. (After *Nat. sulf.*, *Kali mur.*)
54. Stomachache with water in the mouth.
55. Water in the mouth; clear tongue; indolent stool. (200th.)
56. Watery, mucous evacuation.
57. *Ascaris lumbricoides*.
58. Fluent coryza.
59. Asthma. (200th and 1000th in single doses often cure.)
60. *Nat. mur.* must be discriminated well from *Nat. sulf.*, as *Nat. sulf.* has many identical symptoms, as, for instance, a rising of water in the mouth, but it is bitter, foul and more mucous. *Nat. phos.* has also the same rising, but it is rancid, acrid, sour and burning.
61. Pertussis.
62. Œdema pulmonum. (*Kali phos.*)
63. Polypus. (*Calc. phos.*)
64. Vesicles, with clear water.
65. White scales.
66. Herpes zoster.
67. Pemphigus.
68. Insect stings. (*Kali mur.*)
69. Chronic syphilis (with gonorrhœa). (1000th.)
70. Gleet. (Compare *Calc. phos.*)

71. Œdema scroti. (*Nat. sulf.* and further
Calc. phos.)
72. Œdema penis. (*Nat. sulf.* and further
Calc. phos.)
73. Œdema praeputii. (*Nat. sulf.* and further
Calc. phos.)
74. Hydrocele. (*Calc. phos.*, *Nat. sulf.*)
75. Mechanical injury. (*vide* § 1, No. 6.)
76. Coccygodynia traumatica chronica. (*vide*
§ 1, No. 6.)
77. Backache. (*vide* § 1, No. 6.)
78. Epilepsy. (After *Kali mur.* — 2ooth or
10ooth only.)
79. Scrofulosis. (Compare *Calc. phos.*)
80. Phthisis acuta.
81. Salty taste.
82. Bluish milk of confined women.
83. Excessive growth of mammæ in pregnancy.
(2ooth.)
84. Salt rheum.
85. Reabsorption of water in sacs; (if yellow),
Kali sulf.
86. Watery, bloated face; (tired, inclined to
weep).
87. Chilly, cold extremities. (Compare *Sil.*,
Calc. phos.)
88. Sensation of cold along spine.
89. Strong desire for salt.
90. Mucous hemorrhoids. (Compare *Kali sulf.*)

91. Skin itching (gastrical).
92. Losing flesh while living well. (*Kali sulf.*)
93. After allopathic treatment. (*Kali phos.*)
94. Hysterics. (*Kali phos.*)
95. Pruritus. (Compare *Mag. phos.*)
96. Vaginitis.
97. Sterility. (Compare *Nat. phos.*)
98. Dysmenorrhœa with chlorosis.
99. Cancer. Note the observation of Dr. Rost in India.—*Med. Record*, April 25th, 1903.
100. Acne, and other skin diseases, chronic, if corresponding to Facial Diagnosis.

NATRUM PHOSPHORICUM. (12x; 30th; 200th.)

WILL CURE:

1. Uric acid diathesis.
2. Redundant milk acid.
3. Tubercular processes.
4. Inflammation.
5. Pus formations.

AND WILL BE USED THEREFORE IN:

1. Spasms with acidity.
2. Diseases of infants and children; lactic acid from excess of milk and sugar; sour vomiting; diarrhœa, sour, greenish yellow with cramps and fever.
3. Symptoms worse evening and during thundershower.

4. Albuminuria.
5. Phlegmonous inflammation.
6. Acute articular rheumatism.
7. Sepsis in the beginning.
8. Dyspepsia from fat food.
9. Podagra, chiragra. (*Sil.*, *Mag. phos.*, *Calc. sulf.*)
10. Diphtheritic exudations, yellow on tonsils.
11. Variola.
12. Discharges, creamy yellow, thick pus. (*Sil.*, *Calc. sulf.*)
13. Eye secretion; thick, yellow, creamy.
14. Eye inflammation of new born infants. (12x.)
15. Eye inflammation scrofulous. (200th.)
16. Synovial crepitation of lower extremities.
17. Lying on left side aggravates.
18. Inflammation of cornea.
19. Fiery sparks before eyes. (*Mag. phos.*)
20. Strabismus caused by worms.
21. Violent eye pains caused by rheumatism.
22. Angina tonsillaris acuta. (Chronic *Mag. phos.*)
23. Tongue coated yellow and moist.
24. Aphthæ when yellow.
25. Vomiting of blood. (*Kali phos.*)
26. Vomiting of sour cheesy masses.
27. Sea-sickness. (*Kali phos.*)
28. Heartburn.

29. Gastric affections from fat food.
30. Prevention of gall-stone formation.
31. Evacuations purulent; bloody purulent.
32. Gout resulting from alcoholism.
33. Hamstring sensation.
34. Anus raw and sore from free lactic acid in
fæces.
35. Diarrhœa caused by lactic acid.
36. Oxyuris vermicularis.
37. Dry coryza in scrofulous persons.
38. Ozena. (*Mag. phos.*)
39. Secretion is purulent. (*Sil.* and *Calc. sulf.*)
40. Chief remedy in cystitis. (Compare *Nat.*
sulf.)
41. Enuresis from worms. (Compare *Nat. mur.*)
42. Itching hives, rash, chafed skin, etc.
43. Spermatorrhœa; great sexual desire. (*Kali*
phos.)
44. Honey-yellow crusts (sticky, *Kali sulf.*)
45. Acute inflammation of glands, mammæ.
46. Mastitis in puerperio. (Compare *Kali mur.*
and *Calc. fluor.*)
47. Swelling of sebaceous glands.
48. Eruptions after vaccination.
49. Excoriation of infants.
50. Erysipelas—infiltration.
51. Tuberculosis. (Compare *Sil.* and *Mag.*
phos.)
52. General tuberculosis. (*Calc. phos.*)

53. Tubercular glands swollen. (*Mag. phos.*,
Kali mur., *Sil.*, *Calc. fluor.*)
54. Gonorrhoea, first stage (chief remedy).
55. Gonorrhoeal arthritis.
56. Gonorrhoeal rheumatism.
57. Crick in the back.
58. Hip pains; arthritic.
59. Epilepsy. (*Kali mur.* and *Nat. mur.*)
60. Acid (coppery) taste.
61. Great aggravation during menses.
62. Sexual dreams.
63. Great itching (sensual feeling) on the gen-
itals.
64. Every aggravation to be differentiated from
Kali sulf.
65. Morphomania.

NATRUM SULFURICUM.

(2x-12x; 30x, 30th, 200th.)

WILL CURE:

1. By attracting the water formed during the retrogressive metamorphosis of the cells, and securing its elimination from the organism.
2. By being a stimulant to the epithelial cell.
3. By being a nerve tonic and stimulant of sensory and motory nerves.

This threefold work of *Nat. sulf.* is characterized by hydræmia.

Perhaps of all the tissue remedies *Nat. sulf.* will best be used in a strictly pathological way, without much regard for symptoms.

AND WILL THEREFORE BE USED IN:

1. Aggravation in the morning—steady amelioration after 3 P. M.
2. Twitching in the whole body.
3. Twitching; of hands and feet during sleep.
4. Cerebral irritation after injury. (Compare *Kali phos.*)
5. Irritability, in the morning (differentiation only possible through facial diagnosis). (*Nat. mur.*, *Kali phos.*, *Kali mur.*)
6. All nervous symptoms to be decided from the point of pathogenesis.
7. Intolerance of tight clothing.
8. Most deeply rooted gleet.
9. Glossy (bronchial, etc.) secretion.
10. Certain amelioration out of doors.
11. Ozaena syphilitica, without fetor.
12. Ulcer (mostly) on outer side of thigh.
13. Itching while undressing from change of air or temperature.
14. Chronic morning diarrhœa in old women.

15. Constipation.
 16. Intermittents.
 17. Diabetes.
 18. Renal diseases.
 19. Liver diseases.
 20. Gall-bladder disorder.
 21. Pancreas diseases.
 22. Leucæmia.
 23. Painters' colic,
 24. Diarrhœa.
 25. Cholera.
 26. Cholera infantum.
 27. Ischuria.
 28. Appendicitis.
 29. Erysipelas.
 30. Chronic gonorrhœa.
- } Chief remedy.
31. Fevers depending on the foregoing diseases.
(15-30.)
 32. Great sensitiveness of liver region.
 33. Rheumatic affections.
 34. Affection of the entire portal system.
 35. Asthma.
 36. Augmentation of urine.
 37. Stimulus to gall-bladder, pancreas, colon
(motion).
 38. Hydræmia. (Compare *Nat. mur.*)
 39. Single œdema. (*Nat. mur.*, *Kali mur.*)
 40. Dropsy from liver diseases. (*Kali mur.*,
Mag. phos.)

41. Vesicles with green, yellow, thin, watery contents.
42. Moist herpes.
43. Retention of urine.
44. Herpes circinatus.
45. Humid weather aggravation; also damp air.
46. Aggravation; underground dwellings.
47. Jaundice. (Compare *Kali phos.*, *Mag. phos.*, *Kali mur.*, *Nat. mur.*)—(*Calc. sulf.*)
48. Chilblain. (Compare *Kali phos.*, *Mag. phos.*, *Kali mur.*, *Nat. mur.*)—(*Calc. sulf.*)
49. Condylomata. (Compare *Kali phos.*, *Mag. phos.*, *Kali mur.*, *Nat. mur.*)—(*Calc. sulf.*)
50. To dry up the milk in the breast.
51. Neuralgia (disguised malaria).
52. Herpes tonsurans.
53. Greenish-yellowish eye secretion.
54. Tongue dirty, brown, green, yellow; bitter slimy taste.
55. Bilious fever; biliousness.
56. Abdominal pains (accumulation of flatus; motory nerves.)
57. Flatulent colic; constipation.
58. Evacuation, watery (bilious).
59. Painters' colic. (2x; but had result from zooth.)
60. Appendicitis. (Compare *Kali phos.*, *Kali mur.*, *Nat. mur.*, *Mag. phos.*)—(*Calc. sulf.*)

61. Syphilis. (Compare *Kali phos.*, *Kali mur.*,
Nat. mur., *Mag. phos.*)—(*Calc. sulf.*)
62. Erysipelas. (Compare *Kali phos.*, *Kali mur.*,
Nat. mur., *Mag. phos.*)—(*Calc. sulf.*)
63. Coryza, greenish, watery.
64. Green, watery (yellowish, brownish) secre-
tion from mucosæ.
65. Ischuria after partus (pressure on urethra).
66. Enuresis nocturna. (Compare *Fer. phos.* and
Nat. phos.)
67. Yellow scales.
68. Veruca. (*Kali sulf.*, *Kali mur.*, *Nat. mur.*)
69. Vegetation. (*Kali sulf.*, *Kali mur.*, *Nat.*
mur.)
70. Gleet. (*Kali sulf.*, *Kali mur.*, *Nat. mur.*)
71. Œdema scroti. (*Calc. phos.*, *Sil.*)—(*Nat.*
mur.)
72. Œdema penis. (*Calc. phos.*, *Sil.*)—(*Nat.*
mur.)
73. Œdema præputii. (*Calc. sulf.*, *Sil.*)—(*Nat.*
mur.)
74. Hydrocele. (*Nat. mur.*; acute, 12x; chronic,
200th.)
75. Cold feet in bed.

NOTE.—The author has found that *Nat. sulf.* has a most specific influence on ring-worms; and will work more speedily if the higher potencies (at least the 300th) are given in single doses during long intervals.

SILICEA. (12x-30x; 200th and 1000th.)**WILL CURE:**

1. Pus, blood, accumulation by absorption after
Calc. phos.
2. Chronic diseases of the connective tissue,
epidermis, nails.
3. Solution of stony concretions.
4. Paralysis of long standing.
5. The cells are enabled by *Sil.* to throw off
inimical substances.
6. Reabsorption of sero-albuminous exudations.
7. Restores atrophy and atrophic conditions.
(*Kali phos.*)

AND WILL BE USED THEREFORE IN:

1. Poorly nourished persons, deficient assimila-
tion.
2. Menses with icy-cold feeling all over.
3. Constipation; foetid foot sweat.
4. Chronic syphilitic indurations.
5. Alopecia præmatura (will bring to a stand-
still).
6. Taciturnity; melancholy; cranky state.
7. Headache, pressing asunder from nape of
vertex, or from nape to the eyes, supra-
orbital region (often nausea).
8. General aggravation: Light, noise, motion.
9. General internal chilliness (6-9 C. Dunham).
10. Aversion to warm food.

11. Sensitiveness to cold air.
12. Menstrual colic dominated by internal chilliness.
13. Spinal irritation, ameliorated by extreme heat only.
14. Spasmodic leucorrhœa, ameliorated by extreme heat only.
15. Nausea, ameliorated by extreme heat only.
16. Irritable temper, but quiet, ameliorated by extreme heat only.
17. Constipation, resultant fissura ani, following *Nat. mur.*
18. Nocturnal enuresis. (After *Nat. phos.*)
19. Trimethylamin—footsweat, also anus, armpits, genitals—best deodorans.
20. Leucorrhœa; menses, more or less acrid.
21. Bronchorrhœa in old people.
22. Neurasthenia; sore muscles on the neck and occipital headache.
23. Chronic neuritis,
24. Caries of the long bones,
25. Mastitis of scrofulous persons,
26. Evacuation,
27. Coryza,
28. Chronic cystitis,
29. Burns (septic),
30. Pustules, yellow, purulent crusts,
31. Sebaceous glands,

After *Nat*
phos.; compare
Calc.
sulf.

32. Burns,
33. Panaritium,
34. Caro luxuriance,
35. Rhinitis acuta,
36. Cramp-like contraction in and after constipation.
37. Asthma of stone workers.
38. Sleeplessness. (After *Kali phos.*)
39. Chorea. (Compare *Mag. phos.*)
40. Hemiplegia.
41. Bone fistula, closed permanently in one week.
42. Stony hard tumors in abdomen (glands, etc.)
43. Fistula lachrymalis. (After *Nat. mur.*)
44. Tabes dorsalis. (Compare *Kali mur.*, *Mag. phos.*)
45. Otitis media. (After *Kali mur.*)
46. Sticky ulceration with burning pains.
47. Atrophy of young people.
48. Phlegmonous inflammation. (*Nat. phos.*)
49. Gouty disposition.
50. Prevention of renal gravel.
51. Apoplexia. (30x is best potency.)
52. Pains with nodules on the bones, head, etc.
53. Swelling of meatus auditorious extreme.
54. Secretius (eyes). (After *Nat. phos.*)
55. Hypopion. (After *Calc. sulf.*)
56. Suppuration of the tongue.
57. Furunculosis.
58. Hydrocele. (After *Nat. sulf.*)

59. Hydrops, hygroma patellæ, ankylosis. (*Calc. phos.*)
60. Encysted tumors. (200th, respectively 1000th.)
61. Epilepsy, nocturnal attacks.
62. Promotes suppuration.
63. Coldness of body. (Compare *Calc. phos.*)
64. Tendency to pustules.
65. Tendency to scybala.
66. Cancer. (Follows after *Kali sulf.* and *Nat. mur.*)

III.

FACIAL DIAGNOSIS.

The author presumes this to be the first attempt toward building up a facial diagnosis with specific directions. He has described here all that was deemed helpful toward recognizing the indicated remedy, not only in the face of the patient, but in his whole appearance.

THE PHOSPHATES.—We can notice as a common and general feature of the Phosphate patient, an irritable nervousness, debilitated vitality, anxiety and depression, with excitability according to circumstances.

A delicate skin, soft grained hair, livid yellowish or earth-like complexion, showing in excitement a sharp demarcation of the red hue against the pale, livid parts.

Rapid emaciation; bloated face; blue rings around sunken, hollow eyes.

CALCAREA PHOSPHORICA—Face looks old with emaciation. Skin of the face loose. Coldness of nose, ears and every prominent feature. Freckles and pimples (mostly in girls and women). Sore corners of mouth. Upper lip enlarged.

The peripheric limbs, etc., do not harmonize

with the big centrally located masses of the body.

Head is large and supported by a thin, weak neck. The abdomen is the so-called potato belly resting on thin, ill-proportioned legs. Joints are clumsy.

The least exertion causes a cold perspiration on the face.

Uneasiness drives the patient from place to place, but bodily weakness counterbalances it. Patient seems to be quiet.

The veins are prominent and appear to be turgescient.

FERRUM PHOSPHORICUM. — Livid and anæmic face; eyes always bloodshot; mucosæ white; the arteries are visible and moving.

Hurried and labored breathing; vibration of alæ narium.

Erythism, with depression of the sensory nerves.

Acne or some other pimples on forehead or chin.

Sluggishness of appearance, with a certain amount of cowardice respecting the day's inconveniences.

KALIUM PHOSPHORICUM. — Kali phos. patient has either half closed eyes, or glassy, bright, staring eyes; a stupid, dazed, or intoxicated look. Face appears emaciated; eyes hollow; skin livid or dirty.

MAGNESIA PHOSPHORICA.—Ailing, white, ghost-like, misanthropic face, with anxious look; quick mimic play around mouth and nose.

The skin of the face appears to be drawn. The patient appears thin, emaciated, lean and of light complexion; full of ambition, but tires easily; quick in motion, but slow in thinking; talks with the whole body, and always gesticulates to correct the slow flow of thought. Weakened will power; no resistance against pains; easily governed by others.

NATRUM PHOSPHORICUM.—Patient appears to be very gracile in the entire bone frame. The skeleton seems to have been formed at the expense of the muscles.

Patient is as in a stupor. Timidity, fear, fright, anxiety or apprehension are depicted in his features.

Nose and ears always itching and patient is continually rubbing same.

THE SULFATES.—The organism of the Sulfate patient is of a coarser grain than the Phosphate or Sodium patient.

The exhalation of the body is disagreeable.

Face is pale, only the prominent parts are red (lips, ears).

Neck is seemingly too weak to carry the head, and, therefore, the head is carried bent forward.

Patient sleeps with head on low pillow.

CALCAREA SULFURICA.—In general, a pimply and pustular face with suffering expression. Soreness of eyelids, blisters on under lip.

Skin of body and face in more or less chronic state of dry eczema.

KALIUM SULFURICUM.—Patient seems to be entirely devoid of ambition or resistance, and such is the expression of his face—henpecked.

Face swollen, worse on left side near eye.

Yellowish color, more or less, over whole face and body.

Lips shrivelled, tongue (protruding) red.

Neck seems to be hampered in free mobility.

NATRUM SULFURICUM.—Bilious, choleric nature; right side of face swollen in the morning.

Pale, yellow, gloomy face, looking as if patient had not slept all night.

Eyes dim and blurred.

Desquamation and slaving of lips.

THE CHLORIDES.—The patient of this class differs from the phosphate group, in being less nervous; and from the sulfate group by being less pungent in corporeal exhalation and less coarse in fibre.

The face looks sickly, œdematous, pimply, with irregular features.

The general character can be called: dull, torpid, passive.

The body is well proportioned.

KALIUM MURIATICUM.—Swelling of glands is of medium hardness.

Inflammatory and very red, soft with small vesicles.

The ulcerations go deeper than those of *Nat. mur.*, but not so deep as *Calc. phos.*

The *Kali mur.* patient is well fed, has light blond hair.

Anxious face expression.

Patient gets worse from motion, but must occupy himself, so he plays with his fingers.

Exudation as in all chlorides, ropy, but thicker than under *Nat. mur.*

Cheeks swollen; sluggish nature. (*Sus scrofa.*)

NATRUM MURIATICUM.—Livid œdematous face (left side) with shining oily skin, often yellowish; granulated eruption; flat red ulcers with white spots.

Skin of face sensitive; eyes appear wet from tears.

Pimply excoriations on the hairy regions of the scalp.

Hydræa around lips and mouth.

Exudations clear, watery, sharply excruciating, biting.

Retreating, disposition; thin emaciated body; pensive; melancholic; taciturn; often combined.

CALCAREA FLUORICA.—Face of an alabaster whiteness, with the veins showing through the

thin epidermis, as a blue network; not only in the face, but over the entire body.

Skin hard and dry.

The submaxillary glands are enlarged and hard.

Often the *Calc. fluor.* patient makes the impression of a cretin.

SILICEA.—Pale yellow face; skin cracks easily; acne on the chin.

Scrofulous face; more pronounced than in *Kali mur.*


Generally indolent, but when aroused, stubborn.

The following words of C. Dunham express the *Sil.* patient very correctly: "With evidence of exhaustion there is an exalted condition of susceptibility to nervous stimuli; the special senses are morbidly keen."

SECOND DIVISION.

CELLULAR THERAPY.

THE ADDITIONAL REMEDIES.



I.

THE ADDITIONAL REMEDIES IN THEIR ELEMENTARY BASIS.

THE MORE IMPORTANT ELEMENTS.

Arsenic has been lately found throughout the entire organism. The chemical analyses of recent years have proved that *Arsenic* will be found in the blood, skin and glands—mostly in the thyroid gland.

Iodum, like *Arsenic*, was also found throughout the body, especially in the blood and glands.

Drs. E. Glay and P. Bourcet have observed that after copious bleeding, the remaining blood in the body does not contain any *Iodine*; that all the remaining *Iodine* was collected in the thyroid gland.

The first observation regarding *Iodine* in the human organism was made in recent analyses of menstrual blood. It is, therefore, necessary to include the two elements, *Arsenic* and *Iodum*, in the list of tissue builders.

The next step is now to use combinations of *Arsenic* and *Iodine* with *Calcium*, *Kalium*, and *Natrum* under the leading points of the original salts of the late Schüssler.

The indications so far are identical with

Schüssler, only that *Ars.* and *Iod.* instead of *Phos.*, etc., will give results in very old cases—as here the real deficit is *Ars.* and not *Phos.*, etc.

Both *Ars.* and *Iod.* under certain but so far unknown condition supply cell deficits and thus cure so-called incurable diseases.

This last term, “incurable diseases,” is the introduction for the *Iod.* combinations with *Calcium*, *Kalium* and *Natrum*.

Under the *Iod.* combinations, the most prominent so far, have been used in conditions conforming to *Calcium* and *Kalium*, but with special indications for *Iod.*

It should be here added that the results in the combination of *Ars.* and *Iod.* on one side and *Calc.*, *Kali* and *Nat.* on the other side, have caused the author to make use of the combination *Arsenic*, *Iodatum* and later *Phosphorus iodatus*, especially in cases where the whole organism seemed to be disorganized.

Manganum was rejected by the late Schüssler, but cannot be so any longer, as improved chemical analyses have proved the constant presence of *Mangan.* in the blood and in the different organs, as the liver, etc.

THE LESSER ADDITIONAL TISSUE BUILDERS.

It must be remarked that the following elements are differently employed than those of the

first division, as they are not so often needed because of their less important position in the organism. At times it seemed advisable to exclude them altogether, but then again a case seemed absolutely unmanageable without these remedies.

Alumina is found throughout the whole organism in minimum quantities, but mostly in the spinal marrow, nerves and skin, and also in the mucosæ.

The sphere of action corresponds to that of the **Natrum** and **Kalium** salts. We find, therefore, the following clinical indications:

1. Dryness from lack of natural secretions (mucosæ).
2. Nervous prostration from physical exhaustion, mostly from drain on albumen, physiological and pathological excretions.
3. Constrictive feeling.
4. Craving for indigestibles.
5. Creeping and numb feeling in limbs with impaired and uncertain locomotion; also in skin diseases.
6. Diseases otherwise curable by *Calc. phos.*, *Kali sulf.*, *Nat. mur.*, *Kali phos.*, *Kali mur.* and *Nat. phos.*

Bromium will be used in connection with *Kali phos.* and *Nat. phos.*, with special reference to mental irritation. Skin symptoms resulting from neurotic disturbances in combination with *Kal-*

ium, *Calcium* and *Arsenic* must be regarded as absolutely necessary to effect a cure—in old ulcers.

The clinical use will be: All Bromium salts and combinations are true stimulants, therefore useful in all atrophic conditions.

(a.) *Arsenic bromat.*—Skin and mucosæ, as also the nervous system.

(b.) *Brom.*—Spinal cord (twitching, convulsion), skin (foul ulcers with pain, but different from *Arsenic*).

(c.) *Calcarea bromat.*—Similar to indications for *Calc. phos.*

(d.) *Kali bromat.*—Represents the combination with *Kalium*.

Barium.—The indications are nearly identical with those of the Calcium salts.

The Barium salts (*Bar. phos.*, *mur.*, and *iod.*) occupy a middle ground between *Calc. fluor.* and *Calc. phos.*, and so the clinical use can easily be deducted.


1. Glandular system.
2. Bones.
3. Nerves.
4. Fat formation (Lipom).
5. Scrofulosis.
6. Old age.

Cuprum has been found combined with *Plumbum*, *Zincum* and *Arsenic* in the blood, more or

less through the whole organism; also in certain quantities, with *Plumbum* and *Mangan*, in the intestines, especially the liver.

Lithium will seldom be used; but sometimes only *Lithium* will effect a cure after *Calc. fluor.*, *Sil.*, *Kali mur.* and *Nat. phos.*

Zincum and *Plumbum* have been used in conjunction with *Kali phos.* in diseases of the brain and spine. *Zincum* especially represents the hysterical side. *Plumbum* represents the functional deficit in the nerve cell.



II.

THE DIFFERENT GROUPS OF THE NEW ELEMENTS.

I. ARSENIC AND ARSENIC PREPARATIONS. (Combinations.)

(a.) Arsenic Album.

Curative in kidney, blood, nerve (including spinal-marrow and brain substance), skin diseases.

The fact that *Ars.* is regularly found in the blood, explains the great and universal range and use of *Arsenic* and its combinations.

1. In all cases of profound prostrations (collapse, exhaustion).
2. Paralysis especially of lower extremities, resulting from spinal myelitis.
3. Weakness of the heart functions, thus resulting in stasis, œdemata.
4. Anæmia, hysterics, etc , causing a hypersensitiveness of material or imaginary pains.
5. Septic or non-septic disorganization of the blood.
6. Periodicity.
7. All pains and symptoms relieved by heat.

8. Face expression and appearance: Clay-colored, waxy, blue margins, anxious, distorted features; yellow spots on the chest, etc.; dark rings around the eyes.

9. The special domains for *Arsenic* (*Plumb. cuprum, Mag.*, etc.) are the abdominal (pelvic) organs.

10. A special feature is, that patients needing *Arsenic* or *Arsenic* combinations want everything for their cure or relief done immediately; they hardly can wait until a remedy or solution is prepared.

(b.) **Calcarea Arsenicosa.**

Corresponds in general to *Calc. phos.* and *Arsenic alb.* combined. This preparation has been found especially useful under the following conditions:

1. Summer complaint (cholera nostras) in extremis (*vide Semiotik* in neglected cases).

2. Anæmia not progressing under *Calc. phos.*, although seemingly indicated; hereditary phthisis or general scrofulosis, but without any local findings—Epilepsy.

3. Ailment and general decline without any basis; impaired digestion, hysteria.

4. Skin diseases, strictly belonging to *Calc. phos.*, but not yielding, are speedily cured by *Calc. ars.*

(c.) Cuprum Arsenicosum.

Corresponds to *Cuprum* and *Arsenic*, but more closely related to *Ars*.

It has been used: Where *Ars.*, in diseases of the abdominal viscera and nerves, seemed powerless to prevent collapse, paralysis of the heart in exhaustion and prostration. The character of such, to the exitus going, prostration is: Cold and sticky, nearly slimy (death sweat) perspiration of the entire body, with or without the terrible pains and anxiety of *Ars*.

(d.) Kalium Arsenicosum.

Conforms to the symptoms of *Arsenic alb*.

Kali ars. can be compared to *Kali mur.* in the combination with *Ars*.

The clinical experience shows that, with few exceptions, *Kali ars.* will eventually supplant all *Ars.* combinations.

(e.) Natrum Arsenicosum.

Has been used extensively for *Ars.* and *Nat. mur.*

It has been found especially useful in cases of biting and excruciating discharge, conforming to symptoms of *Nat. mur.*, and *Nat. sulf.*, but not influenced or cured by either.

It must be mentioned, that several cases of trachoma have been promptly cured, after other indicated remedies failed.

II. IODUM AND IODUM COMBINATIONS.

Indicated symptoms are:

1. Great appetite and rapid emaciation, marked especially in glandular tissues; restless; weak.

2. Generally of despondent mood, but in wasting diseases, forced self-hypnotism of well feeling.

3. Highly excruciating discharge.

4. Deep organic diseases, tuberculosis; syphilis; leucæmia..

5. Iodum is found mostly in the glands and leucocytes.

6. Sensation of terrible weakness, but if put to the test, surprisingly strong.

7. Old age; dark hair and complexion; tearing at night in muscles and joints (syphilis); chronic hoarseness.

8. Subsultus tendinum; nervousness; restlessness.

Clinically used in: Atrophy; headache; leucæmia; prostatitis; uterine diseases.

(a.) *Calcareæ Iodata.*

1. Inflamed glands; polypi; fibromatosis; tumors.

2. Chronic cough day and night (green purulent expectoration and night sweats.)

3. Anæmia, with copious menses.

4. *Calc. iodata* will often be used, where *Calc. phos.* or *Nat. mur.* are ineffective.

5. Indurated glands (tonsils, uterus, etc.); movable nodules under the skin. (3x-6x.)

(b.) **Kali Iodatum.**

1. Is the chief *Iodine* combination.
2. It will be used in place of *Iod.*, as *Kali ars.* is used for *Ars.*
3. Atrophic state of ovaries; climacterium presenile.
4. Dysentery (Jelly mucous).
5. Dry cough in larynx.
6. Atrophy in mammæ and testes.
7. All symptoms aggravated at night.
8. Tumors. (30th, single doses, but sparingly.)
9. Glands, bones (ulcerated, necrosis).
10. Itching herpes; papulæ on face; back, etc., pustules; boils leaving scars.

(c.) **Natrum Iodatum.**

1. Will be used in all cases where *Iodum* respectively *Kali iod.* and *Nat. mur.* can be recognized.
2. *Nat. iod.* has been used with good results in anæmia of the leucæmic form, not reacting on *Kali phos.* or *Nat. sulf.*

(d.) **Plumbum Iodatum.**

1. Pain in paralysis (*vide* general review).
2. Arterio-sclerosis, etc. (Compare *Calc. iod.* and *Baryt. iod.*)

3. Enlargement of glands.

(e.) **Zincum Iodatum.**

Compare *Iodum* and *Zincum*.

(f.) **Baryta Iodata.**

1. Compare *Iod.* and *Barium*.

2. In glands, tumors, scrofulosis, paralysis, brain, arteries.

III. CUPRUM, PLUMBUM AND ZINCUM.

Are found more or less together in their elementary functions in the nerve substance; also in the blood and abdominal organs, especially in the liver and intestinal tract. Individually the three elements must be considered as follows:

(a.) **Cuprum.**

1. Colic pains relieved by cold drinks.

2. Bluish skin; anæmia.

3. Clonus; abduction of limbs.

4. Cramps, with screams.

5. *Cuprum* is differentiated from *Zinc.* by unconsciousness.

6. Dysmenorrhœa with convulsions; obstructio intestinalis (intersusception) with singultus, spasmodic abdominal motion (in the muscles).

7. Heavy comatose sleep.

8. Restlessness.

9. Algid state (compare *Calc phos.* in cholera nostras).

10. *Cuprum* will always be a good starting remedy in hysteria and anæmic conditions.

11. Torpid anæmia, dysmenorrhœa, amenorrhœa and chlorosis.

12. Cramps in calves; pain along the spine.

13. < touch, like in *Mag. phos.* and *Ars.*

14. Spasms of œsophagus (*Zinc.*).

15. Chorea; thumb clenched.

16. Melancholia; solitude (*Nat. mur.*)

(b.) **Plumbum.**

1. Amenorrhœa, menorrhagia, with colic; vaginismus.

2. Climacterium; fullness of pelvic organs.

3. Emaciation; sallow, corpse-like complexion.

4. External heat, internal chilliness—in the evening.

5. Sciatica; cramps.

6. Degeneration of spinal cord, the anterior columns; poliomyelitis.

7. Retractive sensation (of the abdomen or anus).

8. Lancinating pains from the back into the thighs; paraplegia.

9. Pain better from hard pressure. (*Mag. phos.*)

10. Paralysis with trembling.

11. Constipation, diarrhœa; cramps.

12. Chlorosis; following *Fer. phos.*

13. Undeveloped female intra-abdominal generative organs.

14. Severe neuralgia (lightning-like, *Plum. iod.*); after *Mag. phos.* without result.

DISCRIMINATION.—*Cuprum*: Colic; spasmodic pains, beginning at one point and spreading; distention of abdomen; cramps and pains < on touch; cramps, etc., more enteralgic.

Plumbum: Most severe colic; hardness, retraction of abdominal muscles; radiating pains to all parts of body; most obstinate constipation of hard, knotty fæces.

(c.) **Zincum.**

1. There is but one great indication for this remedy; fidgetiness, worse from restraint; all other possible indications arrange themselves around this singular feature.

2. Hysterical paralysis of the genital sphere globulus.

3. Cutting neuralgia, going to perfect numbness.

4. Convulsions.

5. *Tabes dorsalis*.

6. Paralysis of rectum and bladder.

7. *Nymphomania*; *onanismus*.

8. Twitching of muscles.

9. *Delirium*; *Kali phos.*

10. Spinal irritation, trembling, sciatica after *Kali phos.*

11. Pruritus; after *Mag. phos.*

12. Formication of skin after *Calc. phos.*

13. Aggravation from wine.

14. Emaciation, brain fag, impaired mental faculty.

15. Headache, always over eyes.

16. Eyes burn.

17. Neurasthenia. Compare *Zinc. oxyd.* and *Zinc. phos.*, mostly after *Fer. phos.* (*Phos.* 30th) and *Sil.*

IV. BROMIUM AND ITS COMPOUNDS.

Brom. and *Kali bromat.* occupy the same position to each other as *Iod.* and *Kali iod.* or *Ars.* and *Kali ars.*

1. The sphere of action of *Brom.* and *Kali brom.* is in the nerves (brain), skin, genitals and mucosæ.

2. The preference for *Kali bromat.* is visible in all diseases depending on mental functions.

3. In wasting processes, etc., *Brom.* preparations must always be compared with *Iod.* preparations.

We must therefore keep in mind certain differentiations. *Brom.* and *Brom.* preparations show a special effect on degenerative processes of central nerve cells. This is proved by the fact that

stimulants act favorably on *Brom.* patients, but not on *Iod.* patients. Furthermore, the patients for *Brom.* preparations show a certain fulness or fleshiness of the body (*adiposa panicul*) against the lean and lanky appearance of *Iod.* patients.

Arsenic bromat., *Calcareo bromat.*, *Kalium bromat.*, *Natrum bromat.* will be used according to the composition of the preparation.

Lithium bromat. is used in cases where *Kali bromat.* proves ineffectual.

Zincum bromat. is the only remedy which acts in cases where, by presenting a dualismus of the mind, etc., in hysterical patients, the physician contends with an enormous amount of unsatisfactory work.

There remains now only to explain the position of *Phosphor* and *Sulphur* in the *Semiotik* or *Symptomatology*.

Phosphor is used on the identical basis as *Kali phos.*, and *Sulphur* (biochemically) stands in the middle between *Kali mur.* and *Kali sulf.*

III.

CLINICAL RELATION BETWEEN THE OLD AND NEW REMEDIES AND EACH OTHER.

CALCAREA FLUORICA.

Indurations.—

Baryt. phos.

Lith. phos.

Calc. iodat.,

Mag. mur.,

Kali mur.,

Kali iodat.

Kali iodat.,

Calc. phos.,

Sil.

} Fibroid indurations.

} Ulcers, syphilis, tuberculosis,
extravasations.

Nat. silicat,

Sil. fluor. calc.,

Alum. sulf. sil. calc.

} Tumors.

Diverse Topics.—

Alumina, genitals.

Kali iod., dry cough.

Baryt. iodat,

Calc. iodat.,

Plumb. iodat.,

} Arterio-sclerosis.

Fer. phos.,

Calc. phos.,

} Hæmorrhages.

<i>Fer. phos.,</i>	}	Absorption of blood extravasation in tissues.
<i>Calc. phos.,</i>		
<i>Sil.,</i>		
<i>Baryt. iod.,</i>	}	Injuries to bones.
<i>Lith. phos.,</i>		
<i>Manganese,</i>		
<i>Calc. phos.,</i>		
<i>Sil.,</i>		
<i>Fer. phos.,</i>		

CALCAREA PHOSPHORICA.

- General.**—*Calc. iod., Kali iod.* (atrophic).
- Anæmia.**—*Alumina, Ars., Calc. arsen., Cup. arsen., Nat. arsen., Manganese.*
- Neurasthenia.**—*Cup., Calc. hypophos., Zinc. phos.*
- Rachitis.**—*Iod., Cup., Ars., Phos.*
- Phthisis.**—*Cal. iod., Phos. iod., Ars. iod., Cup. arsen., Cal. ars.*
- Hydrocephalus.**—*Zinc. phos., Sil.*
- Cramps.**—*Kali sulf., Mag. phos., Mag. mur., Cup., Cup. arsen.*
- Dentition.**—*Nat. mur., Calc. fluor., Mag. phos.*
- Absorption.**—*Sil.*
- Neuralgia.**—*Kali phos., Zinc phos.*
- Skin Diseases.**—*Alumina, Calc. ars., Calc. sil., Kali ars., Kali brom., Nat. phos., Sil.*
- Abscess.**—*Calc. hypophos.*

Cholera Nostras.—*Cup.*, *Cup. arsen.*, *Calc. ars.*

Hysteria.—*Cup.*

Stoutness.—*Brom.* } Anæmic.

Leanness.—*Iod.* }

Sensation.—*Alumina*, *Zinc. phos.*, *Kali iodat.*

CALCAREA SULFURICA.

General.—*Cal. sulfide* (chemically pure).

Liver.—*Nat. sulf.*, *Cup.*, *Plumb.*, *Mag. mur.*,
Manganese, *Sil.*, *Zinc.*, *Calc. sulfide.*

Nerves.—*Kali phos.*, *Bar. phos.*, *Fer. phos.*

FERRUM PHOSPHORICUM.

General.—*Manganese*, *Kali sulf.*, *Ars.*

Mastitis.—*Nat. phos.* (seldom).

Menses.—*Fer. iod.*

Diarrhœa.—*Calc. ars.*

Anæmia.—*Calc. phos.*, *Nat. mur.*, *Kali sulf.*, *Fer.*
ars.

KALIUM MURIATICUM.

Trachoma.—*Nat. ars.*

Bright's Disease.—*Fer. iod.*, *Kali ars.*

Inflammation.—*Iod.*, *Calc. iod.*

Mastitis.—*Nat. phos.*, *Sil.*

Lymphatic Glands—*Calc. fluor.*

Gonorrhœa.—*Nat. phos.*

Syphilis.—*Kali sulf.*, *Sil.*, *Kali iod.*, *Ars. brom.*

Lupus.—*Kali sulf.*

Cold. — Muscivora.
 Throat. — Far. mus.
 Defecation. — Lumbago. Mag. mur.
 Albuminuria. — Cal. Kali iod., Plumb. phos., Calc.
 Dysentery. — Mus. Kali sulf.
 Kidney Diseases. — Tric. mus., Kali iod.

KALII PHOSPHORICUM

Coxalgia. — Ars. iod.
 Tuberculosis. — Mus. iod.
 Gangrene. — Ars. Phos.
 Dropsy. — Brom., Kali brom., Kali iod., Ars. brom.,
 Calc. sulf., Nervous tch.
 Anemia. — Kali sulf., Mag. phos.
 Asthma. — Kali iod., Plumb. iod., Ars. Zinc.
 Paralysis. — Kali sulf., Phos. ind., Ars.

Physical Exhaustion. — Lumbago
 Atrophy. — Ars. Phos. ind., Ars.
 Myopia. — Kali sulf., Calc. sulf.
 Neurotic. — Kali sulf., Mus., Calc., Plumb.,
 Chloroform. — Kali brom., Ars.

KALII SULFURICUM

Nephritis. — Kali sulf.
 Skin. — Kali sulf., Kali brom., Ars. Brom.
 Yellow Scurvy. — Kali sulf.

Congestion.—*Fer. phos.*

Rheumatism.—*Lith., Mag. mur.*

Gout.—*Lith., Mag. mur.*

MAGNESIA PHOSPHORICA.

Clonus.—*Cup.*

Cramp.—*Cup.* (along the spine).

Spasmodic (tearing, constant cough).—*Phos. iod.*

Spasmodic Eye-Pains.—*Alumina.*

Singultus.—*Calc. phos., Nat. mur., Kali phos.*

Spasmodic Cough (only at night).—*Calc. phos.*
(tickling).

Cancer Pain.—*Plumb. iod.*

Tabes Mesaraica.—*Phos. iod.*

Lightning-Like Pain.—*Plumb.*

Burning (needles).—*Ars., Ars. iod.*

Constricting Pain.—*Plumb.*

Rapidly Shifting Pain.—*Kali sulf., Mag. mur.*

Squeezing (contractive pains).—*Calc. iod.*

Night Neuralgia, > Warmth.—*Ars., Cup. arsen.*

Night Neuralgia, > Cold.—*Cup. (Kali mur.),*
Cup. arsen.

Ulcerative Pains.—*Zinc. phos., Brom.*

Enteralgic Pains.—*Cup., Plumb., Zinc., Ars.*

Chronic Cramps.—*Calc. sulf., Calc. sulfide.*

Cramps in Old Age.—*Bar. phos., Calc. sulf.*

NATRUM MURIATICUM.

General.—*Calc. ars., Ars. iod., Nat. ars., Bar.*

- phos.*, *Kali iod.*, *Bar. mur.*, *Calc. mur.*,
Alumina, *Mag. mur.*
Dry Mucosæ.—*Alumina*, *Mag. mur.*, *Bar. phos.*
Menstrual Headaches.—*Zinc. phos.*, *Calc. phos.*,
Fer. phos.
Coryza.—*Kali iod.*, *Nat. ars.*

NATRUM PHOSPHORICUM.

- Scrofulosis.**—*Ars. iod.*, *Phos. iod.*, *Kali iod.*, *Calc. iod.*, *Bar. iod.*
Acidity.—*Mag. mur.*, *Manganese*, *Lith. mur.*

NATRUM SULFURICUM.

- Leucæmia.**—*Iod. preparations*, *Kali phos.*
Diabetes.—*Ars. brom.*
Complementary.—*Alumina*, *Barium preparations*,
Zinc. phos., *Kali mur.*, *Sil.*, *Kali sulf.*, *Nat. mur.*

SILICEA.

- Sexual Organs.**—*Alumina.*
Footsweat.—*Zinc. phos.*
Constipation.—*Nat. mur.*
Paralysis.—*Plumb. iod.*, *Nat. cacodyl.* (leg).
Nerves and Brain.—*Vide Kali phos.*, *Plumb. phos.*
Complementary.—*Lapis alb.*, *Bar. salts.*

PART II.

SEMIOTIK.

The term Semiotik has been selected by the author to indicate that the symptoms for selecting the cellular therapeutic remedies differ materially from the homœopathic drug symptomatology.

The cellular therapeutical symptom expresses the diagnostical, pathological and clinical indication, without any reference to homœopathic symptomatological provings.

A

ABDOMEN.

- Cramps, pinching, with eructations, *Mag. phos.*
- — colic in the umbilical region, *Mag. phos.*
- — by accumulation of gas in adults, *Nat. sulf.*
- — by accumulation of flatus in the, transverse colon with constipation, *Nat. sulf.*
- — navel drawn (caved in), *Plumb.*
- — suddenly bloated, *Zinc. phos.*
- — burning, *Ars.*
- — in intestines, *Cup. , Cup. ars.*
- — in abdominal muscles, *Plumb.*
- — cutting, *Zinc.*
- — hardness (esp. in Appendicitis) [*Mag. phos.*] *Bar. phos.*
- — heat, *Cup. ars.*
- — sunken, *Calc. phos.*
- — trembling, *Iod.*
- — weak, empty, *Phos.*
- — grumbling, griping, *Nat. sulf., Mag. mur., Nat. mur.*
- Enteritis, acute (after *Ferr. phos.*), *Ars., Kali phos.*
- — chronica, tuberculosa (4x), *Phos. iod.*

- Meteorismus, with prostration, in adults,
Kali phos., *Nat. sulf.*
- — especially of babies, *Kali phos.*
- — with coldness of abdomen, *Kali sulf.*
- Excess of acids, *Nat. phos.*
- Heartburn, *Nat. phos.*
- Ulceration of stomach, *Kali phos.*, *Nat. phos.*
- Enlargement of stomach, *Mag. phos.*, *Kali phos.*
- Peritonitis, *Mag. phos.*, *Kali phos.*
- Gastritis, compare Cholera nostras, Gastralgia,
Gastric affections.

ABORTUS, chief remedy, *Kali phos.*

- According to color of blood—red, *Ferr. phos.*
- — — — — dark, *Kali mur.*
- Vomiting, acids, *Nat. phos.*
- — water, *Nat. mur.*
- — bilious, *Nat. sulf.*
- Caused by anæmic weakness, *Calc. phos.*
- — — sudden spasmodic cramps, *Mag. phos.*
- Preventative, anæmic, *Calc. phos.*, *Kali phos.*
- — secondary, *Nat. phos.*, *Mag. phos.*

ABRASIO, chief remedies, *Ferr. phos.*, *Kali mur.*

- Secondary, *Nat. phos.*, *Sil.*, *Calc. sulf.*
- Further vide Exudation.

ABSCESS.

- Phlegmonous inflammation, *Nat. phos.*
- — — later, *Sil.*
- — — too long oozing, *Calc. sulf.*

- To prevent pus formation (high potencies),
Calc. sulf., *Sil.*
- To promote pus formation (low potency),
Sil.
- Hard swollen glands, *Calc. fluor.*
- White shining glands (ready to burst), *Kali mur.*
- Broken, with callous edges, *Calc. fluor.*
- Creamy, yellow discharge, *Nat. phos.*
- Thick, lumpy, yellowish-white, *Calc. sulf.*
- Ichorous, foul, bloody (*Ars.*, *Phos.*), *Kali phos.*
- Greenish, watery, *Nat. sulf.*
- Gangrenous, smeary, *Calc. sulfide*, *Kali phos.*
- In the lungs, *Ars. iod 3x*, *Calc. iod. 2x*.
- Further compare Exudations.
- Gangrenous with burning pain, *Ars.*
- Initial hyperæmia, *Ferr. phos.*
- To prevent suppuration, *Iod.*, *Phos*
- Among tendons, *Sil.*
- Burning pains, *Ars.*
- Bluish discoloration, *Ars.*
- Bloody discoloration, *Phos.*
- Pyæmic [3x], *Nat. sulf.*
- Chronic, *Calc. phos.*, *Sil.*, *Iod.*, *Phos.*, *Sulf.*

ACNE.

- Punctata, *Nat. mur.*
- Rosacea, *Sil.*, *Calc. phos.*, *Nat. phos.*, *Kali mur.*

- In general, *Kali brom.*, *Calc. ars.*, *Calc. iod.*,
Calc. hypoph., *Sul.*, *Sulf. iod.*
- On forehead, cheek, with yellow head, *Kali brom.*

ACTINOMYKOSIS.

- Locally, *Kali phos.*, *Sil.*

ACHYLIA GASTRICA.

- Chief remedy, *Kali phos.*
- Further *vide* tongue coating (cavity of the mouth.)

ADENITIS.

- *Vide* Glands.

ADYNAMIA.

- Chief remedies, *Kali phos.*, *Nat. mur.*

ADDISON'S DISEASE.

- Chief remedy (*Calc. ars.*), *Nat. sulf.*
- Secondary remedies, *Nat. mur.*, *Kali phos.*,
Kali sulf.

AFTER PAINS.

- Relaxation, *Calc. fluor.*
- Faulty innervation, *Kali phos.*
- Spasmodic, *Mag. phos.*
- Hysterical, *Mag. mur.*

AGALACIA.

- Chief remedies, *Calc. phos.*, *Nat. mur.*
- Further *vide* Face diagnosis.

AGGRAVATION.

- Every morning, *Nat. mur.*, *Nat. sulf.*

- — afternoon, *Nat. mur.*
- — evening, *Kali sulf.*
- — change of weather, *Calc. phos.*
- Cold weather, *Kali mur., Sil.*
- Humid weather, *Nat. sulf.*
- Periodical, *Nat. mur., Nat. sulf.*
- By motion, *Ferr. phos., Kali mur., Nat. mur.*
- By continuous motion *Kali phos.*
- On slight touch, better by hard pressure, *Mag. phos.*
- By sea bathing, *Kali mur. (Sul.).*
- From alcohol, *Zinc. phos.*
- From having hands in water, *Phos.*

AGORAPHOBIA.

- Sole remedy, *Kali phos.*

AGUE.

- *Vide* Intermittents.

ALBUMINURIA.

- Without any symptoms (except by urine analysis), *Kali mur.*
- Other chief remedies, *Kali sulf., Kali phos.*
- Secondary remedies, *Nat. mur., Calc. phos.*
- During exanthemata, *Kali sulf., Fer. iod.*
- Œdema, intercurrently, *Ars.*
- Without œdema, intercurrently, *Plumb.*
- *Vide* Kidneys.

ALCOHOLISMUS.

- Delirium, *Kali phos., Nat. mur.*

- Gastric symptoms, *Nat. phos.*
- Further *vide* Tongue coating (cavity of the mouth).

ALOPECIA.

- Areata, *Ars.*, *Kali phos.*
- Premature, *Sil.*, *Ars.*
- Secondary, from injuries, *Kali mur.*, *Nat mur.*, *Kali sulf.*
- Senilis, *Sil.*, *Ars.*

AMBLYOPIA.

- Suppressed foot-sweat, *Sil.*
- Further *vide* Eyes.

AMENORRŒA.

- Atrophy of ovaries, *Plumb. iod.*
- From sudden mental shock, *Kali phos.*
- From change of climate, *Ars. iod.*, *Sil.*, *Calc. phos*
- Constitutional causes, *Cup.*, *Phos.*, *Iod.*
- Foremost remedy, *Kali phos.*
- Anæmic, *Calc phos.*, *Nat. mur.*
- — secondary remedies, *Kali sulf.*, *Kali mur.*, *Nat. sulf.*
- According to facial diagnosis, *Fer. phos.*, *Mag. phos.*
- Vomiting, bilious, *Nat. sulf.*
- — acid, *Nat. phos.*
- — watery, mucus, *Nat. mur.*
- Lachrymose disposition, *Nat. mur.*, *Kali phos.*,

- Bar. phos., Nat. phos., Mag. phos., Calc. iod., Sil.*
- Scrofulous constitution, *Nat. mur., Kali phos., Bar. phos., Nat. phos., Mag. phos., Calc. iod., Sil.*
 - Depression and prostration (after *Kali phos.*), *Ars.*
 - Violent colic; weak, dry cough, *Iod., Ars. iod.*
 - Menses dark, delayed, painful, *Cup., Cup. ars., Iod., Phos., Mag. mur.*
 - Cramps in limbs, *Cup., Cup. ars., Iod., Phos., Mag. mur.*
 - Skin bluish color (constipation), *Cup., Cup. ars., Iod., Phos., Mag. mur.*

AMYGDALITIS.

- Catarrhalis, *Fer. phos., Kali mur.*
- Follicularis, *Mag. phos., Calc. phos., Nat. mur.*
- Phlegmonosa, *Nat. phos., Kali phos.*
- — quinsy, *Calc. iod.*
- Rheumatic, *Kali mur., Sil., Calc. sulf.*
- With white exudation, *Kali mur.*
- With yellow exudation, *Nat. phos.*
- With transparent mucus, *Nat. mur.*

ANÆMIA.

- Caused by emotional depression, *Kali phos.*
- Chief remedies, *Nat. mur., Calc. phos.*
- Spasms, *Calc. phos.*
- Stomach diseases, *Nat. phos., Kali sulf., Nat. mur.*

- Intercurrent remedies, *Kali mur.*, *Mag. phos.*
- Neglected, *Sil.*
- Other remedies according to indications, in relation to *Calc. phos*, *Calc. ars*, *Calc. hypoph.*, *Calc. iod.*
- With neurasthenic symptoms, *Ars. bromat.*
- Remedies after *Silicea*, *Mangan.*, *Alumina.*
- Leucæmic forms, *Nat. sulf.*, *Kali phos.*, *Ars. iod.*
- Carbonitrogen constitution, *Cup.*, *Cup. ars.*
- With anasarca, *Plumb.*
- General with scanty and early menses, and bleeding between times, *Mangan.*
- Retinal with asthenopia, *Lith.*
- with cramps going from ankle to calf, *Cup.*
- With great appetite, but progressing emaciation, *Iod.*

ANASARCA.

- *Vide* Heart, Kidney and Liver.
- Secondary remedies, *Nat. mur.*, *Nat. sulf.*, *Kali mur.*, *Kali sulf.*

ANGINA PECTORIS.

- According to indications, *Kali phos.*, *Mag. phos.*, *Nat. mur.*, *Ars*, *Cup.*, *Kali mur.*, *Calc. phos.*

ANGINA TONSILLARIS.

- Acuta, *Nat. phos.*
- Chronica, *Mag. phos.*
- Gangrenosa, (*Ars. phos.*), *Kali phos.*

ANÆSTHESIA.

- Of mucous membranes, *Brom.*
- Of the throat, *Kali bromat.*
- Arms and legs feel numb, *Plumb.*

ANXIETY.

- Fear and restlessness, tossing, *Kali phos.*,
Ars.
- Oppression (morning), *Phos.*

ANTHRAX.

- Chief remedies, *Ars. Kali phos.*, *Ars. iod.*
- Secondary remedies, *Sil.*, *Calc. sulf.*

APHONIA.

- Simplex, *Kali mur.*
- — later, (*Kali brom.*), *Kali sulf.*
- — from overexertion, *Kali phos.*, *Ferr. phos.*

APHTHÆ.

- White, grayish white, *Kali mur.*
- Yellow, *Nat. phos*
- With bright red borders, *Kali phos.*

APPENDICITIS.

- Principal remedies, *Kali mur.*, *Mag. phos Sil.*
- Hard abdominal muscles, *Mag. phos.*
- Hard continuous constipation, *Nat. sulf.*
- Pains with tympanitis, [IX], *Mag. phos.*
- Adynamic state, (*Nat. mur.*), *Kali phos.*
- Evening aggravation, *Kali sulf.*
- Secondary remedies, *Calc. phos.*, *Ferr. phos.*,
Calc. fluor., *Calc. sulf.*

- Intervening high temperature and high, abnormal pulse, *Kali phos.*
- Beginning sepsis, *Kali phos.*, *Ars. iod.*
- Tumors, formation, soft, *Kali mur.*
- — — hard, *Sil. 30th*, *Calc. fluor.*
- Chronic cases, *Kali mur.*, *Silic.*

APOPLEXY.

- Guard against (apoplex habitus), *Calc. phos.*
- Threatening, numbness, vertigo, thick speech, *Lith. brom.*
- — periodical vomiting, *Plumb.*
- After effects, *Sil.*, *Plumb.*, *Zinc. phos.*
- Insult, chief remedy, [30th], *Sil.*
- — pain, excitement, *Kali phos.*
- — profuse watery secretion, month, etc., *Nat. mur.*
- — sudden lancinating pain, *Mag. phos.*
- Agony, expressed in face, *Ars.*
- Aneurism, *Bar. mur.*
- Arterial fibrosis, *Bar. phos.*
- Aortitis chronica, *Zinc.*, *Bar. phos.*, *Cup.*
- Arms jerk, *Cup.*
- Answers slowly, apathetic, *Phos.*

ARTERIO-SCLEROSIS.

- Trunecek, *Bar. phos.*, *Zinc.*, *Nat. phos.*, *Nat. mur.*, *Nat. sulf.*, *Sil.*
- Secondary, *Plumb. iod.*, *Plumb. phos.*

ARTHRITIS.

- Acuta, *Nat. phos.*

- Chronica, *Sil.*, *Alumina*.
- Intercurrently for pain, *Mag. phos.*

ASCARIDES.

- *Vide* Worms.

ASCITES.

- *Vide* Dropsical affections.

ASPHYXIA.

- Prominent remedies, *Kali phos.*, *Nat. mur.*,
Cup.

ASTHENOPIA.

- Hydræmic, *Nat. mur.*, *Nat. sulf.*
- Nervous, *Kali phos.*
- Retinal anæmic, *Lith.*

ASTHMA.

- Purely nervous, chief remedy, *Kali phos.*
- — — secondary, *Mag. phos.*
- — — with salivation, *Nat. mur.*
- — — predominant anæmia, *Calc. phos*, *Kali sulf.*
- Bronchial expectorations, transparent, watery,
frothy, *Nat. mur.*
- — — yellowish, sticky, *Kali sulf.*
- — — tough, yellow, lumpy, glary, *Calc. fluor.*
- — — thick, grayish-white, *Kali mur.*
- — — greenish, watery, *Nat. sulf.*
- — — golden, yellow, creamy, *Nat. phos*
- — — purulent (old people), *Sil.*, *Calc. sulf.*
- — — night paroxysm, *Sil.*, *Calc. phos.*

- — — morning aggravation, *Nat. mur.*
- Of stone-workers, dust, etc., *Sil.*
- Worse by cold, worse after midnight, *Ars.*
- Suffocative attacks, better at sea, *Brom.*
- Spasmodic, becoming blue in the face, *Cup.*
- Bronchial, with constriction in the chest, *Zinc.*
- Chronic, *Zinc., Sulf.*
- Senile, *Bar. phos.*
- Most important remedies, *Kali iod., Ars., Nat. sulf.*

ATAXIA.

- Chief remedy, *Kali phos.*
- Locomotor, *Alumina.*
- With burning along spine, *Phos.*
- Other remedies, *Iod., Ars., Mangan., Sulf., Zinc. phos., Plumb., Cup.*

ATHEROMA. (Comedo, Cystis, Milium.)

- Chief remedy, *Calc. fluor.*

ATROPHY.

- Progressive muscular, *Kali phos., Plumb.*
- In the meatus auditorius, *Sil.*
- Senile, *Bar. phos., Sil., Calc. phos., Nat. mur., Calc., sulf., Kali mur., Kali sulf.*
- Anæmic, *Bar. phos., Sil., Calc. phos., Nat. mur., Calc. sulf., Kali mur., Kali sulf.*
- — secondary, *Bar. phos., Sil., Calc. phos., Nat. mur., Calc. sulf., Kali mur., Kali sulf.*
- Of the connective tissue, *Sil.*

- Infantum, progressive, *vide* Poliomyelitis.
- Undigested stool, *Ars. iod.*
- Dry skin, parchment, *Ars.*
- Sive marasmus, with great appetite, *Kali sulf., Iod., Calc. phos.*
- — — large head, *Sil.*
- — — head sweats, *Calc. phos., Sil.*
- — — cold sensation, *Calc. phos., Sil.*
- — — infantum, *Calc. silic., Calc. phos.*

B.

BACKACHE.

- *Vide* Lumbago.
- Extending to nape, *Sil.*
- Deep spinal pain, *Alumina, Zinc., Plumb.*
- Better from motion, *Calc. fluor.*
- Worse from motion, *Sil.*
- Worse from sitting, or keeping quiet, *Zinc. phos.*
- Burning along spine, *Zinc., Alumina.*
- — between shoulders, *Phos.*
- — in small of back, *Bar. mur.*
- Coldness, *Calc. phos., Sil.*
- Dragging down, *Nat. mur.*
- Tenderness of spine, *Sil.*
- — — — with trembling, *Zinc. phos.*
- Weak, lame back, *Nat. mur.*
- — cannot sit up, *Zinc. phos.*
- — trembling limbs, *Zinc. phos.*

- Weary, tired, *Nat. mur.*
- Backward pulling sensation, *Plumb.*

BAKER'S ITCH.

- Principally, *Calc. fluor.*, *Kali mur.*, *Mag. phos.*

BALANITIS.

- Primary, *Kali sulf.*
- Fetid, *Kali phos.*

BARBER'S ITCH.

- *Sulf. iod.*, *Mag. phos.*, *Kali phos.*

BARLOW'S DISEASE.

- Infantile scurvy, *Kali phos.*, *Sil.*

BED SORES.

- Internal and locally applied, *Kali phos.*

BED WETTING.

- According to causes, *Nat. sulf.*, *Nat. phos.*,
Kali phos.

BILIOUS FEVER.

- Chief remedy, *Nat. sulf.*
- Secondary, *Nat. mur.*, *Kali phos.*

BITES.

- Insects, swelling, local application, *Kali phos.*,
Nat. mur.
- — inflammation, local application, *Kali phos.*,
Nat. mur.
- Animals, *Ferr. phos.*, *Kali mur.*, *Sil.*
- — neglected cases, *Ars. iod.*

BLADDER.

- Paralysis, *Kali phos.*, *Nat. sulf.*, *Ferr. phos.*,
Ars.
- General affections, *Lith.*, *Plumb.*, *Sulf.*
- Stone, *Calc. phos.*, *Sil.*, *Mag. phos.*
- Bed rest aggravation, *Kali iod.*
- Retention of urine, involuntary micturation,
on general or local neurasthenia, *Kali phos.*
- Retention of urine, wetting the bed, *Nat.*
sulf. (*Nat. mur.*)
- Enuresis, worm affections, *Nat. phos.*
- Retention of urine in children, *Ferr. phos.*
- Strangury, *Mag. phos.*
- — of anæmic persons, *Kali sulf.*, *Calc. phos.*
- Cystitis, chief remedy, *Nat. phos.*
- — chronic, *Sil.*, *Lith.*
- Urine loaded urates, etc., looking unclean,
Sil., *Calc. sulf.*
- Phosphates, abnormally increased, *Calc. phos.*
- Phosphoric, acid increased, *Kali phos.*
- Sugar, *Nat. sulf.*, *Ars. brom.*
- Albumen, *Kali sulf.*, *Kali mur.*, *Calc. sulf.*
- — *vide* Albuminuria and Kidney.
- Blood in urine (dissolved), *Kali phos.*
- — — (mixed), *Plumb.*, *Ferr. phos.*, *Kali*
mur.
- Urine with fatty casts, *Phos.*
- Burning, with mucous urine, *Kali mur.*, *Sulf.*
- — and smarting urination, *Sulf.*
- Can urinate only when sitting, *Zinc.*

BLEPHARITIS CILIARIS.

- According to secretion, *Kali mur.*, *Nat. phos.*
- Gonorrhœica, *Nat. phos.*, *Nat. sulf.*, *Nat. mur.*
- Glandulosa, *Nat. phos.*, *Calc. fluor.*, *Kali mur.*
- Burning and itching, *Sulf.*

BLEPHAROSPASMUS.

- Generalis, *Mag. phos.*
- Scrofulosus, *Sil.*, *Nat. phos.*

BLENORRHŒA NEONATORUM.

- Chief remedies, *Nat. phos.*, *Mag. phos.*, *Sil.*

BODY.

- Burning with dryness, without much discharge of mucosæ and without any destruction of tissues, *Alumina.*
- — mostly of inner organs, *Ars.*
- — like fire, *Fer. phos.*, *Mag. phos.*, *Ars.*
- — acrid discharges, making sore the skin and surroundings, *Ars.*
- Blood-poison with debilitating sweats, *Ars. iod.*
- Blue surfaces (spots), *Cup.*
- Burning, stinging, neuralgic pains, *Ars.*, *Cup.*
- Breasts atrophy, *Iod.*
- Gouty diathesis, *Lith.*
- Burning neuralgia around eyes; constipation; soreness of liver, better from tight bandaging around head, *Mag. mur.*, *Sil.*
- Boy's voice changing time, *Mangan.*
- Blood very fluid, difficult to coagulate, *Kali phos.*

- Sore all over, *Phos.*
- Blindness at night only, *Phos.*
- Bleeding polypi, *Phos.*
- Bloody erosions, *Phos.*
- Burning heat extending from stomach to back,
with faint feeling in abdomen, *Phos.*
- Body sweats mornings in bed, *Phos.*
- Bending forward aggravation, *Nat. mur., Sulf.*
- Burning feet at night, *Sulf.*
- Twitching in all muscles, *Zinc.*
- Boring head into pillow, restless extremities,
Zinc.

BOILS.

- *Vide* Furuncle.

BONES.

- Bloody serum, with boring night-pains from
fistula, *Iod.*
- Caries (syphilitic), *Kali iod.*
- Cephalomætom, *Calc. fluor., Sil.*
- Excrescences, *Nat. fluor., Calc. fluor.*
- Fractures, *Calc. fluor., Fer. phos.*
- Periostitis, *Nat. silico-fluor., Sil.*
- Rachitis, *Calc. phos.*
- — with fetid diarrhœa, *Kali phos.*
- — with acid diarrhœa, *Nat. phos.*
- Scrofulosis, hip-joint inflammation, *Nat. phos.*
- — — secondary remedies, *Sil., Calc. sulf.*
- — — with pain, *Mag. phos.*
- Injuries (*Fer. phos.*), *Calc. fluor.*

- Caries of long bones, *Nat. silico-fluor.*, *Sil.*
- Hydrops, hygroma patellæ, *Calc. phos.*
- — — later (*Sil.*), *Nat. mur.*
- Caries and necrosis, *Sil.*, *Ars.*, *Ars. iod.*, *Phos.*
- Exostosis, nodes, *Sil.*, *Kali iod.*
- Fractural pain (after union of fracture), *Calc. phos.*
- Night pain, *Calc. phos.*, *Sil.*, *Iod.*, *Kali iod.*
- Burning, *Zinc. phos.*
- Old scrofulous fistula, locally applied, *Bar. iod.*
- Pain, *Cup.*
- Curvature and softening, *Calc. phos.*, *Sulf.*
- — — — other remedies, *Mag. mur.*, *Calc. iod.*

BRAIN.

- Furor uterinus (mania puerperalis), *Ferr. phos.*
- — — other remedies, *Kali mur.*, *Mag. phos.*
- Concussion, chief remedy, *Kali phos.*
- — secondary remedy, *Nat. sulf.*
- — with disturbance of vision, *Nat. phos.*, *Mag. phos.*
- Hydrocephalus (*Zinc. phos.*), *Kali phos.*, *Calc. phos.*
- Craniotabes, *Calc. phos.*, *Kali phos.*
- Fontanelles, too long open, *Calc. phos.*
- Apoplexy, *vide* Apoplexy.
- Delirium tremens, *Nat. mur.*, *Kali phos.*
- — — acidity, *Nat. phos.*
- Vertigo, rush of blood, *Ferr. phos.*
- — nervous, *Kali phos.*

- — light before eyes, *Mag. phos.*, *Nat. phos.*
- — compare Vertigo and Coating of tongue in
Cavity of mouth.
- Fag, anæmic, *Calc. phos.*, *Nat. mur.*, *Zinc.
phos.*
- — nervous, *Kali phos.*
- — with numb feeling, *Kali brom.*
- — brain feels tired, with coldness in cerebel-
lum, *Phos.*
- — impending paralysis, *Phos.*
- — blindness at night, *Phos.*
- — blurring, half-vision, *Zinc.*
- Cerebellum affection, *Zinc. phos.* (*Ars.*).
- Hysterical affection, *Kali brom.*, *Kali phos.*,
Zinc. phos., *Mag. mur.*
- Decay of mental power, sleeplessness, *Lith.
brom.*, *Kali brom.*
- Night terrors, cold extremities, effects of
onanismus, reflex symptoms of pregnancy,
Kali brom.

BROMIDROSIS.

- Chief remedies, *Kali mur.*, *Nat. phos.*, *Sil.*,
Calc. sulf.

BRONCHIAL CATARRH

- Expectoration, grayish white, *Kali mur.*
- — perfect white, *Calc. phos.*
- — golden-yellow, *Nat. phos.*
- — creamy, *Nat. phos.*
- — yellow, mucous, *Kali sulf.*

- — sticky, slippery, *Kali sulf.*
- — clear, transparent, *Nat. mur.*
- — yellow, green, watery, *Nat. sulf.*
- — fetid, *Kali phos.*
- — purulent, *Nat. phos., Sil., Calc. sulf.*
- — excoriating, *Nat. mur., Kali phos.*
- — purulent, bloody, *Calc. sulf.*
- — yellow, tough with lumps, *Calc. fluor.*
- — coarse râles, *Kali sulf.*
- Chronic, during winter, *Nat. mur.*
- — in anæmic persons, *Calc phos.*
- — worse from cold drinks, better from warm,
Sil.
- — rhachitic children, *Sil.*
- — worse in the morning, and cold, damp
weather, *Nat. sulf.*
- — localized irritation in throat, *Calc. fluor.*
- — coughing when lying on back, *Calc. fluor.*
- — dry, irritation low down in bronchi, worse
during storm, *Sil.*
- — permanent changing in character of cough,
Ferr. phos., Calc. phos.
- — accumulation of phlegm, and clogging of
throat and posterior nares, in the morn-
ing, *Ferr. phos.*
- Subject to, *Calc phos., Bar. mur.*
- Tightness around chest, *Phos.*
- Coughing day and night, hectic with night
sweats, green, purulent expectoration, *Calc.*
iod.

- Spasmodic coughing in children (genital irritation in reflex), *Zinc. phos*
- Coughing caused by excitement, *Kali phos.*
- Spasmodic cough, C O₂ poisoning, followed by laryngismus stridulus, *Cup.*
- Cough at night, rawness behind sternum, worse from cold air, burning in chest, *Ars.*
- Capillary in old people, *Bar. phos.*
- Night cough, *Phos.*
- Worse lying down, at night (asthmatic), *Zinc.*
- — from cold air, *Ars.*
- Extreme anxiety, *Ars.*
- Fetid expectoration, hoarse cough, exhaustion, *Iod., Kali iod.*
- Croupy cough, coming nights, *Kali brom.*
- Laryngeal, tickling cough, *Mangan.*
- Senile (2x), *Ars. iod.*
- Racking cough, hectic fever, greenish profuse watery expectoration, emaciation, *Nat., ars.*
- Cough worse, lying on left side, *Phos.*
- Chronic cough, starting from stomach, caused by excitement, *Phos.*

BRONCHOCELE.

- *Vide* Goitre.

BRUISES.

- *Vide* Injuries.

BURNS.

- First degree, internal and external, *Ferr. phos., Kali mur., Kali sulf.*

- Second degree, internal and external, *Ferr. phos.*, *Kali mur.*, *Kali sulf.*
- Third degree, internal and external, *Ferr. phos.*, *Kali mur.*, *Kali sulf.*
- When blister has formed, *Nat. mur.*
- Open surface, exudation grayish-white, *Kali mur.*
- — — suppuration, *Sil.*
- — — gangrene, *Kali phos.*
- Great loss of secretion prevented by, *Nat. mur.*
- NOTE.—In every patient the constitution, especially in regard to a chronic disease, should be respected. For example, a patient suffering from diabetes received burns of second to third degree on both hands, and face. Under the general treatment patient became comatose; sugar appeared again in urine to a high percentage. The prognosis was extremely dubious. As a last resort, used *Nat. sulf.* externally and internally, with the result that patient was speedily cured of his burns, with the gradual disappearance of the sugar from the urine.

BUBO.

- *Vide* Glands.
- Gonorrhoeal burning, itching along the urethra internally, *Alumina.*

BURSITIS.

- Chief remedies, *Calc. phos.*, *Nat. mur.*, *Sil.*

C.

CALCULI.

- Biliari, *Mag. phos.*, *Calc. phos.*, *Sil.*, *Calc. sulf.*,
Kali mur.
- Renal, *Mag. phos.*, *Calc. phos.*, *Sil.*, *Calc. sulf.*,
Kali mur.
- Vesical, *Mag. phos.*, *Calc. phos.*, *Sil.*, *Calc. sulf.*,
Kali mur.

CALLOSITY.

- *Calc. fluor.*

CAMP FEVER.

- *Vide Typhus.*

CANCER.

- Epithelioma faciei, *Kali ars.*, *Nat. fluor.*, *Kali sulf.*
- Internal organs (*Ars. iod.* 3x, t.i.d.), *Mag. phos.*
- Stony-hardness, *Calc. fluor.*
- Detritus, ulcer, decaying (*Ars. iod.* 3x, t.i.d.),
Kali phos.
- Yellow scabs, *Kali sulf.*
- Water, clear mucus, *Nat. mur.*
- Lancinating excruciating pain, *Mag. phos.*
- Hard margins, *Calc. fluor.*
- Unbearable lancinating pain, *Plumb. iod.*
- Mammæ, *Plumb. iod.*, *Natr. silico-fluor.*, *Lapis albus.*
- Corrosive yellow flow, *Iod.*

- Easily bleeding. *Phos.*
- Other remedies. *Cal. ars.*, *Mag. mur.*
- Further. *vide* Face diagnosis.

CARBUNCLE

- First stage. hardness. *Calc. fluor.*
- Second stage. *Kali phos.*

CATARACT.

- *Vide* Eye.
- According to circumstances. *Bar. phos.*, *Phos.*

CATARRH.—Nose.

- Dry (coryza). *Kali mur.*
- — with scrofulosis. *Nat. phos.*
- — nose edges and tips sore. *Nat. mur.*
- — high stopped up sensation, but running,
Calc. fluor.
- Fluent, clear, watery, mucus, *Nat. mur.*
- — yellow, sticky, mucus, *Kali sulf.*
- — thick, purulent, *Nat. phos.*, *Sil.*
- Ozæna, *Mag. phos.*, *Nat. phos.*
- — greenish yellowish, watery, mucus, *Nat. sulf.*
- Loss of smell, *Iod.*
- Always bloody, *Phos.*
- Tendency to "Cold in the nose," *Ars.* (30th),
Nat. ars.
- Itching around nose, headache, *Mag. mur.*
- > Open air, constipation, *Mag. mur.*

THROAT.

- Constant clearing of throat, *Ferr. phos.*, *Calc. fluor.*, *Nat. mur.*
- Later, *Manganese*, *Nat. arsen.*
- In children, *Calc. phos.*
- Hoarseness, *Kali phos.*, *Kali mur.*, *Ferr. phos.*, *Kali sulf.*

CATALEPSY.

- *Vide* Katalepsy.

CAVITY OF THE MOUTH.

- Catarrhal inflammation of membranes.
- — — redness and violent pain, *Ferr. phos.*
- — — white exudation, *Kali mur.*
- — — golden yellow exudation, *Nat. phos.*
- — — transparent mucus, *Nat. mur.*
- — — of inside of cheeks, *Kali mur.*, *Sil.*
- Angina tonsillaris, acute, *Nat. phos.*
- — — chronica, *Mag. phos.*
- Uvulitis, *Nat. mur.*
- Glossitis, first stage (dark red, swollen), *Ferr. phos.*
- — with suppuration, *Sil.*
- — with induration, *Sil.*
- Cancrum oris, *Kali phos.*
- Scurvy, *Kali phos.*
- Gums, pale, *Calc. phos.*
- — with high red borders, bleeding easily, *Kali phos.*
- Noma, *Kali phos.*

- Aphthæ, grayish-white, *Kali mur.*
- — yellow, *Nat. phos.*
- — with bright red borders, *Kali phos.*
- — deep, burning ulcers; gangrene, *Nat. ars.*
- Lips, inflammation, *Ferr. phos.*
- — brownish ulceration (low state, fever),
Kali phos.
- — peeling, *Kali sulf.*
- — ulcers, *Nat. phos., Sil.*
- Mouth ulceration, great dryness (children),
Ars.
- — mucous membranes very pale, *Plumb.*
- Coating of the tongue, white (sometimes with
bilious taste), *Kali mur.*
- — — — — white, frothy mucus, *Nat. mur.*
- — — — — egg albumen, thick, *Calc. phos.*
- — — — — clear and moist, *Nat. mur.*
- — — — — dirty, brownish-green, bitter taste,
Nat. sulf.
- — — — — liquid mustard color (offensive
breath), *Kali phos.*
- — — — — golden yellow, creamy (acid taste),
Nat. phos.
- — — — — yellow mucus, thick and sticky,
Kali sulf.
- — — — — yellow, thin, watery, with bilious
taste, *Nat. sulf.*
- — — — — bright red, dark red, *Ferr. phos.*
- — — — — brown, *Calc. sulf.*

- — — — — clay-colored, *Calc. fluor.*
- — — — — clean and dry, *Mag. phos.*
- — — — — clean and moist, *Nat. mur.*
- — — — — cracked, *Calc. fluor.*
- — — — — red border, inner surface white,
with brown stripe in middle,
Kali phos.
- — — — — NOTE.—White coating is mostly
regarded as a proof of acidity
of the blood. Brown coating
proves the alkaline state of the
blood. These two maxims,
found independently by allo-
paths, give a remarkable sup-
port for Schüssler's theories.
- Tongue paralyzed, *Plumb.*
- Throat dry, worse mornings, *Nat. ars.*
- Tonsillitis with ulcers, *Calc. sulf.*

CARO LUXURIANS.

- Chief remedy, *Kali mur.*
- Secondary, *Kali sulf.*, *Kali phos.*, *Sil.*
- Local application (2x), *Calc. sulf.*

CARIES.

- Bones, *Sil.*

CHANCRE.

- Soft, internal and local, *Kali mur.*
- Hard, internal and local, *Calc. fluor.*
- Phagedenic, internal and local, *Kali phos.*

CHAPS.

— *Calc. fluor.*

CHICKEN POX.

— First remedy, *Ferr. phos.*

— Secondary, *Kali mur.*

— Desquamation, *Kali sulf.*

— Neglected cases, *Sil.*

CHILBLAINS.

— Fresh and suppurating, *Nat. sulf., Kali phos.*

— Later, *Calc. sulf.*

CHLOASMA.

— Simplex and uterine, *Calc. phos.*

CHLOROSIS.

— *Vide Anæmia.*

CHOLERA.

— Preventive, *Cup. ars.*

— Vera (proved in India), *Kali phos., Nat. sulf.*

— Nostras, infantum, chief remedy (*Calc. ars.*),
Calc. phos.

— — with enlargement of mesenteric glands,
Ars. iod., Phos. iod.

— — scrofulous children, *Calc. phos.*

— — slimy, undigested stool, with vomiting, re-
traction of abdomen (*Facies Hippo-*
cratica), *Kali phos.*

— — livid face, exhausted, panting for air, cold
sweat, fingers expanded, flocculent, cur-
dled stool without acidity, *Kali phos.*

- — of adults, with much thirst, *Nat. mur.*
- — — hyperæmic, *Ferr. phos.*, *Kali mur.*
- — — from heat, *Nat. mur.*
- — — yellow frothy evacuation with flatus,
Nat. sulf.
- — — great internal heat, thirst, livid face,
colic worse after every evacuation;
stopped evacuation, swapping in-
testines, *Nat. sulf.*

CHORDEE.

- *Nat. phos.*, *Mag. phos.*, *Kali phos.*

CHOREA.

- Principally, *Mag. phos.*
- Syncope, spasms, convulsions, *Cup. ars.*
- Twitching, trembling, *Zinc. phos.*

CHOROIDITIS.

- *Vide Eye.*

COITUS.

- Painful for men, *Nat. mur.*
- — — women, *Kali mur.*, *Kali iod.*
- Sexual power diminished, (*Kali mur.*), *Kali brom.*
- — — lost, *Iod.*, *Phos.*, *Plumb.*, *Nat. phos.*
- — desire gone in women after menses, *Nat. mur.*
- Seminal emissions, general, *Nat. mur.*, *Nat. phos.*, *Phos.*
- — — with lascivious dreams, *Plumb.*, *Calc. phos.*

- — — during defecation, *Nat. mur.*
- — — of watery consistency, *Nat. mur.*, *Nat. phos.*, *Alumina.*

COLDNESS.

- Want of vital heat, *Calc. phos.*, *Alumina*, *Ferr. phos.*, *Sil.*
- Cold and clammy, *Cup. ars.*
- — spots, *Sulf.*
- Internal, external heat, *Ferr. ars.*, *Ars.*, *Kali brom.*

COLD.

- To cut short, (ix), *Ferr. phos.*
- With much sneezing, *Nat. mur.*
- Chronic case of relapse, *Nat. ars.*
- Acuta, *Nat. phos.*
- Parenchymatosa, *Kali mur.*, *Calc. sulf.*, *Mag. phos.*
- Chronica, *Mag. phos.*
- Discharging, *Sil.*

COLLAPSE.

- *Nat. mur.*, *Kali phos.*

COMA.

- *Nat. mur.*, *Kali phos.*

CONCUSSION OF THE BRAIN.

- *Vide Brain.*

CONDYLOMATA.

- *Nat. sulf.*, *Nat. mur.*, *Kali mur.*

CONGESTIO CEREBRI.

- Chief remedy, *Fer. phos.*
- Spasms (*Kali sulf.*), *Mag. phos.*
- — secondary remedy, *Nat. phos.*, *Nat. sulf.*,
Kali phos.
- Hysterical symptoms, *Kali phos.*
- Following anæmia, *Kali brom.*
- Convulsions, *Plumb.*, *Kali brom.*
- Irritation (spinal), *Cup. ars.*
- With sleeplessness, irritability (children),
Calc. brom.
- Intercranial, *Ferr. phos.*, *Nat. phos.*
- Anæmia, *Nat. mur.*, *Calc. hypophos.*, *Calc.*
phos.
- Coldness of body, especially extremities, *Calc.*
hypophos.
- In wasting diseases, *Calc. hypophos.*
- — school girls, *Calc. hypophos.*

CONSTIPATION.

- Anæmic persons, *Calc. phos.*, *Nat. mur.*
- Pendulous abdomen, *Calc. phos.*
- With weakness, cold sweat, *Kali phos.*
- Crumbling, *Mag. mur.*, *Alumina.*
- Dry, bleeding, smarting, *Alumina.*
- With hard, knotty stool, *Bar. phos.*
- — spasms recti, *Plumb.*
- Small, hard balls, *Sil.*
- As if powerless to expel, *Sil.*
- Small, hard balls; prolapsus ani, *Plumb.*,
Alumina.

- Weight like a plug in ano, *Nat. mur.*
- Partly expelled, recedes again, *Nat. mur., Sil.*
- Cannot strain, *Alumina, Nat. mur.*
- Bleeding, *Alumina, Nat. mur.*
- Hard, dry, long, *Phos.*
- Partly digested, *Calc. sulfide.*
- No desire, and when coming, one soft piece, *Alumina.*
- Ineffectual urging, *Iod.*
- Stool soon after drinking milk, *Iod.*
- Crumbling, gray masses, *Mag. mur.*
- Further remedies, *Ferr. phos., Nat. sulf., Nat. phos., Mag. phos., Calc. phos.*
- NOTE.—Contrary to many publications, the author cautions against using low potencies. Habitual constipation, as a symptom picture, effected by various causes, if coming under medical treatment, will only be permanently cured by high potencies.

CONJUNCTIVITIS.

- *Vide Eye.*

CORNEA.

- *Vide Eye.*

CONTUSIONS.

- *Vide Injuries.*

CORYZA.

- *Vide Catarrh.*
- Burning, acrid, *Ars. iod.*

- With swelling of upper lip, *Bar. phos.*
- Headache at root of nose, *Ars. iod.*
- Itching around nose and headaches, better in open air, *Mag. mur.*

COUGH.

- *Vide* Bronchial Catarrh.

CRAMPS.

- During infancy, if not feverish, *Mag. phos.*,
Calc. phos.
- — — feverish, florid face, *Ferr. phos.*
- — — dry skin, *Kali sulf.*
- — — after allopathic treatment, *Kali phos.*
- St. Vitus' dance, primary, *Mag. phos.*; secondary, *Calc. phos.*, *Kali sulf.*, *Kali phos.*
- Tetanus, primary, *Mag. phos.*; secondary, *Calc. phos.*, *Kali sulf.*, *Kali phos.*
- Trismus, primary, *Mag. phos.*; secondary, *Calc. phos.*, *Kali sulf.*, *Kali phos.*
- Writer's, *Mag. phos.*
- In the calves, *Calc. phos.*
- During cholera, cholericina, etc., *Nat. sulf.*
- From overexertion, (*Ferr. phos.*), *Kali phos.*
- Glottis, *Mag. phos.*
- Anæmic, *Calc. phos.*, *Nat. mur.*, *Kali sulf.*
- In rachitic children, *Calc. phos.*
- With convulsions in hands and feet with cold sweat, *Cup. ars.*
- caused by anæmia of the brain, *Kali brom.*

— Twitching, trembling, *Zinc. phos.*

CRANIOTABES.

— *Vide* Brain.

CRETINISMUS.

— During infancy, *Calc. phos., Kali phos.*

CRICK IN THE BACK.

— *Vide* Lumbago and Backache.

— Muscular, *Ferr. phos., Kali mur.*

— Rheumatic, *Nat. phos., Sil.*

CROUP.

— Pseudo croup, *Kali mur.*

— Genuine croup, general, *Calc. iod. (3x), Calc. phos.*

— — — if laryngeal, *Calc. fluor.*

— — — separation of membrane, *Kali sulf., Calc. phos.*

— Adynamic, *Kali phos.*

CRUSTS.

— Hard, with or without chaps, *Calc. fluor.*

— Yellowish white, *Calc. phos.*

— — purulent, *Sil.*

— — honey like, *Nat. phos.*

— Fetid greasy, *Kali phos.*

CYANOSIS.

— *Nat. mur., Calc. phos., Kali phos., Cup. ars.*

CYSTS.

- Contents mucous, etc., *vide* "Exudations."

CYSTITIS.

— *Vide* "Bladder."

CYSTOLITHEASIS.

— *Sil.*

D.**DACRYOCYSTITIS.**

— Accordingly, *Calc. fluor.*, *Sil.*, *Nat. mur.*

DANDRUFF.

— *Vide* Skin.

DEAFNESS.

— *Vide* Ear.

— Of old people, *Bar. phos.*

— Chronic catarrh, roaring, *Iod.*

DEBILITY.

— Body, *Calc. phos.*, *Nat. mur.*, *Kali phos.*

— Nervous, *Kali phos.*, *Nat. phos.*, *Mag. phos.*

— Sexual, *Kali phos.*

— — *vide* Coitus.

DECUBITUS.

— Internal and local, *Kali phos.*

DELIRIUM TREMENS.

— General, *Nat. mur.*, *Kali phos.*

— Drowsiness, *Kali brom.*

— Loquacious, *Phos.*

— Subsultus tendinum, *Zinc. phos.*

DEPRESSION.

- Melancholic, *Kali phos.*
- Anæmic, *Calc. phos., Nat. mur.*
- Weak heart, dropsical, *Ars.*
- Great debility, *Ars. iod.*
- Senile, *Bar. phos.*
- Distress behind sternum, *Cup.*
- Despondent, *Iod.*
- Religious delusions, *Kali brom., (Kali phos.).*

DESQUAMATION.

- *Vide Skin.*

DIABETES.

- Cardinal remedy, *Nat. sulf.*
- Coma, *Kali phos.*
- Old cases, *Ars., Ars. iod., Ars. brom.*
- Emaciation, *Ars.*
- Canine hunger, *Iod.*
- Peculiar dryness of tongue, *Kali brom.*
- Great thirst, *Mag. sulf.*
- Intercurrent remedies, *Kali mur., Calc. phos., Calc. sulf., Calc. ars., Calc. sil., Plumb. mur.*

DIARRHŒA.

- Mucous, *Nat. mur.*
- Carrion-like, *Kali phos.*
- Biliary, *Nat sulf.*
- Bloody (grayish-white masses), *Kali mur.*
- — purulent, (*Sil.*), *Nat. phos.*
- Undigested, *Ferr. phos., Calc. fluor.*

- Flocculent, acid, greenish, *Nat. phos.*
- — not acid, green, *Calc. phos.*
- Watery, pains before, *Mag. phos.*
- — without pains, *Kali phos.*
- Rice-water, *Nat. sulf.*
- Morning aggravation, *Nat. sulf.*
- Watery, white, *Calc. phos.*
- Curdled, *Nat. phos.*
- Foamy, *Nat. mur., Nat. sulf.*
- — and bilious, *Nat. mur., Nat. sulf.*
- — — and flatulent, *Nat. mur., Nat. sulf.*
- With high fever, *Fer. phos.*
- Chronic, *Nat. sulf., Sil., Calc. sulf.*
- Exhausting, undigested, renewed after eating
or drinking, offensive; fever and thirst, pal-
lor, faintness, clammy sweat, *Ars., Ars.*
iod., Cup. ars., Calc. ars.
- With cramps, tenesmus of bladder, *Cup.*
- Of consumptives, *Ars. iod., Phos. iod.*
- Early morning, *Nat. sulforos., Nat. sulf.*
- Nights, *Kali sulf.*
- Daytime, *Nat. mur.*
- Anus dry and smarting, *Alumina.*
- Dark, scanty, bloody, *Ars.*
- Persistent evacuation of blood, *Kali brom.*
- Worse hot weather, painless, fetid, containing
particles of fat, *Phos.*

DIPHTHERIA.

- Swelling, white exudation, frequently cover-
ing the uvula, *Calc. phos.*

- Catarrhalic, *Kali mur.*
- If without result, *Calc. fluor.*
- Yellow exudation on tonsils, *Nat. phos.*
- If gangrene appears, *Kali phos.*, *Ars. iod.*
- Paralysis, *Kali phos.*, *Zinc. phos.*
- Yellow fetid exudation, *Kali phos.*
- Anasarca, *Nat. mur.*
- Sopor, *Nat. mur.*
- Maligna, *Kali phos.*
- High temperature, *Ferr. phos.*, *Kali phos.*
- Large tonsils, and parotis, finally suppurating, *Brom.*
- Putrefaction, *Ars. iod.*
- Dry cough, dry skin, *Iod.*
- Always clearing throat, *Mangan.*

DIZZINESS.

- *Vide Brain.*

DROPSICAL AFFECTIONS.

- General, with weak heart, *Ars.*
- Other remedies, *Kali sulf.*, *Nat. mur.*, *Nat. sulf.*

DYSENTERY.

- Most cases, *Ferr. phos.*, *Kali mur.*, (*Calc. sulf.*).
- Pure blood discharge, evacuations cadaverous, *Kali phos.*
- Pains relieved by pressure, *Mag. phos.*
- — — cold application, *Ferr. phos.*
- Grayish white evacuation, bloody mucous, bloody streaks, *Kali mur.*, *Calc. sulf.*

- Constant tenesmus, *Nat. phos.*, *Mag. phos.*
- Distension of abdomen, *Mag. phos.*, *Kali phos.*,
Calc. ars., *Ars. iod.*
- Jelly like evacuation, *Kali iod.*

DYSPEPSIA.

- Desire for warm food and drink, *Cup.* (Cold drinks, *Ferr. phos.*, *Kali mur.*)
- Acid taste, *Lith.*
- Further *vide* Gastralgia.

DYSMENORRHOEA.

- Membraneous, *Kali mur.*
- Flashes of heat, *Ferr. phos.*
- Anæmic, *Calc. phos.*
- Colic with or without flow, *Mag. phos.*
- From suppressed foot sweat, *Sil.*
- String pulling sensation, (backward,) *Plumb.*
- Pains going to the back, *Sulf.*
- Discharges before time, *Mangan.*
- Spasmodic contractions in vagina, *Brom.*
- Vagitus vaginalis, *Brom.*
- Discharge hot and fetid, *Iod.*
- Constipation with nausea and flatulence, *Nat. sulf.*
- Suppressed menses from becoming wet, *Calc. phos.*
- — — nausea, chilliness, *Sil.*
- Soreness of abdomen, mucous shreds, violent spasms, bright red blood, *Brom.*
- Other remedies, *Zinc. phos.*, *Cup. ars.*

DYSPHAGIA.

- *Calc. phos., Kali sulf., Mag. phos.*

DYSURIA.

- *Vide* Bladder.
- Degenerated prostata, *Iod.*
- Constant urging to urinate, *Lith.*
- Urinates only with pressure on abdomen,
Mangan.

DYSPNŒA.

- Chief remedies, *Nat. mur., Kali phos.*
- Distress in region of heart, *Bar. phos.*

E.**EAR DISEASES.**

- Deafness from malaria, *Ars. iod.*
- — with buzzing, *Iod.*
- — — cracking sound, *Bar. phos., Sil.*
- — — roaring sound, *Ferr. phos.*
- — — whizzing sound, *Phos.*
- Pains caused by hyperæmia, *Ferr. phos.*
- Difficulty of hearing caused by hyperæmia,
Ferr. phos.
- Nervous affection, spasmodic, *Mag. phos.*
- — — anæmic, *Calc. phos.*
- — — adynamic, *Kali phos.*
- Inflammation, swelling of met. aur. ext., *Sil.*
- Discharge of yellow fluid, thin and sticky,
Kali sulf.

- Catarrh of the Eustachian tube, *Nat. mur.*,
Kali mur., *Iod.*
- Hardness of hearing from indurated exuda-
tions of inner ear, *Sil.*, *Calc. fluor.*, *Calc.*
sil., *Kali mur.*, *Nat. mur.*
- Mumps, with or without salivation, *Kali mur.*,
Nat. mur.
- Scrofulous children, slow dentition, bone af-
fected, chronic flow, often caused by too
rapid growth, *Calc. phos.*
- Sharp pain, pulsating with inflammatory fever,
brain affected, burning outer ear, every mo-
tion unbearable, horizontal position eases
pain, *Ferr. phos.*
- Chronic inflammation, *Calc. sulf.*
- Swelling, *Calc. sulf.*
- White exudation, *Kali mur.*
- Stopping and sneezing, *Kali mur.*
- Hard hearing from cold, *Sil.*
- Inflammation of the bone, yellow exudation,
Sil.
- Tinnitus, congestive, *Ferr. phos.*
- — nervous, *Kali phos.*
- Otorrhœa, *Kali sulf.*, *Nat. phos.*, *Sil.*
- — excruciating pain, *Nat. mur.*, *Ars. iod.*
- — fetid, *Sil.*
- — green, thin, sticky, *Kali sulf.*
- — yellow, watery, *Nat. mur.* (*Kali sulf.*), *Ars.*
- — catarrhal, *Ars. iod.*

- — from vaccination, *Sil.*
- — skin corroding, *Nat. mur., Ars. iod.*
- Eustachian tube, hypertrophied mucosa, *Ars. iod.*
- Suppurating (middle ear), *Bar. phos.*
- Whizzing, buzzing, *Bar. mur.*
- Polypi, *Calc. iod.*
- Stopped sensation, with pain, *Mangan.*
- Exostoses (external), *Calc. fluor., Sil.*

ECCHYMOSE.

- Chief remedies, *Kali phos., Nat. phos.*

ECLAMPSIA.

- Chief remedies, *Mag. phos., Calc. phos.*
- Secondary, *Nat. mur., Kali phos., Kali sulf.*

ECZEMA.

- *Vide Skin.*
- Dry, scaly, with soreness, intense itching and burning, *Ars.*
- Syphilitic, with ulcerations, *Ars. iod.*
- Impetigenoides, *Ferr. iod.*
- With epithelioma, *Ars. iod.*
- Of the beard, watery, oozing, itching, worse from washing, *Ars. iod.*
- Itching in the evening, *Kali sulf.*
- Worse from bathing, *Sulf., Ars., Nat. mur.*
- With formication of the skin, *Zinc. phos.*

EMACIATION.

- Chief remedies, *Calc. phos., Nat. mur., Kali phos., Kali sulf., Sil.*

- Constitutional, *Kali iod.*, *Cup.*, *Zinc. phos.*,
Kali brom., *Nat. ars.*
- Adjuvantia, *Ars. iod.*, *Phos. iod.*, *Calc. iod.*,
Sulf.
- Other remedies, *Bar. phos.*, *Bar. mur.*, *Cup.*
ars, *Calc. sulf.*
- Muscular, *Cup. ars.*
- Paralytic, *Plumb.*
- Progressive, *Kali phos.*
- With sexual excitement in women, fidgety,
Zinc.
- Sexual excitement, with seminal weakness,
Kali phos., (*Nat. phos.*).
- Emissions in men, with erotic dreams, *Phos.*
- In epileptics, mostly with menses, *Plumb.*
- With mental depression, irritability, *Zinc.*
- Chronic diarrhœa, stool frothy, with fat on
top, *Iod.*, *Phos. iod.*
- General, physical and mental, *Kali phos.*,
Phos (7x.)
- With excessive weakness, sweat, blue rings
around the eyes, weak extremities, inclina-
tion to rest. *Ars.*, *Ars. iod.*

ENDOMETRITIS.

- Chief remedy, *Ferr. phos.*

ENTERALGIA.

- *Vide* Kolica.

ENURESIS.

- *Vide* Bladder.

EPILEPSY.

- Chief remedies, 6x, *Calc. ars.* (*Cup. ars.*),
Kali mur.
- Paroxysms at night, *Sil.*
- According to symptoms, *Nat. mur.*, *Nat.*
phos., *Kali phos.*, *Mag. phos.*
- Convulsions, *Kali bromat.*
- Blue skin, spasms of flexor-muscles, violent;
cold sweat; < touch, *Cup.*, *Cup. ars.*
- From sexual excesses, memory affected, *Kali*
brom.
- With emaciation, *Plumb.*
- Of young children, *Zinc.*

EPISTAXIS.

- In children, *Ferr. phos.*
- Blood black, coagulating, *Kali mur.*
- Blood red, coagulating, *Ferr. phos.*
- — bright red, thin, not coagulating, *Nat.*
phos.
- — blackish, thin, not coagulating, *Kali phos.*

EPITHELIOMA.

- *Vide* Cancer.
- Of the face (*Nat. silico-fluor.*, *Nat. fluor.*), *Kali*
sulf.

ERUPTIONS.

- *Vide* Skin.

ERYSIPELAS.

- *Vide* Skin.

EXCORIATIONS.

— *Vide* Skin.

EXOPHTHALMIC GOITRE.

— Chief remedy (*Bar. mur.*, *Calc. iod.*), *Nat. mur.*

— *Vide* Morbus Basedowii.

— — Palpitatio cordis.

EXUDATION.

— Fetid, glassy, smeary and corroding (*vide* Chlorides), *Calc. fluor.*, *Nat. mur.*, *Sil.*, *Kali mur.*

— Yellowish, tough lumps, *Calc. fluor.*

— Bloody, purulent, *Calc. sulf.*

— Grayish-white with blood streaks, *Calc. sulf.*

— Fibrinous, of medium or rather thick consistency, *Kali mur.*

— — or clear, watery, but ichorous, biting, *Nat. mur.*

— Thin, watery or yellow, not biting, *Kali sulf.*

— Whitish-gray, slimy, opaque, somewhat bloody streaked (*vide Calc. sulf.*), *Kali mur.*

— Bloody, tinted, ropy, corroding, *Kali mur.*

— Milk-white, whitish-gray, opaque, bland, *Calc. phos.*

— Yellowish, greenish, watery, biting, *Nat. sulf.*

— Mucus, *Nat. mur.*

— — becoming yellowish, sticky, thin or thick, *Kali sulf.*

— Purulent, *Nat. phos.*, *Sil.*

- Septic, *Kali phos.*
- Excruciating, watery, *Nat. mur.*, *Nat. sulf.*
- — smeary, *Kali phos.*
- Offensive odor, *Kali phos.*
- Green, *Kali iod.*
- Watery, fetid, corroding, putrid, *Ars. iod.*
- Green mucus, *Calc. iod.*
- Into a sack, albuminous, *Calc. phos.*
- — — neglected case, if not too late, *Sil.*
- Albuminous, rich, interchangeable, *Calc. phos.*,
Nat. mur.
- — poor, interchangeable, *Calc. phos.*, *Nat.*
mur.
- Becoming smeary, bloody, serous, *Kali phos.*
- Golden-yellow, slimy (rarely *Kali sulf.*), *Nat.*
phos.
- Character, bland, *Calc. phos.*
- — excruciating, *Nat. mur.*, *Nat. sulf.*, *Nat.*
phos., *Sil.*
- — irritating and at times excruciating, *Kali*
phos.
- — sticky, *Kali sulf.*
- — bland, biting, itching, *Kali sulf.*
- — glassy, biting, corroding, ropy, *Calc. fluor.*,
Nat. mur., *Kali mur.*
- — putrid smelling, *Calc. fluor.*, *Sil.*, *Kali phos.*
- — from ulcerations, *Calc. fluor.*, *Sil.*, *Kali*
phos.
- — pungent smelling, *Calc. fluor.*, *Sil.*, *Kali*
phos.

- — cadaverous, *Calc. fluor.*, *Sil.*, *Kali phos.*
- — acid-like odor (*Sil.*), *Nat. phos.*
- — sharp, sour, *Nat. phos.*
- — sour (not so sharp, but sticky), *Kali sulf.*
- — differentiation from *Sil.* no odor, *Calc. sulf.*

EYES.

- Inflammation in erethic persons, *Nat. phos.*
- — — torpid persons, *Calc. sulf.*
- Blepharitis ciliaris, *Nat. phos.*, *Kali mur.*
- Styes, nodules, indurations, *Calc. fluor.*, *Sil.*
- Hyperæmia of the conjunctiva, without secretion, *Ferr. phos.*
- — — — — secretion white, *Kali mur.*
- — — — — watery, mucous, *Nat. mur.*
- — — — — yellow, mucous, *Kali sulf.*
- — — — — thick, yellow, pus, *Nat. phos.*,
Sil
- — — — — like cream, *Nat. phos.*
- — — — — yellowish, green, watery, *Nat. sulf.*
- Inflammation of the lachrymal sac, *Sil.*
- — — — eyes of newborn (gonorrhœa), *Nat. phos.*
- — — — — scrofulous children, *Nat. phos.*,
Mag. phos.
- Keratitis, gray white secretion, *Kali mur.*
- — perfectly white secretion, *Calc. phos.*
- — vesicles on the cornea, *Nat. mur.*
- — deep ulcers on the cornea, *Sil.*

- — spots on the cornea, *Nat. mur.*
- — yellow secretion, *Nat. phos.*
- — — creamy secretion, *Nat. phos.*
- — interstitialis chronic, *Calc. phos., Nat. mur.*
- Trachoma, *Kali mur., Nat. phos.*
- — further remedies, *Sil., Calc. sulf.*
- Cataract, chiefly, *Calc. fluor., Sil.*
- — sometimes, *Nat. mur.*
- Lachrymal fistula, *vide* Fistula lachrym.
- Inflammation of the iris, *Kali mur.*
- — — — — hydræmic, *Nat. mur.*
- — — — — retina, *Ferr. phos.*
- — — — — exudation, *Kali mur.*
- Photophobia, after exertion, *Kali phos.*
- — fiery red spots before eyes, *Mag. phos., Nat. phos.*
- — chromopsia, *Mag. phos.*
- Spasmodic strabismus, from worms, *Nat. phos.*
- — — infectious diseases, *Kali phos.*
- — — contraction of muscles, *Mag. phos.*
- Diplopia, *Mag. phos.*
- “Pink eyes,” specific remedy, *Ferr. phos.*
- Loss of sight (right half of an object), *Lith.*
- Violent burning, nervous, *Mag. phos.*
- — — rhachitic, *Calc. phos.*
- — — arthritic, *Nat. phos.*
- — — with lachrymation, *Nat. mur.*
- — — periodical, *Nat. mur.*

- Asthenopia, nervous, *Kali phos.*
- — hydræmic, *Nat. mur.*
- NOTE.—The observation of the late T. F. Allen with *Nat. mur.* 200th in asthenopia, from paresis of the internal muscles recti, has been repeatedly corroborated in the author's practice.

F.

FACE.

- Ache and pains, *vide* Pain No. 1.
- — neuralgia with burning, tearing pains, also eruptions, dry, scaly, with soreness, itching, pale and puffy, *Ars.*
- — with falling out of beard, *Bar. phos.*
- — prosopalgic pains, mostly over eyes and root of nose, with catarrh, pains violent lancinating, pulsating, *Kali iod.*
- — with pale and sallow face, *Plumb*
- — unclean, greasy, pimply skin, *Kali sulf.*
- — mimic cramps, *Kali phos., Mag. phos.*
- — — secondary, *Calc. phos., Kali sulf.*
- Skin, black spots, comedones, *Nat. mur., Sil.*
- — blisters around mouth, *Nat. mur.*
- — bloated, *Ars., Nat. mur., Nat. sulf., Kali mur.*
- — chapped, *Calc. fluor.*
- — cobweb sensation, *Alumina, Bar. phos., Kali phos.*

- — sensation of something having dried on skin, *Mag. phos.*, *Kali iod.*
- — formication, *Calc. phos.*
- — lumpy jaw, *Calc. fluor.*, *Sil.*, *Kali iod.*
- — mentagra, (*Calc. fluor.*), *Kali mur.*
- — acne (pimples), *Ars. brom.*, *Ars. iod.*, *Kali mur.*
- — — secondary, *Kali brom.*, *Calc. ars.*, *Calc. iod.*
- — — girls, *Calc. hypophos.*
- — infiltration, *Kali mur.*, *Sil.*
- — — stone-hard, *Calc. fluor.*
- — further, *vide* Skin diseases.

FEET.

- *Vide* Bone, Pains, Skin.
- Œdema, in chlorosis, with palpitation cordis, friction a great amelioration, *Plumb.*
- Formication of feet and legs, as from insects, crawling over skin, thus preventing sleep, *Zinc. phos.*

FEVER.

- Inflammatory, *Ferr. phos.* (*Kali mur.*, *Kali sulf.*).
- Typhoid (typhus), *Kali phos.*
- Puerpural, *Kali phos.*
- — with spasmodic symptoms, *Mag. phos.*
- Rheumatic, muscular, *Ferr. phos.*, *Kali mur.*
- — articular, *Nat. phos.*
- Bilious, *Nat. sulf.*
- Intermittents, *Nat. sulf.*

FINGER-NAILS.

— *Vide* Skin diseases.

FINGER-JOINTS.

— Swollen, inflamed, *Lith.*

— Further *vide* Bone.

FIBROID.

— Growth, *Calc. iod.*, *Mag. mur.*, *Kali iod.*

— Further *vide* Tumor.

FISTULA.

— In ano, grayish water oozing secretion, *Kali mur.*

— — — ulcerated, excoriating secretion, *Nat. mur.*, *Kali phos.*

— — — yellow, thick, purulent secretion, *Nat. phos.*, *Sil.*

— — — callous border, *Calc. fluor.*

— — — on tuberculous basis, *Mag. phos.*, *Calc. phos.*

— — — in diabetic patients, *Nat. sulf.*

— — — thin, watery, biting, yellowish secretion, *Nat. sulf.*

— — — thick, sticky, mucous secretion, < evening, *Kali sulf.*

— Lachrymalis, chief remedies, *Nat. mur.*, *Sil.*

— — secondary, *Kali mur.*, *Calc. fluor.*, *Kali sulf.*

FISSURE.

— *Vide* Rhagades.

FLATULENCE.

- Chief remedy, *Mag. phos.*
- In colon transvers, *Nat. sulf.*
- With fluttering sensation in abdomen, *Brom.*
- Other remedies, *Calc. phos., Kali sulf., Nat. phos., Nat. mur., Zinc. phos.*

FCETOR.

- Cadaverous, *Kali phos.*
- Sour, *Nat. phos.*
- Foul, *Brom., Zinc., Zinc. phos.*
- Further compare Exudation (character).

FUNGUS GROWTHS.

- — *Phos., Brom., Calc. sulf.*

FURUNCLE.

- *Vide Skin.*

G.**GALACTORRHOEA.**

- *Nat. sulf.*

GALLSTONES.

- Colic, *Mag. phos.*
- Prevention of stone formation, *Nat. phos.*
- Old neglected cases, *Calc. sulf., Sil.*

GANGLION TENDINOSUM.

- — *Ferr. phos., Kali mur., Calc. fluor.*

GANGRÆNA.

- Inflammation, *Ars., Nat. ars.*
- Further *vide Phagadæna.*

GASTRIC AFFECTIONS.

— *Vide* Abdomen.

GASTRALGIA.

- Cramps and griping, *Mag. phos., Cup.*
- Gurgling sound when swallowing, *Cup.*
- With constipation, *Mag. mur.*
- Vomiting green mucus, *Plumb.*
- Worse from alcoholic drinks, *Zinc. phos.*
- Sensation of constriction during deglutination, wants indigestibles, *Alumina.*
- Severe cramps, *Cup. ars.*
- Spasmodic intermittent cramps, *Mag. phos.*
- Anæmic cramps, *Calc. phos., Nat. mur., Kali sulf., Calc. ars., Calc. iod.*
- Hyperæmic, *Ferr. phos.*
- Carcinomatous, *Kali phos.*
- Indurations, *Calc. fluor., Kali mur.*
- Rheumatic (*Ferr. phos., Kali mur.*), *Nat. phos., Sil.*
- Bilious, *Nat. sulf.*
- Canine hunger, *Kali phos.*
- Food causes heartburn, *Nat. phos., Nat. mur., Calc. phos.*
- Eructations taste of food, *Kali sulf., Kali mur., Nat. phos.*
- From hot drinks, *Kali mur.*
- After eating, *Kali sulf., Nat. sulf., Mag. phos.*
- Sour vomiting, plain sour fluid (water), *Nat. mur.*

- — — curdled, cheesy masses, *Nat. phos.*
- — — sour fluid and undigested food, *Ferr. phos., Sil.*
- Appetite lost, acid, *Nat. phos.*
- — — bilious, *Nat. sulf.*
- — — feverish, *Ferr. phos., Kali mur.*
- — — chronic, *Nat. sulf., Nat. mur., Kali mur.*
- Dyspepsia, nervous, *Kali phos.*
- — face flushed, *Ferr. phos.*
- — vomiting undigested food, *Ferr. phos., Calc. fluor.*
- Taste, acid, *Nat. phos.*
- — sour, *Ferr. phos., Kali mur., Nat. mur.*
- — bitter, *Nat. sulf., Nat. phos., Kali mur.*
- — empty, flat, sticky, *Kali sulf.*
- — — dry, *Kali mur.*
- — repetition of gas, flat, *Calc. phos, Kali sulf., Mag. phos.*
- Gone, empty feeling, *Kali phos.*
- Amelioration by cold drinks, *Ferr. phos., Kali mur., (Calc. phos.).*
- — — warm drinks, *Mag. phos.*
- Aggravation by eating or drinking, *Ferr. phos., Kali mur.*
- — from milk, *Mag. mur., Nat. phos.*
- During eating, sensation of sudden fulness, *Nat. mur.*
- — — heartburn, *Nat. mur., Nat. phos.*
- — — cramps (ix), *Mag. phos., Mag. mur., Calc. phos.*

- After eating, belching, *Kali sulf.*, *Ars.*, *Sil.*
- — — distention, *Mag. phos.*, *Sil.*, (*Kali sulf.*).
- — — drowsiness, *Nat. mur.*, *Sil.* (*Kali phos.*).
- — — food feels like a stone, *Kali sulf.*
- Aversion to bread, *Nat. mur.*
- — — meat, *Ferr. phos.*, *Sil.*
- — — sour food, *Ferr. phos.*
- — — sweets, *Phos.*, *Kali phos.*
- — — warm food, *Ferr. phos.*, *Sil.*
- — — fat food, *Nat. phos.*, *Kali mur.*
- — — any food, *Kali mur.*, *Nat. mur.*
- Craving for beer, *Sulf.*
- — — bitter, *Nat. mur.*
- — — brandy, *Ars* , *Sulf.*
- — — eggs, *Calc. phos.*
- — — pickled food, *Calc. phos.*
- — — salt, *Nat. mur.*
- — — sweets, *Sil.*
- — — smoked meat, *Calc. phos.*

GLANDS.

- Sebaceous, inflammatory swelling, *Nat. phos.*
- — suppuration, *Sil.*
- Lymphatic, stony-hard, *Calc. fluor.*
- — simple inflammation, *Ferr. phos.*, *Kali mur.*
- — scrofulous inflammation, *Nat. phos.*
- — — secondary, *Calc. fluor.*, *Mag. phos.*, *Sil.*
- — detritus, *Kali phos.*
- — hypertrophy, *Nat. mur.*
- — neglected, *Calc. sulf.*

- Cervical and submaxillary, tuberculous inflammation, *Calc. iod.*
- — — — further, *Bar. phos.*
- — — — hypertrophy, *Bar. mur.*
- — — — prevent suppuration, *Bar. iod.*
- Axillary, *Calc. iod.*
- Salivary, *Nat. mur.*, *Kali mur.*, *Kali phos.*,
Sil.
- Bubo, *Bar. iod.*, *Alumina.*
- Mammary tumor, *Brom.*, (*Nat. mur.*).
- Thyroid, *Iod.*, *Brom.*, *Ars.*, *Alumina*, *Bar. iod.*, *Kali mur.*
- Mesenteric, *Ars. iod.*, *Phos. iod.*
- Syphilitic swelling, *Iod.*, *Kali iod.*
- Swollen, worse from warmth, *Iod.*
- Painful, swollen, indurated, *Bar. phos.*
- Enlargement and scrofulous, *Ars. iod.*
- Hypertrophic (confer *Nat. mur.*), *Bar. mur.*

GLEET.

- Chief remedies, *Calc. phos* , *Nat. mur.*
- Burning micturation, painful and ineffectual urging, enuresis, *Kali mur.*, *Sulf.*

GOITRE.

- Chief remedies, *Nat. phos.*, *Mag. phos.*
- Secondary, *Calc. phos.*, *Sil.*

GONORRHOEA.

- Primary inflammation, *Nat. phos.*
- Bleeding from urethra, *Kali phos.*

- Orchitis, *Ferr. phos.*, *Kali mur.*, *Calc. fluor.*
- Condylomata, *Nat. sulf.*, *Nat. mur.*, *Kali mur.*
- Rheumatic, arthritic, *Nat. phos.*, *Mag. phos.*, *Sil.*
- Swollen inguinal glands, *Kali mur.*, *Calc. fluor.*
- Secretion, grayish white, *Kali mur.*
- — greenish, yellowish, watery, *Nat. sulf.*
- — creamy, golden yellow, *Nat. phos.*
- — purulent, *Nat. phos.*, *Sil.*
- — glassy, mucous, *Nat. mur.*

GOUT.

- Nodules and nodular swellings, *Manganese*, *Lith.*, *Mangan.*
- Acute, *Nat. phos.*
- Chronic, *Sil.*
- Pains, *Mag. phos.*

GRAPHOSPASMUS.

- *Mag. phos.*

GRAVIDITY.

- Complaints, acidity, *Nat. phos.*
- — morning aggravation, *Nat. mur.*
- — weakness, *Calc. phos.*
- — constipation, *Nat. mur.*, *Sil.*
- — nervousness, *Kali phos.*
- — vomiting, water, *Nat. mur.*
- — — sour, *Ferr. phos.*, *Nat. mur.*, *Nat. phos.*

- — — bilious, *Nat. sulf.*, *Kali mur.*
- — — slimy, yellowish, *Kali sulf.*

GROSSESSE NERVEUSE.

- *Kali phos.*

GYNECOLOGY.

- Glennard's disease (ptosis of the abdominal organs), *Calc. fluor.*, *Sil.*, *Kali mur.*, *Nat. mur.*, *Ferr. phos.*
- Endometritis, acute, *Ferr. phos.*, *Kali mur.*, *Kali sulf.*
- Metritis, acute, *Ferr. phos.*, *Kali mur.*, *Kali sulf.*
- Perimetritis, acute, *Ferr. phos.*, *Kali mur.*, *Kali sulf.*
- Endometritis, chronic, *Calc. phos.*, *Calc. fluor.*, *Sil.*, *Calc. sulf.*
- Metritis, chronic, *Calc. phos.*, *Calc. fluor.*, *Sil.*, *Calc. sulf.*
- Perimetritis, chronic, *Calc. phos.*, *Calc. fluor.*, *Sil.*, *Calc. sulf.*
- Pain, *Ferr. phos.*, *Kali phos.*, *Mag. phos.*
- Chronic ailments, *vide* Tongue coating in Cavity of the mouth.
- Tumors, *vide* Tumors.

H.

HÆMATOMESIS.

- Bright red, *Ferr. phos.*
- Dark viscid, *Kali mur.*

— Thin, red, high fever, prostration, *Kali phos.*

HÆMATOMA.

- Chief remedy, *Kali phos.*
- Later, *Sil.*, *Calc. sulf.*
- Scarlatinosum, *Kali phos.*

HÆMATURIA.

- Chief remedy, *Kali phos.*

HÆMOSTATIC.

- Chief remedy, *Ferr. phos.*

HÆMOPHILIA.

- Confer Morbus Werlhoffii.

HÆMORRHAGIA.

- Red, coagulating, *Ferr. phos.*
- Black, thick, viscid, *Kali mur.*
- Bright red, blackish red, thin, not coagulating, *Kali phos.*, *Nat. mur.*
- In subcutaneous tissues, *Sil.*
- Septic, *Nat. phos.*, *Kali phos.*
- Diathesis, *Phos.*
- Hectic fever, prostration, *Ars. iod.*
- Of the kidneys, agonizing pain in the ureters, *Plumb.*, (*Kali phos.*).
- Uteri, bright red, *Ferr. phos.*
- — relaxed muscles, *Calc. fluor.*
- — paralytic, faulty innervation, *Kali phos.*
- — in young girls (specific), *Kali phos.*
- — with cramps, *Calc. phos.*, *Mag. phos.*, *Kali sulf.*

HÆMORRHOIDS.

- Chief remedy, *Calc. fluor.*
- Inflamed, painful, *Ferr. phos.*
- Not inflamed, but painful, *Mag. phos.*
- Mucous, humid around anus, *Nat. mur.*
- Bleeding, *Ferr. phos., Kali mur., Calc. fluor., Nat. mur., Kali phos.*
- Chronic constipation, *Nat. mur.*
- With liver and kidney disease, *Nat. sulf.*
- Intensely painful, *Brom.*
- With hard stool, burning and sore, *Bar. phos.*
- The knot incarcerated, or coming out, with the passage; boring pain from anus to urethra and testicles (vagina in women), accompanying fistula in ano, bloody mucus, humid vegetation, *Sil.*

HAIR.

- Falling out, chief remedies, *Nat. mur., Sil.*
- — — secondary, *Calc. phos., Kali sulf., Calc. sulfide, Ars.*

HAY FEVER.

- Chief remedies, *Nat. sulf., Nat. mur., Nat. ars.*
- Secondary, *Kali phos., Ars. iod.*

HEADACHES.

- *Vide Pain No. 1.*
- Periodical, brain fag, cerebral hyperæmia with nervousness and sleeplessness, *Zinc brom.*

- Neuralgia, with extreme prostration, shooting pain like needles, *Ars.*
- Sensation as if water was poured over head, *Cup.*
- Violent, over frontal sinus, *Kali iod.*
- — — — — and vomiting of food, *Cup.*
- Numb feeling in brain, *Kali brom.*
- General frontal, *Nat. mur., Kali iod.*
- Neuralgia around eyes, as if head would burst, worse from motion and fresh air, better from pressure; constipation, with soreness of liver, *Mag. mur.*
- Supra orbital with fever, *Nat. ars.*
- Ball raising sensation from stomach to head, *Plumb.*
- From front to back, better from pressure, worse from stimulants; heavy dragging backwards, lethargic condition; feet restless with twitching of muscles, *Zinc. phos.*

HEARING.

- *Vide Ear.*

HELMINTHIASIS.

- *Ascaris lumbricoides*, *Nat. mur.*
- *Oxyuris vermicularis*, *Nat. phos.*
- General vermifuge, *Nat. phos.* (2x).

HEMICRANIA.

- *Vide Pain No. 1.*
- Other remedies, *Ars., Zinc.*

- During menses, *Kali phos.*
- Occipitalis, *Nat. sulf.*
- Right sided (supra orbital), *Mag. phos.*
- Chronic, either side, *Calc. sulf.*

HEPATITIS.

- Chief remedy, *Nat. sulf.*
- Secondary, *Kali mur.*, *Kali sulf.*, *Nat. mur.*,
Sil.
- Chronic, dark yellow fæces, distended abdomen; hard, crumbling stool (scanty, infrequent menses); palpitation; swelling of feet; tenderness of liver extending toward spine, also to pit of stomach; worse, generally after eating, *Mag. mur.*
- Cirrhosis, jaundice, etc., sensitiveness, liver enlarged, *Iod.*
- Fatty degeneration, swollen; painless diarrhoea, *Phos.*
- Liver inflamed (chronic); constipation with pains to the left side and back, *Plumb.*
- As if liver was pulled to the back, *Plumb.*
- Carcinoma (pain well under control), *Cup.*,
Plumb., *Zinc.*

HEART.

- Symptoms caused by anæmia, *Calc. phos.*, *Kali mur.*, *Kali phos.*
- Tumultuous action, *Mag. phos.* *Kali sulf.*
- Combined with dropsy, *Kali mur.*, *Nat. mur.*,
Nat. sulf.

- Of rheumatic arthritic nature, *Nat. phos.*, *Sil.*
- Endocarditis, *Ferr. phos.*, *Kali mur.*
- Imminent symptoms of paralysis, (2x) *Kali phos.*
- Heaviness, better in open air, humming in ears, *Ars.*
- Weakness, irregular action, hypertrophy of organ, *Bar. mur.*, *Ars.*, *Brom.*
- Inflammation in gouty people, *Lith.*
- Heart region (internal) sore when stooping, *Lith.*
- Complaints, with hectic fever, *Nat. ars.*
- Fatty degeneration, (7th) *Phos.*

HERPES.

- Chronicus, *Calc. sulf.*
- Circinatus, *Nat. sulf.*
- Humidus, *Nat. sulf.*
- Zoster, *Kali mur.*, *Nat. mur.*
- Excedens, with burning, *Ars.*, *Sulf.*
- Farinaceus faciei, *Ars.*, *Bar. phos.*
- Furfuraceus, spreading, itching, *Kali sulf.*,
Kali phos.
- Suppurating, *Manganese.*

HICCOUGH.

- Chief remedies, *Mag. phos.*, *Calc. phos.*
- Secondary, *Kali phos.*, *Kali sulf.*

HIVES.

- *Vide* Urticaria.

- — — — secondary, *Sil.*, *Calc. sulf.*
- — ichorous and very fetid, *Ars.*, *Ars. iod.*

INFLUENZA.

- Characteristic diagnostic symptoms: stripe-like reddening of the anterior part of the arcus-palato-glossus; influenza tongue and angina, *Nat. sulf.*

INJURIES.

- Mechanical, contusions, incised fresh wounds, *Ferr. phos.*
- — swelling later, *Kali mur.*
- — neglected, *Sil.*
- — sanious, gangrenous, *Kali phos.*
- — beginning sepsis, *Nat. phos.*
- — fracture of bones, *Calc. phos.*
- — excessive pains in bones, *Calc. fluor.*
- — with inflammation of soft parts, *Ferr. phos.*
- — tenalgia crepitans, *Ferr. phos.*, *Kali mur.*
- — overstraining back and sacrum, *Calc. fluor.*
- — spinal irritation, violent pain, *Cup.*
- — necrosis of bones, *Sil.*, *Kali phos.*, *Phos.*
- — resulting in unbalanced mind, *Kali phos.*

INSANITY.

- *Vide* Mental state.

INSOLATIO.

- *Vide* Sunstroke.

INSOMNIA.

- Nervosa, (*Zinc. phos.*), *Kali phos.* (200).

INTERCOSTAL NEURALGIA.

— *Mag. phos.*, *Zinc. phos.*

INTERMITTENS.

— *Vide* Malaria.

INTERTRIGO.

— *Kali phos.*, *Nat. phos.*, *Nat. mur.*

ISCHIAS.

— Treatment to begin with, *Ferr. phos.*

— Lancinating pains, *Mag. phos.* (*Calc. phos.*,
Kali sulf.).

— Motion, at first painful, *Kali phos.*

— Old cases, *Sil.*, *Calc. sulf.*

— According to other symptoms, *Kali mur.*,
Kali sulf.

— After operations, etc., *Ferr. phos.*, *Kali mur.*

— — allopathic treatment, *Kali phos.*

— Drawing pains, *Nat. phos.*

— With itching eruptions along the nerve, *Zinc.*
phos.

— Icy coldness, *Cup.*, *Calc. phos.*

— Left side, *Sulf.*, *Calc. phos.*

— Pains worse at night, *Ars*, *Plumb.*, *Sil.*, *Calc.*
phos.

— — come and go, *Mag. phos.*, *Kali sulf.*

— — burning, *Ars.*

— Coldness, prostration, *Ars. iod.*

— Cold knee, *Calc. phos.*

— Numb soles, *Calc. phos.*

— Pains sprainlike, *Zinc.*

- Cramps in calves, *Cup. ars.*, *Calc. phos.*
- When walking, *Nat. mur.*, *Nat. ars.*
- Of syphilitic origin, *Kali iod.*
- After electro-treatment, *Calc. phos.*

K.

KATALEPSY.

- Chief remedy, *Kali phos.*
- With symptoms of Trismus, resulting from tetanic cramps in the domain of the Nervus trigeminus, *Mag. phos.*
- Secondary remedies, *Kali mur.*, *Calc. phos.*, *Nat. mur.*, *Kali sulf.*

KELOID.

- *Calc. fluor.*, *Sil.*

KERATITIS.

- *Vide Eye.*

KIDNEY.

- Inflammation, first stage, *Ferr. phos.*
- — second, *Kali mur.*
- — third, *Nat. phos.*
- Albuminuria, chief remedy, *Kali sulf.*
- — secondary, *Calc. phos.*, *Kali mur.*
- After infection, *Nat. mur.*
- — skin diseases, *Kali sulf.*, *Ferr. iod.*
- — rubeolæ (renal blood), *Kali phos.*
- Chronic inflammation, urine is scanty, and hot; great œdema and dropsy, irritable stomach and bowels, great thirst, *Ars.*

- — — urine with fatty casts, *Phos.*
- — — waxy kidney, *Kali iod.*
- — — renal cirrhosis, *Plumb.*
- — — azoturia, *Nat. mur.*
- — — albuminuria, *Calc. ars., Lith., Phos.*
- Burning pains in region of kidneys, *Zinc. phos.*
- — — — ureters, *Ars.*
- Stone in ureter, *Mag. phos., Sil.*
- Renal gravel, *Sil.*
- Pyuria, *Sil.*
- Eclampsia, chief remedy, *Mag. phos.*
- Further *vide* Nephritis.

KOCCYGODYNIA.

- Chief remedies, *Calc. fluor., Nat. mur.*
- Secondary, *Calc. phos., Sil.*

KOLICA.

- *Vide* Pain No. IV.
- Flatulence, *Kali phos., Kali sulf., Mag. phos., Nat. sulf.*
- Hæmorrhoidalis, *Ferr. phos., Calc. fluor.*
- Hepatica, *Mag. mur., Nat. sulf., Kali mur., Nat. phos.*
- Rheumatica, *Nat. phos., Mag. phos., Sil.*
- Saturnina, *Nat. sulf. (2x).*
- Stercoracea, *Nat. mur., Nat. sulf., Sil.*
- Menstrualis, *vide* Menstruation.
- Verminosa, *Nat. phos.*

L.

LABOR.

- Principal ecboicum, (2x) *Kali phos.*
- Pains, weak, *Kali phos.*, *Calc. fluor.*
- — spasmodic, *Mag. phos.*
- — deficient muscles, *Calc. fluor.*
- — — nerves, *Kali phos.*

LACTATION.

- Accordingly, *Calc phos.*, *Nat. mur.*
- Weaning, *Nat. sulf.*

LARYNGITIS.

- Granulations, *Kali iod.*
- Aphony, *Phos.*
- Liquids are swallowed with difficulty, *Plumb.*

LARYNGOSPASMUS.

- Chief remedy, *Mag. phos.*
- Further, *Cup.*

LARYNX.

- Catarrh with pain, *Calc. fluor.*
- Further remedies, *Iod.*, *Brom.*

LEUCÆMIA.

- Chief remedies, *Nat. sulf.*, *Kali phos.*

LEUCORRHŒA.

- With bladder catarrh, *Nat. phos.*
- — Vaginismus, *Ferr. phos.*, *Mag. phos.*
- Further *vide* Exudation and Vagina.

LIMBS.

- Impaired, tingling, benumbed sensation, *Kali brom.*
- Lower limbs torpid, extensive abscesses and ulcers with profuse secretion, *Calc. hypophos.*

LIPOMA.

- Chief remedy, *Bar. iod.*

LIVER.

- *Vide* Hepatitis.

LOCOMOTOR-ATAXIA.

- Chief remedy (*Magn. phos., Kali mur.*), *Kali phos.*
- Further *vide* Paralysis, Paresis, Myelitis, Tabes dors.

LOSS OF MEMORY.

- — — *Kali brom.*

LUMBAGO.

- *Vide* Pain No. II.

LUPUS.

- Chief remedy, *Kali sulf.*
- Later (*Sil.*), *Mag. phos.*

LYMPHATIC GLANDS.

- *Vide* Glands.

M.**MALARIA.**

- Chief remedy, *Nat. sulf.*
- Old, neglected cases, *Kali phos.*, *Calc. sulf.*
- — cases, general coldness, *Calc. ars.*
- Preventive, *Ars. iod.* (2x).

MARASMUS.

- Chief remedy, *Kali phos.*
- Old people, *Sil.*, *Bar. phos.*
- Mental and physical exhaustion, *Phos.*
- Infantum, *Calc. phos.*, *Nat. mur.*, *Nat. phos.*
- Malnutrition, *Bar. phos.*, *Calc. ars.*
- Loss of memory, *Bar. phos.*
- Mesenteric glands enlarged in children, *Bar. phos.*
- Osteomyelitis diffusa, *Iod.*
- Mesenteric disease, constipation, emaciation, enormous appetite, depressed and irritable mood, *Iod.*

MASTITIS.

- Puerperalis, *Nat. phos.*
- — neglected, *Sil.*
- — suppuration, *Sil.*
- — induration, *Calc. fluor.*
- — white, shining, swelling, *Kali mur.* *Calc. phos.*
- — fistulous openings, *vide* Exudations.
- Tumor with retracted nipple, *Ars. iod.*

— — *Brom.*

— Mammæ atrophied, worse from warmth, *Iod.*

MASTOIDITIS.

— Chief remedies, *Ferr. phos.* (3x), *Calc. sulf.* (3x).

MEASLES.

— Chief remedies, *Ferr. phos.*, *Kali mur.*

— Beginning eruption, *Kali ars.*

— Albuminuria, *Kali sulf.*, *Calc. phos.*

— Desquamation, *Kali sulf.*, *Calc. phos.*

MENINGITIS.

— Chief remedies, *Ferr. phos.*, *Kali mur.*

— Later on, *Kali phos.*

— Hydrocephaloid, *Zinc. phos.* (6x).

— Tubercular, *Calc. iod.*

— From suppressed eruption, convulsions, screams, violent pains, generally blue face, *Cup.*

— Violent headache, *Kali iod.*

MENSTRUATION.

— Black, clotted, *Kali mur.*

— Red, easily coagulating, *Ferr. phos.*

— Thin, not coagulating, hysterical habits, *Kali phos.*

— — not coagulating, melancholic temperament, *Nat. mur.*

— Blood excruciating, watery, *Kali phos.*, *Nat. mur.*

- Evening aggravation, *Kali sulf.*
- With bilious symptoms, *Nat. sulf.*
- — acidity, *Nat. phos.*
- — anæmia, *Nat. mur.*, *Calc. phos.*
- — hysterical ill humor, *Kali phos.*
- — scrofulosis, *Nat. phos.*, *Mag. phos.*
- Aggravation at night, *Sil.*, *Calc. phos.*
- Hoarseness, *Calc. phos.*, *Kali mur.*, *Sil.*
- Toothache, *Calc. phos.*
- Sexual excitement, *Kali phos.*, *Zinc. phos.*
- Acrid flow, *Sil.*
- Weight in pelvis, sleeplessness, *Mag. mur.*
- — — — night mare, *Kali phos.*
- Weariness of limbs, *Zinc. phos.*
- Headache, *Ferr. phos.*, *Nat. mur.*, *Zinc.*
- Hot flashes, *Ferr. phos.*
- Sinking feeling, *Calc. ars.*
- Cold sensation, *Calc. ars.*
- — feet, *Calc. phos.*
- Erotic sensation, *Kali brom.*
- Suppressed by cold, *Ferr. phos.*
- Cold and damp feet, *Sil.*
- — vertex, *Calc. phos.*
- Goneness, *Nat. mur.*
- Stupor, *Kali phos.*, *Zinc. phos.*
- Only at night, *Zinc. phos.*
- Less and less each month, *Nat. mur.*
- General or greater chilly feeling than at other times, *Sil.*

- Chilliness with nausea, *Sil.*
- — — spasmodic flow, *Sil.*
- Spasmodic leucorrhœa preceding flow, *Sil.*
- Great debility, waxy color, *Ars. iod.*
- Prostration, *Calc. ars.*
- Abdominal pains, menses merely showing,
Kali phos.
- Constipation (hard balls), string sensation,
Plumb. phos.
- Pains in vagina, *Ferr. phos.*
- Menstrual headaches (different from *Ferr.*
phos. and *Nat. mur.*), *Zinc. phos.*
- Torpid defecation, *Nat. mur.*
- Diarrhœa, *Ferr. phos.*, *Nat. phos.*, *Nat. sulf.*
- Crick in the back, *Nat. phos.*, *Ferr. phos.*
- General offensive odor, *Calc. sulfide.*
- Ovarian pain, right side, *Nat. sulf.*
- — — left side, *Mag. phos.*
- — — better lying on painful side, *Kali sulf.*
- — — worse — — — —, *Nat. sulf.*
- Colic, lancinating pain, better by moderate
motion, worse when fatigued, *Kali phos.*
- — numbness, formication, worse at night, and
when resting, worse after urinating and
defecation; better when moving the
lower extremities, *Calc. phos.*
- — shooting, lancinating, spasmodic lightning-
like pains, worse from tender touch, bet-
ter from hard pressure, warm applica-
tion, and bending double, *Mag. phos.*

- — symptoms exactly as the foregoing, but alleviated by cold application (compare *Cup.*), and worse from any touch, *Kali mur.*
- — getting worse in a warm room, in the evening, alone; better from uncovering when in bed, *Kali sulf.*
- — pale sensitive persons, *Kali phos.*
- — flushed face, accelerated pulse, *Ferr. phos.*
- — spasms and cramps, anæmic persons, *Calc. phos.*
- — general and great amelioration from extreme heat, *Sil.*
- — metroperitonitis, nausea, *Ars.*
- — with leftsided migraine, *Brom.*
- — flatus e vagina, dysmenorrhœic shreds, *Brom.*
- — menses suppressed, *Ferr. iod.*
- — black, crumbling stool, *Mag. mur.*
- — constipation and sallow face, *Plumb.*
- — generally relieved by evacuation, *Zinc. phos., Nat. sulf.*
- — with persistent vomiting of food, *Plumb.*
- — — œdema of feet, *Plumb.*

MENTAL STATE.

- Disposition, changeable, *Zinc., Alumina.*
- — despairing, *Ars*
- — hypochondriac, *Plumb.*
- — vehement, *Nat. mur.*

- — indifferent, *Kali phos.*, *Calc. iod.*
- — irritable, *Kali phos.*, *Nat. mur.*, *Nat. sulf.*
- — peevish, *Kali phos.*, *Kali sulf.*
- — retiring, *Bar. phos.*
- — sad, gloomy, *Kali phos.*, *Nat. mur.*, *Kali iod.*
- — tearful (*Kali sulf.*, *Nat. mur.*), *Iod.*, *Kali iod.*
- — stupor, *Zinc. phos.*
- — despondent, *Iod.*
- — melancholic, loss of will power, *Nat. brom.*
- — — chronic congestion of brain, dementia, *Zinc. brom.*
- — aberrative, *Kali phos.*
- — angry, *Ferr. phos.*, *Kali phos.*
- — desire for solitude, *Nat. mur.*
- — — — society, *Kali sulf.*, *Kali phos.*
- — apprehensive, general, *Ars.*, *Alumina.*
- — — when alone, *Kali phos.*, *Kali sulf.*, *Calc. ars.*, *Phos.*
- — — against others, *Cup. ars.*
- — idiotic, *Bar. phos.*
- Congested, *Ferr. phos.*, *Nat. phos.*
- Brain fag, *Kali phos.*
- Undeveloped mind, *Calc. phos.*, *Bar. phos.*
- Overworked, *Phos.* (7th), *Ars. brom.*
- Nymphomania, *Zinc.*, *Plumb.*, *Kali phos.*
- Loss of memory, *Zinc.*, *Plumb.*, *Alumina.*
- Uses wrong words, *Plumb.*

- Cannot think of right word, *Kali brom.*
- Mental depression with debility, *Zinc. phos.*
- Midnight aggravation, *Ars.*
- Melancholic, great restlessness, constant change of position, worse toward morning, extreme anxiety, *Ars.*
- Maniacal (biting), *Cup.*
- Acute mania, with sleeplessness and strange illusions, tremulousness and twitchings of muscles, *Kali brom.*
- Melancholy, with irritability and weeping, religious delusions, *Kali brom., Kali phos.*
- Melancholy, lethargic, stupid, with fidgeting of feet, *Zinc. phos.*

MIGRAINE.

- *Vide* Pain No. I.

MORBUS.

- Addisoni, chief remedies, *Nat. sulf., Nat. mur.*
- Brightii *vide* Kidney.
- Basedowii, *Nat. mur., Mag phos., Kali phos.*
- Werlhofii, chief remedy, *Kali phos.*
- — epistaxis, *Ferr. phos.*
- — vesicles, *Nat. mur.*
- — recurrence, *Nat. sulf.*

MORPHINE HABIT.

- Chief remedy (almost a specific), *Nat. phos.*

MOUTH.

— *Vide* Cavity of the Mouth.

MUCOUS MEMBRANES.

— *Vide* Exudations.

MUMPS.

— Chief remedies, *Kali mur.*, *Nat. mur.*

— Indurations, *Calc. fluor.*, *Bar. iod.*

MYELITIS.

— Febrile state, *Ferr. phos.*

— Chief remedies later, *Nat. sulf.* *Kali phos.*

— Accessory remedies, *Calc. phos.*, *Kali sulf.*,
Mag. phos.

— Spinal paralysis, *Ars.*, *Plumb.*

— — — hysterical, *Zinc. phos.*

— — — old people, *Bar. phos.*, (*Sil.*).

— Staggering, numbness, sensation as walking
on velvet, *Alumina.*

— Twitching muscles (reflex exaggerated), *Zinc.*
phos.

— Tingling in spine and limbs, *Kali brom.*

— Emaciation, ataxia adynamia, *Phos. iod.*

— Paralysis, flexors, *Cup.*

— — extensors, *Plumb.*

— — lower extremities, *Cup.*

— — lower body, *Manganese.*

— — extremities, hemiplegic, *Phos.*

— — — numbness, *Phos.*

— — pseudo hypertrophic, *Phos.*

- — sensation of moving quicksilver in spine, *Phos*
- — mostly on left side, *Plumb.*
- — worse at night and in bed, *Plumb.*
- — better from friction and pressure, *Plumb.*

N.

NASAL DISEASES.

- *Vide* Catarrh.
- Chronic catarrh with sore nostrils, indurated mucus, pain in root of nose, *Alumina.*
- Discharge fetid, nose swollen and painful, *Iod.*
- Supra-orbital headaches, burning in eyes, watery discharge; dry throat, morning aggravation; mucus passes into throat and is hawked up; nose feels stuffed, and pains at at root, *Nat. ars.*
- Polypus, great bleeding, *Phos.*
- — mucous, *Calc. phos., Nat. mur.*

NAUSEA.

- *Vide* Vomiting.
- Sea sickness, *Kali phos., Nat. phos.*

NEPHRITIS.

- *Vide* Kidneys.
- With œdema, urine scanty, *Ars.*
- Without œdema, *Plumb., Iod.*
- Acute, following exanthemata, (*Ars.*), *Ferr. iod.*

- With darting pains in region of kidneys, *Kali iod.*
- Gouty, rheumatic patients, *Lith.*
- Urine with fatty casts, *Phos.*
- Interstitialis, *Plumb.*
- Enuresis, *Sulf.* (6x).
- NOTE.—All cases coming from allopathic treatment, must begin with *Kali phos.*, with or without the addition of *Nat. mur.*, according to circumstances (stupor, etc.). After 36 to 48 hours, it will often be found necessary to substitute intercurrently *Plumb. iod.* for *Kali phos.* or *Nat. mur.* During the change from allopathic to biochemic treatment, *Calc. phos.*, *Calc. sulf.* and *Nat. sulf.* must be kept at hand to be substituted at the proper moment. *Kali mur.* will be found of service only in cases treated biochemically from the beginning. During any moment of the disease, *Mag. phos.* must be given for any arising pain. It has of late been the author's custom to substitute *Kali. ars.* for *Ars.*, as it seems to respond more quickly and energetically than *Ars.*

NEURALGIA.

- Terrific, lightning like, *Plumb. iod.*
- Of long standing, *Calc. sulf.*
- Anæmic, *Calc. phos.*

- Relieved by cold applications, *Ferr. phos.*
- Lancinating sensation, *Mag. phos.*
- Paralytic —, *Kali phos.*
- Dentalis, *Mag. phos.*
- Intercostalis, *Mag. phos.*
- With chronic nervous weakness, *Sil.*
- Heaviness, weariness, chilliness, palpitation,
Kali sulf.
- Evening aggravation, *Kali sulf.*
- Overwork, *Kali phos.*
- After acute disease, *Calc. phos.*
- Cold, numbness, *Calc. phos.*
- Boring pain, gloomy, preferring solitude, *Nat. mur.*
- With sleeplessness, *Kali phos.*
- Intermittent, tearing, burning, better when walking around, face pale and distorted, *Ars.*
- With headache, extreme prostration, boring in stomach, retching, thirst, burning pain, piercing like needles, better from external heat, worse after midnight, *Ars.*
- Weariness of body, with heavy limbs, irritable, wakefulness at night, *Ars. iod.*
- Noises in ears, *Brom.*
- Burning stinging pain, *Cup.*
- Night terror in children, *Kali brom.*
- In patients with bone diseases, *Phos.*
- With night blindness, *Phos.*

- Of the rectum, *Plumb.*
- — head and around eyes as if the skull would burst; worse from motion or fresh air, *Mag. mur.*

NEURASTHENIA.

- Sudden collapse, without forewarning, where *Kali phos.* is resultless, *Phos.* (7-30th).
- Patient shrinks from work, *Ferr. phos.*, *Sil.*
- Backache from resting or sitting, burning in spine, general restlessness, weak limbs and fornication, *Zinc. phos.*

NEUROSIS.

- Paralysis agitans, *Mag. phos.*, *Kali phos.*
- Great tendon reflex, *Sil.*
- Starts and jerks, *Mag. phos.*, *Zinc.*, *Calc. phos.*
- Epileptiform, (*Calc. phos.*), *Kali brom.*
- Hypochondriasis, *Alumina.*
- — on organic basis, *Ars. iod.*
- — depressed, *Nat. mur.*, *Sil.*
- All symptoms worse from mental exertion, *Kali phos.*
- Aggravated by trifles; fright, *Kali phos.*
- Restless, *Iod.*

NOMA.

- Chief remedy, *Kali phos.*

NYMPHOMANIA.

- Accordingly, *Ferr. phos.*, *Calc. phos.*, *Kali phos.*, *Mag. phos.*

- Sexual desire with involuntary discharge of mucus, *Ars.*
- Heaviness and dwindling of the mammæ, *Iod.*
- Empty feeling in abdomen, *Phos*
- Sexual desire throughout the night, burning pain in left ovary, self abuse, *Zinc. phos.*

0.

OBESITY.

- *Brom., Cup., Nat. ars., Nat. mur.*
- Of breast during pregnancy, *Nat. mur.*

ODONTALGIA.

- *Vide teeth.*

CEDEMA.

- Fugax in chlorotic persons, *Nat. mur.*
- Simple, *Nat. sulf.*
- Erysipelas, *Nat. sulf.*
- Preputii, *Nat. mur., Nat. sulf.*
- Penis, *Nat. mur., Nat. sulf.*
- Pulmonum, *Nat. mur., Kali phos.*
- Scroti, *Nat. mur., Nat. sulf.*
- Of the entire body, *Nat. sulf.*
- In pyæmia, *Ars.*
- — old age, *Bar phos.*
- Of feet, constipation, often in epileptic patients, *Plumb.*
- During albuminuria, with paralysis of the bladder, can urinate only when sitting, *Zinc. phos.*

ŒSOPHAGUS.

- Spasmodic stricture, burning, *Ars.*
- Spasms when attempting to swallow, *Cup.*,
Ars.

ONYCHIA.

- *Calc. fluor.*, *Sil.*

OOPHORITIS.

- Acute, painful, *Ferr. phos.*, *Kali mur.*, *Mag. phos.*
- — spasmodic acerbation, *Kali sulf.*
- — excruciating pain, *Kali phos.*
- Chronic, with sensuality, *Calc. phos.*, *Kali phos.*
- — — periuterine inflammation, *Calc. fluor.*,
Sil.
- — — secondary abdominal symptoms, *Kali mur.*, *Nat. sulf.*, *Nat. phos.*
- — neglected old cases, *Sil.*, *Calc. sulf.*
- Gonorrhœic, *Nat. phos.*
- — secondary stage, *Kali mur.*
- — third stage, *Mag. phos.*, *Sil.*
- Neuralgic, *vide Pain.*
- Indurations, *Iod.*
- Fibroid tumor, *Mag. mur.*, *Calc. iod.*
- Congested, *Kali iod.*
- Pains during menses, *Phos.*
- Burning, tearing, twitching, as from corrosion,
Kali iod., *Cup.*, *Plumb.*, *Brom.*, *Ars.*, *Zinc.*

- — in right ovary with excruciating leucorrhœa, *Ars.*
- Ovaries enlarged, offensive leucorrhœa, *Calc. sulfide.*
- Wedge-like pain, *Iod.*
- Tumor, neuralgia, exaggerated desire, with pruritus and uneasiness, *Kali brom.*
- — in strumous persons, *Bar. iod.*
- Neuralgia preceding menses, pruritus vulvæ, unnatural desire, general restlessness, depression, tendency to coldness, spinal tenderness, *Zinc. iod.*

OPISTHOTONUS.

- Chief remedies, *Mag. phos., Kali phos.*

OPPRESSIO PECTORIS.

- *Vide* Angina Pectoris.
- With much mucus, *Zinc. phos.*
- — occipital headaches, better from hard pressure on side of head, *Zinc. phos.*
- — great prostration, feeble intermittent pulse, body cold and sweaty, *Nat. ars.*

OPHTHALMIA.

- *Vide* Eye.
- Gonorrhœic, *Nat. phos., Kali mur., Sil.*

ORCHITIS.

- Acute, *Ferr. phos.*
- — secondary, *Kali mur., Kali sulf., Calc. phos.*
- Chronic, *Sil.*

— Caseous, *Nat. phos.*, *Mag. phos.*

— Gummous, *vide Syphilis.*

ORGASMUS.

— *Ferr. phos.*

OSTITIS.

— *Vide Bone.*

OTITIS.

— *Vide Ear.*

OXALURIA.

— *Kali sulf.*

OZÆNA.

— *Vide Catarrh and Nasal Catarrh.*

P.

PAIN.—No. 1. in Head and Face.

— General, dull headache (malarial), *Nat. sulf.*

— From occiput to vertex, *Sil.*

— Worse in the evening, warm room, better in open air, *Kali sulf.*

— Right side, supra-orbital, *Mag. phos.*

— Trigeminal, *Mag. phos.*

— Occipital sluggish headache, *Nat. sulf.*

— — nervous —, *Kali phos.*

— — rheumatic —, *Sil.*, *Nat. phos.*

— — — muscular —, *Ferr. phos.*

— Sticking, pressing, worse from shaking and stooping, *Ferr. phos.*



- Redness of face, vomiting of food, *Ferr. phos.*
- Vomiting of bile, *Nat. sulf.*
- — — water, *Nat mur.*
- — — sour —, *Ferr. phos., Nat. mur.*
- — — curdled masses, *Nat. phos. (Kali phos.)*
- — — white —, *Kali mur.*
- Quick shooting lancinating, *Mag. phos.*
- Pale sensitive persons, *Kali phos.*
- With following prostration, *Kali phos.*
- — fornication, coldness, numbness, *Calc phos.*
- Internal chilliness, *Sil.*
- Sensitiveness to cold air, *Sil.*
- Desire for open air, *Calc. phos., Nat. sulf., Nat. mur., Kali sulf.*
- Coming from cold into warm <, *Nat. sulf.*
- Dry air and sunshine >, *Kali mur.*
- Neuralgic, nervous, *Zinc. phos.*
- — rheumatic, *Manganese.*
- — with sick stomach, *Sil.*
- — in the morning, sometimes lasting all day, *Nat. mur.*
- — monthly, *Ferr. phos., Zinc.*
- — from constipation, *Nat. sulf., Alumina.*
- — — reading, *Calc. phos.*
- — — — later, *Calc. hypophos.*
- — — sea bathing, *Nat. mur., Ars.*
- — — malarial, *Ars. iod., Nat. sulf., Nat. mur.*
- — with coldness about head, *Nat. mur., Calc. phos., Sil.*



- — — drowsiness, *Nat. mur.*, *Zinc.*
- — — faintness, *Kali phos.*
- — in the morning, twitching, etc., *Zinc. phos.*
- Periodical ending with vomiting, mostly preceded by other symptoms of a hydrogenoid character, *Nat. sulf.*
- Caused by a trophic disturbance, *Kali phos.*
- — — exhaustion, *Ars. brom.*, *Kali brom.*
- — — anæmia, *Calc. phos.*

No. II. in the Back and Limbs.

- Felt only when in motion and worse from motion, *Ferr. phos.*, *Kali mur.*
- Laming, better by slow motion, *Kali phos.*
- — worse from continuous motion, *Kali phos.*
- — — when rising after sitting, *Kali phos.*
- — better by constant easy motion, *Kali phos.*
- Coldness, numbness, formication, *Calc. phos.*
- Worse at night, *Calc. phos.*, *Sil.*
- — at rest, *Calc. phos.*
- Quick, shooting, intermitting, *Mag. phos.*, *Kali sulf.*
- Changing place, *Kali sulf.*, *Mag. phos.*, *Calc. phos.*
- Evening aggravation, warm room, *Kali sulf.*
- Open air amelioration, *Kali sulf.*, *Mag. phos.*
- Better by pressure, *Mag. phos.*
- Worse, — —, *Kali mur.*
- Crick in the back, lumbago, *Ferr. phos.*, *Nat. phos.*

— Hamstring sensation, *Nat. phos.*

No. III. in the Hip.

— Nervous, *Kali phos.*

— Spasmodic, *Mag. phos.*

— Inflammatory, *Ferr. phos., Kali mur.*

— Rheumatic, arthritic, *Nat. phos.*

— — — chronic, *Sil.*

— Tuberculous, *Nat. phos., Mag. phos., Sil., Calc. sulf.*

No. IV. in General.

— Relieved by cold application, *Ferr. phos.*

— Crampy, paralytic, burning, constricting, better from warmth and pressure, worse from light touch, *Mag. phos.*

— Formication, numbness, coldness; worse at night, change of weather, defecation and urination, better from crouching together, *Calc. phos.*

— Aggravated by pressure, ameliorated by cold, *Kali mur.*

— Better from lying on painful side, *Kali sulf.*

— Followed by sensation of paralysis, *Kali phos.*

— Accompanied by a sullen demeanor, silence, interrupted by fussing about, crying, moaning, restless, *Mag. phos.*

— With excitement, prostration, fright, fanning, great variable mood, *Kali phos.*

— Resulting in general depression, bruised sensation, localized bone pains, faintness, with

- nausea in afternoon, but not evenings
(compare *Ferr. phos.*), *Calc. fluor.*
- Combined with extreme nausea, *Calc. sulf.*
 - Burning, smarting, raw (*Nat. sulf.*), *Nat. mur.*
 - — as from blisters, *Nat. sulf.*
 - With icy coldness, *Sil.*
 - Sharp, splintery feeling, burning dryness, without secretion; burning of inner organs, skin ulcers; excruciating, *Alumina.*
 - Piercing like needles, pale, puffy face, mostly with extreme palpitation of heart at night, profound prostration, *Ars.*, *Ars. iod.*
 - Pressing, cramping of bowels, violent cutting, *Cup.*
 - In glandular structures, red, swollen, worse at night and by warmth, *Iod.*
 - Pulsating (mostly in head), *Kali iod.*
 - Ameliorated by pressure, *Mag. mur.*
 - Radiating, as from a centre, to all points of body, *Plumb.*

PALPITATIO CORDIS.

- In general, *Kali phos.*
- Later on, *Ferr. phos.*, *Kali mur.*, *Kali sulf.*
- Anæmic, *Calc. phos.*, *Nat. mur.*
- Gastric origin, *Nat. phos.*, *Nat. sulf.*
- With fulness and pain in chest, *Bar. mur.*

PANARITIUM.

- *Calc. fluor.*, *Sil.*

PANCREAS.

— *Nat. sulf., Iod. (Kali mur.)*.

PARALYSIS.

— Chief remedies, *Plumb., Kali phos., Mag. phos., Zinc. phos.*

— Weakness, *Calc. phos.*

— Spinal (hysterical), *Ars., Kali ars.*

— Profound prostration, *Ars. iod.*

— Prostration, pulse intermittent, *Nat. ars.*

— With physical and mental exhaustion, trembling of limbs, vertigo, constant tired feeling, low fever, *Phos.*

— — excruciating pain, *Plumb. iod.*

— Sensation of, *Phos., Kali phos., Ars., Iod.*

— Of one side, *Ars., Phos., Plumb.*

— Following exposure to rain, *Phos.*

— — suppressed foot sweat, *Sil.*

— — infectious disease, *Kali phos., Ars. iod.*

— Of old people, *Bar. phos.*

— — pharynx, loss of power, *Bar. mur.*

— — flexors, *Cup.*

— — extensors, *Plumb.*

— — tongue, stuttering, *Cup.*

— — lower extremities, *Cup.*

— — — part of body, *Ars., Mangan, Manganese.*

— — sphincter ani, *Phos.*

— — pharyngeal muscles, cannot swallow, *Plumb.*

- — tongue, spinal, *Plumb.*
- — bladder, hysterical, *Zinc.*
- Motory, *Ars., Plumb., Zinc.*
- Muscular, *Alumina, Plumb.*
- Partial, *Plumb.*

PARESIS.

- Chief remedy, *Kali phos.*
- Other remedies, *Ars., Ars. iod., Bar. phos., Brom., Calc. iod., Cup. ars., Ferr. iod., Kali iod., Kali brom.*

PARONYCHIA.

- *Calc. fluor., Sil.*

PEMPHIGUS.

- *Vide* Skin diseases.

PERICARDITIS.

- Chief remedy, *Ferr. phos.*

PERIOSTITIS.

- *Sil.*

PETECHIÆ.

- Chief remedy, *Kali phos.*

PHAGADÆNA.

- Chief remedies, *Nat. phos., Kali phos., Sil., Calc. sulf.*
- Further, *Ars. iod.*
- Pains, *Mag. phos.*

PHLEBITIS.

- Chief remedies, *Ferr. phos., Kali mur.*
- Secondary, *Nat. phos., Kali phos.*

PHLEGMASIA ALBA DOLENS.

— *Nat. phos*, *Kali mur.*, *Sil.*

PHLEGMONOUS INFLAMMATION.

— Chief remedies, *Nat. phos.*, *Calc. fluor.*, *Sil.*

— White shining swelling, *Kali mur.*

— Intercurrently, *Mag. phos.*, *Calc. sulf.*, *Nat. sulf.*

PHOTOPHOBIA.

— *Vide Eye.*

PHTHISIS PULMONUM.

— *Vide Scrofulosis.*

— Racking cough, *Phos. iod.*

— Chronic pharynx catarrh, *Sulf.*

— With goitre, *Mag. phos.*, *Iod.*

— Rough voice, dry cough, night sweats, *Iod.*

— Pleuro-pneumonia (chronic), *Kali iod.*

— With larynx symptoms, *Mangan.*

— Other remedies, *Ars. iod.*, *Calc. iod.*, *Manganese.*

PLEURITIS.

— Chief remedies, *Ferr. phos.*, *Kali mur.*

— Exudations, *vide Exudations.*

— Pains, *Mag. phos.*

PNEUMONIA.

— Chief remedies, *Ferr. phos.*, *Kali mur.*

— Sputa, *vide Exudations.*

— Dyspnoea and prostration, *Nat. mur.*, *Kali phos.*

— Other remedies, *Phos.*, *Iod.*

PODAGRA.

- Chief remedies, *Nat. phos.*, *Sil.*, *Mag. phos.*,
Lith.

POLIOMYELITIS.

- *Vide* Myelitis.
- Anterior, chief remedies, *Kali phos.*, *Plumb.*,
Sil.

POLYPUS.

- Chief remedies, *Calc. phos.*, *Nat. mur.*
- Bleeding easily and profusely, *Phos.*

PREGNANCY.

- Nausea, constipation morning aggravation,
Nat. mur.
- Salivation, *Nat. mur.*, *Kali iod.*
- Melancholia, seeking solitude, *Nat. mur.*,
Kali iod.
- Heartburn, acidity, *Nat. phos.*
- Biliousness, *Nat. sulf.*
- Cramps and diarrhoea, *Mag. phos.*, *Nat. phos.*,
Nat. sulf.
- Retention of urine, *Mag. phos.*, *Nat. sulf.*
- Involuntary micturition, *Ferr. phos.*, *Kali
phos.*
- Eclampsia, chief remedy, *Mag. phos.*
- — secondary (*Calc. phos.*), *Nat. phos.*, *Kali
mur.*
- Œdema pedis, *Nat. sulf.*
- Varices, *Calc. fluor.*

— Toothache, *Mag. phos.*, *Calc. phos.*, *Calc. fluor.*

— Prolapsus uteri, *Ferr. iod.*

PROSTATA.

— *Vide* Glands.

— Inflammation, pink sediment in urine, *Lith.*

— Fluid discharged at stool combined with sexual weakness in elderly persons, *Alumina.*

PROUD FLESH.

— *Vide* Caro luxurians.

PRURITUS.

— Chief remedies, *Kali phos.*, *Mag. phos.*, *Calc. phos.*

— — remedy for knee, elbow, genitals, anus, *Mag. phos.*

— Itching eruptions, *Kali sulf.*

— — as from nettles, *Calc. phos.*

— — and pricking, worse at night, *Calc. phos.*, *Sil.*

— — on soles, *Kali phos.*, *Calc. sulf.*

— — in palms, *Kali phos.*

— Of female genitals, *Kali brom.*

PSEUDA GROUP.

— *Vide* Croup.

PSORIASIS.

— Palmaris, *Calc. fluor.*

— Vulgaris, (*Mangan*), *Kali sulf.*

— — secondary, *Ars.*, *Sulf.*

— — neglected, *Ars. iod.*

PUERPERAL FEVER.

- Chief remedies, *Kali phos.*, *Mag. phos.*
- Tympanitis, *Mag. phos.*, *Nat. sulf.*
- Adynamic state, *Kali phos.*
- Singultus, *Mag. phos.*
- Convulsions and violent pains, *Cup.*
- Not coagulating hemorrhages, *Kali phos.*
- Congestive headaches, burning heat in hands and feet, weight on top of head, pain from groin to back, pressure on bladder, *Zinc phos.*

PUSTULES.

- *Vide Skin.*

PYÆMIA.

- Pus restrained by, *Kali ars.*
- Debilitating sweats, *Ars. iod.*
- Chief remedies, *Nat. phos.*, *Kali phos.*

PYROSIS.

- *Nat. phos.*

R.**RACHITIS.**

- Acute, (*Ferr. phos.*), *Calc. phos.*
- — intercurrently, *Calc. fluor.*, *Nat. mur.*,
Mag. phos.
- Chronic, chief remedy, (*Kali iod.*), *Calc. phos.*
- — cadaverous diarrhœa, *Kali phos.*
- — acid diarrhœa, *Nat. phos.*

RAYNAUD'S DISEASE.

— *Ferr. phos., Ars., Calc. phos., Nat. mur.*

RECTUM.

— Polypi, *Kali brom.*

— Inflamed, *Ferr. phos.*

— — dry constipation, bleeding, strains at stool
to pass urine, *Alumina.*

REFLEX.

— Neurosis, *vide* Neuralgia.

— Restlessness of body and mind, *Ars.*

— Cough in pregnancy, *Kali brom.*

RENAL GRAVEL.

— *Sil.*

RETINITIS.

— *Vide* eye.

— Albuminuria, *Ars.*

— Anæmia, *Lith.*

— Apoplexia, *Phos.*

RHAGADES.

— *Calc. fluor., Sil. (Nat. mur).*

RHEUMATISM.

— Acute, fever (articular), *Nat. phos.*

— — painful, *Mag. phos.*

— — shifting, wandering, *Kali sulf.*

— Chronic, *Nat. sil., Sil., Kali phos., Calc. sulf.*

— Muscular, fever, *Ferr. phos., Kali mur.*

— Muscles and joints equally affected, *Ferr.
phos., Kali mur.*

- Joint contractions, (*Sil.*), *Nat. phos.*
- Chronic, wandering pains (*Ferr. mur.*, *Ferr. iod*), *Manganese.*
- Other remedies, *Calc. phos.*, *Lith.*, *Mangan.*, *Calc. fluor.*

RUBEOLÆ.

- Redness of skin, eruption, *Ferr. phos.*
- Suppression of urine, *Nat. sulf.*, *Kali mur.*, *Sulf.*
- Albuminuria with bleeding of kidneys, *Kali phos.*
- Desquamation, *Kali sulf.*

S.**SALIVATION.**

- *Iod.*, *Kali iod.*, *Nat. mur.*, *Nat. sulf.*

SATURNISMUS.

- (2x) *Nat. suf.*

SATYRIASIS.

- *Kali phos.*

SCAB HEAD.

- *Vide Skin.*

SCABS.

- *Vide Skin.*

SCALES.

- *Vide Skin.*

SCALP.

- *Vide Skin.*

SCARLATINA.

- Prophylactic, *Nat. phos. Kali mur.*
- At the beginning, *Ferr. phos., Kali mur.*
- Stupor, *Nat. mur., Kali phos.*
- Albuminuria, *Kali sulf.*
- Desquamation, *Kali sulf.*
- After allopathic treatment, *Kali phos.*
- Chronic after effects, *Ars. iod.*

SCIATICA.

- *Vide Ischias.*
- Coming at night, better by heat, *Ars.*
- Worse toward morning, *Kali iod.*
- With restless feet, *Zinc. phos.*

SCOLIOSIS.

- *Calc. phos.*

SCROFULOSIS.

- Chief remedies, *Nat. phos., Mag. phos.*
- Secondary, *Calc. phos., Sil.*
- Retarded growth, *Bar. phos.*
- Large head, *Calc. phos., Sil.*
- Sore eyes, *Nat. phos., Sil.*
- Ulcers, *Ars. brom.*
- — in cachectic persons, *Lapis. alb.*
- With cretinism, *Lapis. alb.*
- Enlarged parotids, *Brom.*
- With chronic pneumonia, *Iod., Kali iod.*
- Of the joints, *Iod., Kali iod.*

- — — glands and skin, *Calc. fluor.*, *Sil.*, *Mag. phos.*, *Nat. phos.*
- Other remedies, *Calcium sulfide*, *Calc. sulf.*, *Phos. iod.*, *Ars. iod.*

SCURVY.

- *Kali phos.*

SEA SICKNESS.

- Chief remedy, *Kali phos.*
- Secondary, *Nat. phos.*

SECRECTIONS.

- Milk, increase, *Calc. phos.*
- — thin, bluish, *Nat. mur.*
- — weaning, *Nat. sulf.*
- Fistula, scanty, smarting, *Mangan.*
- Serum, bloody, burning pain, night aggravation, *Iod.*
- Suppression of, causing mental disease, *Zinc. phos.*
- Seminal (nocturnal), *Kali phos.*, *Bar. phos.*, *Nat. phos.*
- Of skin (sweet), sour, *Calcium sulfide.*

SEPTICAEMIA.

- Chief remedies, *Kali phos.*, *Nat. phos.*, *Mag. phos.*

SINGULTUS.

- *Mag. phos.*

SKIN DISEASES.

- Contents of vesicles, fibrinous, mealy, *Kali mur.*

- — — — serofibrinous, *Kali mur.*
- — — — albuminous; yellow, white, crusts,
Calc. phos.
- — — — golden yellow; honey yellow crusts,
Nat. phos.
- — — — green watery; yellow scales, *Nat. sulf.*
- — — — yellow mucus; scales on viscid
grounds, *Kali sulf.*
- — — — clear water; white scales, *Nat. mur.*
- — — — purulent, *Nat. phos., Sil.*
- — — — fetid; fetid crusts, *Kali phos.*
- — — — water, excruciating or sticky, *Nat.*
phos., Nat. sulf., Nat. mur., Kali
phos.
- — — — when breaking, fetid crusts, *Nat.*
phos., Nat. sulf., Nat. mur., Kali
phos.
- — — — bloody, ichorous, *Kali phos.*
- Humid eruptions, *Nat. mur., Nat. phos., Nat.*
sulf.
- Small red pimply eruptions, without pain,
Kali mur.
- — — — — with itching, *Kali phos., Nat.*
phos., Nat. mur.
- Swelling of sebaceous glands, *Nat. phos.*
- Swelling of sebaceous glands, suppuration,
Sil.
- Excoriation of infants, *Nat. phos., Nat. mur.*
- — — — with cadaverous diarrhoea, *Kali phos.*

- Psoriasis diffusum, *Calc. fluor., Kali sulf.*
- Rhagades, hard crusts, *Calc. fluor., Sil.*
- Disorders of nails, *Sil.*
- Ingrowing toe nail, *Kali mur., Calc. fluor.*
- Erysipelas inflammation, fever, *Ferr. phos.*
- — — desquamation, *Kali sulf.*
- — — oedematous swelling, *Nat. sulf.*
- — — infiltrated inflammation, *Nat phos.*
- Herpes, *vide Herpes.*
- Pemphigus, vulgaris, fluid yellow, *Nat. sulf.*
- — — clear water, *Nat. mur.*
- — — malignant, bloody watery, *Kali phos.*
- Burns and scalds, blisters have formed, *Nat. mur.*
- — — — open surface, white exudation, *Kali mur.*
- — — — suppuration, *Sil.*
- — — — red, painful, open surface, *Ferr. phos.*
- Chilblains, *Nat. sulf.*
- Panaritium, *Sil.*
- Furuncle, *Nat. silico-fluor., Sil.*
- Ringworm, (zooth), *Nat. sulf.*
- Carbuncle, *Nat. silico-fluor., Calc. fluor., Kali phos.*
- Warts on hands, *Kali mur., Nat. sulf., Nat. mur.*
- Condylomata, *Nat. mur, Nat. sulf.*
- Lichen, Psoriasis, Pityriasis, *Mangan.*

- Yellow, sallow, dry skin, waxy complexion,
Plumb.
- Brown spots on chest, scaly on red basis, *Nat. ars.*
- Dry scaly with soreness, intense burning and itching, *Ars.*
- Unhealthy appearance, *Cup. ars.*
- Skin dry, itching, especially in bed, scratching till blood flows, *Alumina.*
- Healing slowly, *Sil.*
- Skin unelastic, *Phos., Sil.*
- — infiltrated, *Plumb.*
- — inflamed, *Bar. mur., Plumb.*
- — — secondary, *Calc. phos., Alumina.*
- Pain of bruises, *Nat. mur.*
- — after scratching, *Alumina.*
- — worse at night, *Ars.*
- — sensation lost, *Kali brom.*
- — very sensitive, *Cup. ars., Nat. mur.*
- Unhealthy, *Kali brom., Calcium sulfide.*
- Easily affected, *Kali iod.*
- Ulcerations, *vide* Ulcus.
- Skin rough and dry, general gouty disposition, rough rash over body, *Lith.*
- Various eruptions (auxiliary remedy), *Iod.*
- Acne-like eruptions, pale, ashy, dirty, yellow colored skin; erythema nodosum, eruptions spreading from limbs to trunk, *Kali brom.*
- Face eruptions, bullæ, *Kali iod.*
- Old sores, *Ars. brom., Ars. iod., Brom.*

SMALL-POX. (Schussler's own experience).

- Chief remedy, *Kali mur.*
- When pustules begin to show, *Nat. phos.*
- Adynamic state, *Kali phos.*
- Confluent pustules, *Nat. mur.*

SMELL.

- Loss of, *Sil.*
- Sharpened, *Ars.*
- Diminished, *Kali brom.*

SPARKS.

- Before the eyes, *Mag. phos.*, *Nat. phos.*, *Kali phos.*, *Calc. phos.*

SPASMS.

- Shrieks while sleeping, *Kali brom.*
- Asthmatic, blue face, cough, laryngismus stridulus, amelioration by drink, *Cup.*
- Spasmodic croupy cough at night, starting as if choked, better from drinking, *Brom.*
- Violent vomiting, *Cup.*
- Aggravated by slightest motion, *Cup.*
- On anæmic basis, *Calc. phos.*, *Nat. mur.*
- Arising from overwork, *Kali phos.*
- Of coughing in children, *Zinc. phos.*
- Tetanic, trismus, writers' cramp, St. Vitus' dance, *Mag. phos.*, *Calc. phos.*, *Kali sulf.*
- Of the glottis, *Cup.*
- In the calves, *Nat. sulf.*, *Kali phos.*
- Nocturnal paroxysms, *Calc. phos.*, *Sil.*

SPEECH.

- Splintery feeling in the throat while speaking, *Alumina*.
- Stuttering, *Cup*.
- Speechless (stupid), *Calcium sulfide*.
- Slow, *Phos*.
- Syllables and words omitted, *Plumb*.

SPINA VENTOSA.

- *Mag. phos.*, *Calc. fluor*.

SPINAL IRRITATION.

- Chief remedies, *Kali phos.*, *Calc. phos.*, *Nat. sulf.*, *Nat. mur*.
- Pains along spine, *Calc. phos*.
- Coldness running along spine, *Nat. mur.*, (*Calc. phos.*).
- Meningitis, *vide* Brain and Meningitis.
- Hæmorrhage, *vide* Hæmorrhage.
- Myelitis transversa, *Ars.*, *Plumb*.
- — secondary, *Kali phos.*, *Kali brom*.
- Syringo-myelea, *Ars. iod.*, *Kali phos.*, *Sil*.
- Poliomyelitis anterior, *vide* Poliomyelitis.
- Sclerosis spinal lateral, *vide* Tabes spastica.
- Locomotor ataxia progressive, *vide* Locomotor ataxia.
- Tetanus, *vide* Tetanus.
- Burning in spine, *Phos*.

SPINAL IRRITATIONS.

- With violent paroxysmal pains, extreme sensitiveness of entire spine, *Cup*.

- Sensibility diminished, *Kali brom.*
- Sensitiveness, worse when forced to keep quiet, *Zinc. phos.*

SPRAINS.

- *Ferr. phos., Kali mur., Calc. fluor.*

STERNUTATIO CONVULSIVA.

- *Sil.*

STOMACACE.

- *Vide* Cavity of the Mouth.

STOMACH.

- *Vide* Abdomen and Gastric affections.

STOMATITIS.

- *Vide* Cavity of the Mouth.

STRABISMUS.

- *Vide* Eye.

STRANGURIA.

- *Vide* Bladder.

STRUMA.

- Chief remedies, *Mag. phos., Nat. phos.*
- Secondary, *Calc. iod., Calc. phos., Lapis alb.*

SUNSTROKE.

- Alternately, *Nat. mur., Kali phos.*

SUPPURATION.

- Chief remedy, *Nat. phos.*
- To promote, *Sil.*
- Pus becomes fetid, *Kali phos.*

- Indurations remain, *Calc. fluor.*
- To restrain, *Calc. sulf.*
- Of middle ear, with suppurating tonsils, *Bar. phos.*
- — submaxillary glands, *Calc. iod.*
- Suppurating stage, after, *Bar. Phos., Calcium sulfide.*
- Pus like soapsuds, *Kali iod,*

SURGICAL OPERATIONS.

- Chief remedy, *Ferr. phos.*
- Prostration and shock, *Kali phos., Nat. mur., Ars.*
- Gangrene, *Kali phos., Ars. iod.*

STYES.

- *Vide Eye.*

SYCOSIS.

- *Nat. sulf., Kali mur. (Calc. phos.).*

SYPHILIS.

- Chief remedies, *Calc. fluor., Kali mur., Kali sulf., Nat. mur., Nat. sulf.*
- Phagadænic chancre, *Kali phos.*
- Hard —, *Calc. fluor.*
- Soft —, *Kali mur.*
- Ulcers, *vide Ulcus,*
- Specific ulcerations and eruptions, *Ars, Ars. iod., Iod., Ars. brom., Kali iod.*
- Inflammation of iris, *Iod.*

T.

TABES.

- Dorsalis, chief remedies, *Mag. phos.*, *Kali phos.*, *Kali mur.*
- — syphilitic, *Ars. brom.*, *Iod.*, *Kali iod.*
- — spastica, *Mag. phos.*, *Calc. phos.*, *Kali phos.*, *Zinc. phos.*, *Kali brom.*, *Sil.*
- Meseraica, chief remedy, (4x) *Phos. iod.*

TARANTISMUS.

- *Mag. phos.*, *Calc. sulf.*

TASTE.

- Acrid, *Nat. phos.*
- — (soapy), *Calc. sulf.*
- Bad on awakening in the morning, combined with bitterness, *Nat. mur.*, *Nat. sulf.*
- Burning, peppery, *Nat. sulf.*
- Bitter, *Nat. sulf.*
- Sour, *Kali mur.*
- Pappy, sticky, *Kali sulf.*
- Flabby, sweetish, *Calc. phos.*
- Sour and bitter, *Kali mur.*
- Disgusting but indescribable, *Calc. sulf.*
- No taste, but very dry, *Calc. fluor.*
- Bitter, tongue feels numb, *Calc. phos.*
- Absolutely tasteless, *Sil.*

TEETH.

- Teething, breaking through assisted, *Calc. phos.*, *Calc. fluor.*

- — with fever, *Ferr. phos.*
- — spasms, with fever, *Ferr. phos.*
- — — without —, *Mag. phos.*
- — with inflamed eyes, *Calc. phos., Ferr. phos.*
- — slavering, *Nat. mur.*
- — spasms of the larynx, *Mag. phos., Calc. fluor., Calc. phos.*
- — — — bladder, *Mag. phos.*
- — — when coughing, *Mag. phos.*
- — with diarrhoea, *vide Diarrhoea.*
- Toothache, salivation, lachrymation, *Nat. mur.*
- — swelling of gums and cheeks, *Kali mur., Sil.*
- — changing of location, *Mag. phos.*
- — intermittent, *Kali sulf., Mag. phos.*
- — better by warm application, *Mag. phos.*
- — — — pressure, *Mag. phos.*
- — — — with mouthful of warm water, *Mag. phos.*
- — worse — light touch, *Mag. phos.*
- — — in warm room, *Kali sulf.*
- — — — evening, *Kali sulf.*
- — — from warm drink, *Kali sulf.*
- — better by cold internal or external application *Ferr. phos., Kali mur.*
- — neuralgia like, *Ars.*
- — — — from working in water, *Phos.*
- Loose in children, *Calc. phos.*

- — — grown people, *Sil.*
- — sensitive touch, *Calc. sulf.*
- Grinding in sleep, chief remedy, *Nat. phos.*
- — — secondary, *Calc. phos., Mag. phos., Nat. mur.*
- Tooth extraction, hæmorrhage, *Ferr. phos.*
- — gangrene of gum, *Sil.*
- — painful, hard, inflamed gum, *Kali mur., Calc. fluor.*
- — swelling of lymphatic glands and inflamed, *Nat. mur., Nat. phos.*
- — old neglected cases, *Sil., Calc. sulf.*

TELANGIEKTASIA.

- *Ferr. phos. Calc. fluor.*

TENALGIA CREPITANS.

- *Ferr. phos., Kali mur., Calc. fluor.*

TESTICLES.

- Indurations, *Calc. fluor.*
- Swelling, *Calc. phos., Nat. mur. (Kali mur.).*
- Inflammation, *Nat. phos.*
- — secondary, *Mag. phos., Kali sulf., Sil.*
- Enlarged, *Iod.*
- Old induration, *Bar. iod., Calc. fluor., 2ooth.*

TETANUS.

- Chief remedy, *Mag. phos., 6x.*
- Prostration, (*Kali ars.*), *Kali phos., Ars. iod.*

THROAT.

- *Vide Cavity of the Mouth.*

THRUSH.

— *Vide* Cavity of the Mouth.

TIC DOULOUREUX.

— *Ferr. phos., Mag. phos., Kali sulf.*

TONGUE.

— *Vide* Cavity of the Mouth.

TONSILLITIS.

— *Vide* Amygdalitis.

TRACHOMA.

— *Vide* Eye.

TRANSUDATIONS.

— *Vide* Exudation.

TRISMUS.

— *Mag. phos.*

TUBERCULOSIS.

— Chief remedies, *Nat. phos., Mag. phos., Sil.*

— Other remedies, *Ars. iod., Calc. iod., Calc. ars., Phos. iod. (4x).*

— Swelling of lymphatic glands, *Nat. phos., Kali mur.*

— Caseous degeneration of glands, *Mag. phos.*

— — — — secondary, *Sil., Calc. sulf.*

— Pulmonary, latter stage, (*Calc. sulf., Sil.*),
Ars. iod., Calc. iod., Nat. ars.

— Meningitis, latter stage, (*Calc. sulf., Sil.*),
Ars. iod., Calc. iod., Nat. ars.

— Hectic fever, night sweats, latter stage, (*Calc. sulf., Sil.*), *Ars. iod., Calc. iod., Nat. ars.*

TUMORS.

- In general (*Kali iod.*, 30th), *Calc. fluor.*, *Calc. phos.*, *Sil.*
- Fatty, (*Plumb. iod.*), *Bar. iod.*, 4x.
- Fibroid (uterus, etc.), chief remedy, *Calc. iod.*, 2-4x.
- — — secondary, *Kali iod.*, *Calc. ars.*
- Ovarian (great hardness), *Calc. fluor.*, *Sil.*, *Kali iod.* (30-200th).
- — — new growth, *Kali brom.*, *Iod.*, *Nat. sulf.*
- Osseous, *Nat. fluor.*, *Nat. silico-fluor.* (*Calc. fluor.*), *Sil.*, 12x.
- Lymphatic, *Iod.*, 7th.
- Albus genu, *Calc. hypophos.*, *Lapus alb.*, *Mangan.* (3-6th).

TYPHOID, TYPHUS.

- Chief remedy, *Kali phos.*
- Adynamic symptoms, stupor, *Nat. mur.*

U.**ULCERS.**

- Hot, painful, inflamed, *Ferr. phos.*
- Second stage, fibrinous exudation, *Kali mur.*
- Oozing yellowish water, *Nat. sulf.*
- — — white, clear water, *Nat. mur.*
- Caseous detritus, *Nat. phos.*
- — — later, *Mag. phos.*, *Sil.*
- Varicose, *Calc. fluor.*, *Nat. sulf.*

- Fetid, smeary, *Kali phos.*
- Glandular, *Kali mur.*, *Nat. phos.*
- Secretion, thin, watery, corroding, glassy, *Nat. mur.*
- — white, gray, slimy, opaque, somewhat bloody, corroding, *Kali mur.*
- — thick, yellowish, pungent, deeply ulcerating, glassy, bloody, watery, *Calc. fluor.*
- — white, thick covering, absolutely bland, *Calc. phos.*
- — thick, yellow, *Calc. sulf.*
- — foul, *Brom.*
- — gangrenous, burning, excruciating, fetid, dark brown, thin, *Ars. iod.*, *Kali ars.*
- With caseous ground, white pimples on ground, *Sil.*
- Livid, spreading, irregular thin margin, *Kali phos.*
- Hard, callous margin, *Calc. fluor.*
- Burrowing deeper, *Sil.*
- With proud flesh, *Kali mur.*, *Sil.*, *Calc sulf.*
- Cutaneous, *Calc. phos.*
- Blue, *Kali phos.*, *Sil.*
- Black, *Ars. brom.*, *Ars. iod.*
- With dark, unhealthy appearance, *Cup. ars.*
- Bleeding, *Kali phos.*, *Ars.*, *Phos.*, *Sulf.*
- Bone, *Calc. fluor.*, *Sil.*, *Calcium sulfide.*
- Burning, *Kali mur.*, *Sil.*, *Ars.*, *Phos*, *Plumb.*
- Breast, *Calc. iod.*

- Fistulous, *Calc. fluor.*, *Sil.*
- Fungoid, *Ars.*
- Hard, *Calc. fluor.*
- Surrounded by pimples, *Calc. phos.*
- Scrofulous, *Lapis alb.*, *Ars. iod.*, *Bar. iod.*,
Calc. iod.
- Syphilitic, *Ars. brom.*, *Kali iod.*, *Calc. fluor.*,
Kali mur., *Sil.*
- Bleeding at beginning of menses, fungoid,
Phos.
- Of the leg, chief remedies, *Nat. sulf.* (*Calc.*
fluor.).
- — — — secondary, *Ferr. phos.*, *Nat. mur.*
- — — — vertebræ, *Calc. hypophos.*
- — — — ventriculus, *Kali phos.*

URETHRA.

- Inflammation, *Ferr. phos.*, *Kali mur.*
- Trauma, *Ferr. phos.*
- Spasmodic cramps, *Mag. phos.*
- Bleeding, *Kali phos.*
- Burning pains, *Mag. phos.*, *Nat. mur.*, *Nat.*
sulf., *Sil.*
- Painful pricking, itching of entire length,
Ferr. iod.
- Bleeding from vicarious menses, *Zinc.*

URINE.

- *Vide* Bladder.
- Very scanty, sugar, *Ars.*

- Suppressed, *Cup.*
- Scanty, but frequent urging, dark color, cannot be retained, *Ferr. iod.*
- Incontinence of old people, with senile degeneration of the prostata, *Bar. phos.*
- Uric acid increased (neurasthenia), *Kali brom.*
- Passed only with actual pressure on abdomen, *Mag. mur.*
- Milky white; sugar, blood, *Phos.*
- Uric sediment; constant desire to urinate, great debility, *Lith.*
- Hysterical retention, *Zinc. phos.*

URTICARIA.

- Chief remedy, (*Kali ars.*), *Kali phos.*
- Chafes easily, sensitive, worse from cold air, *Calcium sulfide.*
- Other remedies, *Calc. phos.*, *Ars.*, *Nat. mur.*, *Nat. sulf.*, *Kali sulf.*, *Sil.*, *Calcium sulfide.*

UTERUS.

- Scirrhus, *Mag. mur.*
- Fibroids, *Kali iod.*, *Calc. iod.*, *Calc. ars.*, *Mag. mur.*
- Enlargement, tumor, cancer-burning, lancinating pains; granulations, *Ars.*
- Congestions, displacements, pain when sitting, suppressed menses, *Ferr. iod.*
- Hæmorrhage after every stool; emaciation of the breast; aggravation from warmth, *Iod.*

- Corrosive yellow discharge; ravenous hunger; wedge-like pushing pain from right ovary to uterus, *Iod.*
- Uneasiness with uterine or ovarian ailments, *Kali brom.*
- Complaints with general pains, *Mag. mur.*
- Chronic inflamed, anteversion, *Calc. phos.* (*Phos.*).
- Ailment with menstrual excitement and sexual desire, *Zinc. phos.*

UVULA.

- *Vide* Cavity of the mouth.
- Purple, dark, swollen, *Nat. ars.*

V.**VACCINATION.**

- Great swelling, inflammation and general malaise, high fever, *Kali mur*, *Nat. phos.*
- Further *vide* Ulcers.

VAGINA.

- Inflammation, *Ferr. phos.*, *Kali mur.*
- Cramps, vaginismus, traumatism, *Ferr. phos.*
- — — nervous, *Mag. phos.*
- — — — secondary, *Kali sulf.*, *Calc. phos.*
- Leucorrhœa, albuminous, *Calc. phos.*
- — grayish white, fibrinous, *Kali mur.*
- — clear, watery, glassy, biting, *Nat. mur.*
- — golden yellow, *Nat. phos.*

- — yellow, greenish, thick (sticky), *Kali sulf.*
- — — — thin, *Nat. sulf.*
- — yellowish, tough, lumpy, *Calc. fluor.*
- — purulent, *Calc. sulf.*, *Sil.*, *Nat. phos.*
- — carion like, excruciating, *Kali phos.*
- — excoriating, biting, *Ars.*, *Kali mur.*, *Calc. fluor.*, *Sil.*, *Nat. mur.*, *Nat. sulf.*, *Kali phos.*
- — bland, *Calc. phos.*, *Ferr. phos.*
- — with cachectic symptoms, *Iod.*
- — in scrofulous persons, *Calc. iod.*
- — other remedies, *Calc. ars.*, *Mag. mur.*

VAGINITIS.

- Chief remedies, *Ferr. phos.*, *Iod.*, *Mag. phos.*
- Pruritus with sexual desire, *Kali brom.*
- Condylomata, *Kali mur.*, *Nat. sulf.*, *Sil.* (*Phos.*).
- With colic, *Plumb.*
- — general fidgetiness, *Zinc. phos.*

VARICES.

- *Ferr. phos.*, *Calc. fluor.*, *Nat. sulf.*

VERTIGO.

- Rush of blood to the head, nervous, *Kali phos.*
- — — — — during day, *Ferr. phos.*
- — — — — evening, *Kali sulf.*
- On anæmic basis, *Calc. phos.*, *Kali phos.*, *Nat. mur.*

- Of old people, *Iod.*, *Bar. phos.*, *Sil.*
- Benumbed congestion, *Kali brom.*
- And headaches, stupefying, *Calc. phos.*, *Sil.*
- — — rotating, *Ferr. phos.*, *Calc. phos.*, *Kali phos.*, *Nat. mur.*, *Nat. sulf.*
- — — as riding in a carriage, *Ferr. phos.*
- — — — falling, *Calc. phos.*, *Sil.*
- — — — going backward, *Sil.*
- — — — intoxicated, *Ferr. phos.*, *Nat. mur.*,
Nat. sulf., *Sil.*
- — — caused by seeing running water, *Ferr. phos.* (*Mag. phos.*).
- — — causing unsteadiness of limbs, *Calc. phos.*, *Ferr. phos.*, *Kali phos.*, *Nat. mur.*
- — — acute, *Nat. mur.*, *Nat. sulf.*
- — — chronic, *Kali phos.*
- — — in the evening, *Kali sulf.* (*Nat. mur.*).
- — — — morning, *Nat. mur.*, *Nat. sulf.*,
Sil.
- — — sitting up in bed, *Nat. mur.*
- — — rising from bed, *Nat. mur.*
- — — while lying down, *Ferr. phos.*
- — — — walking, *Calc. phos.*, *Ferr. phos.*,
Nat. mur., *Sil.*
- — — with anxiety, *Kali sulf.*, *Kali phos.*
- — — — anger, *Mag. phos.*
- — — after mental exertion, *Kali phos.*, *Nat. mur.*

- — — from motion, *Ferr. phos.*
- — — — bending, stooping, *Nat. mur., Sil., Kali phos.*
- — — after eating, *Kali sulf.*
- — — better open air, *Kali sulf., Nat. mur. (Nat. sulf.)*.
- — — worse warm room, *Kali sulf., Nat. mur.*
- — — lachrymose, crying, *Nat. mur., Kali sulf., Kali phos.*
- — — congestive, *Ferr. phos.*
- — — sweat on forehead, *Calc. phos., Nat. sulf.*
- — — slow pulse, *Kali phos.*
- — — quick pulse, *Ferr. phos.*
- — — fainting, *Nat. mur., Kali phos. (Kali sulf.)*.
- — — drooling, *Nat. mur.*
- — — weakness, *Kali sulf.*
- — — weak in stomach, *Nat. mur.*
- — — pain in abdomen, *Mag. phos., Nat. sulf.*
- — — buzzing in head, *Ferr. phos., Nat. sulf.*
- — — stitches in head, *Ferr. phos., Mag. phos.*
- — — hammering in head, *Nat. mur.*
- — — numbness in head, *Calc. phos., Nat. sulf.*
- — — pale face, *Calc. phos., Nat. mur., Kali phos. (Ferr. phos.)*.
- — — unable to think, *Kali phos.*
- — — loss of memory, *Kali phos.*
- — — yawning, *Kali phos., Nat. sulf.*

- — — vomiting, nausea, *Nat. mur.*, *Nat. sulf.*
- — — unconscious, *Nat. mur.*

VERRUCA.

- *Nat. sulf.*, *Kali mur.*, *Nat. mur.*

VOMITING.

- Of drunkards, (*Nat. mur.*, *Nat. sulf.*), *Cup.*
- — pregnant women, chief remedy, *Kali phos.*
- — — *vide* Pregnancy.
- Hysterical, *Kali phos.*
- Of food, *Calc. fluor.*, *Ferr. phos.*
- — — with sour fluid, *Nat. mur.*, *Ferr. phos.*
- — — digested, water, glassy, slime, *Nat. mur.*
- — — with thick, white phlegm, *Kali mur.*
- — bile, *Nat. sulf.*
- — sour, cheesy, curdled masses, *Nat. phos.*
- — water, frothy, *Nat. mur.*
- — blood, bright red, *Ferr. phos.*
- — — blackish red, uncoagulated, *Kali phos.*
- Of blood, black, viscid, *Kali mur.*
- — — frothy, *Nat. mur.*
- During dentition, *Calc. fluor.*
- Seasickness, *Nat. phos.*, *Kali phos.*
- Extreme irritation of stomach, burning heat and soreness, *Ars.*
- Periodical, of black or brown fluid, *Plumb.*
- Obstinate, in the morning with violent headache, *Cup.*

VULVA.

- Kaurosis, *Alumina*.
- Painful itching, leading to nymphomania, *Ars*.
- Great soreness, pimply eruptions, *Brom*.
- Pruritus, during menses, hyperesthesia, *Kali brom*.

W.**WHOOPING COUGH.**

- Inflammatory stage, *Ferr. phos*.
- Nervous, *Mag. phos.*, *Kali phos*.
- Vomiting of food, *Ferr. phos*.
- Chief remedy after inflammatory stage, *Mag. phos*.
- Other remedies, *Nat. ars.*, *Calc. ars.*, *Ars. iod.*, *Cup. ars*.
- Further *vide* Bronchial Catarrh.

WORMS.

- *Ascaris lumbricoides*, *Nat. mur*.
- *Oxyuris vermicularis*, *Nat. phos*.
- General vermifuge, (2x) *Nat. phos*.

WOUNDS.

- Fresh, *Ferr. phos*.
- Swelling, *Kali mur.*, *Nat. phos*.
- Suppurating, *Sil*.
- Caro luxurians, *Kali mur.*, *Sil.*, *Calc. sulf*.
- Gangrene, *Kali phos*.
- Further *vide* Exudations.

INDEX.

PREFACE,	V
INTRODUCTION,	I
I. THE REMEDY, POTENCY AND DOSES.—The purity of the remedy, the saliva, the atom, the electron, the potentized remedy, the distribution of the cell-salt into the cell, the selection of the potency, v. Grauvogl's constitutions, . . .	2
II. THE SELECTION OF THE REMEDY.—The different divisions of the Materia Medica, acute and chronic cases,	12
III. SCHÜSSLER AND HIS CRITICS.—Homœopathy and Schüssler, the only controversy against Schüssler—never before published, Cellular-therapy, the author's position,	14
IV. THE ADDITIONAL REMEDIES —Their collection, homœopathic symptoms contrasted with Semiotic,	17

PART I.

MATERIA MEDICA,	19
FIRST DIVISION, BIOCHEMISTRY,	21
THE ORIGINAL TWELVE REMEDIES,	21
I. SELECTION OF THE REMEDIES,	23
Kalium sulfuricum,	23
Natrium sulfuricum,	24

Calcareo fluorica,	25
Silicea,	25
Calcareo sulfurica,	26
Natrium muriaticum,	26
Kalium muriaticum,	26
Calcareo phosphorica,	27
Magnesia phosphorica,	28
Ferrum phosphoricum,	28
Natrium phosphoricum,	28
Kalium phosphoricum,	29
II. CLINICAL SYNOPSIS OF THE REMEDIES,	31
III. FACIAL DIAGNOSIS,	71
SECOND DIVISION,	77
CELLULAR THERAPY,	77
THE ADDITIONAL REMEDIES,	79
I. THE ADDITIONAL REMEDIES IN THEIR ELE- MENTARY BASIS,	79
THE MORE PROMINENT ELEMENTS.	79
Arsenic,	79
Iodum,	79
Mangan,	80
LESSER ADDITIONAL TISSUE BUILDERS,	80
Alumina,	81
Bromium,	81
Barium,	82
Cuprum,	82
Zincum and Plumbum,	83
II. THE DIFFERENT GROUPS OF THE NEW ELE- MENTS,	85
ARSENIC AND ARSENIC PREPARATIONS,	85
Arsenicum album,	85

Calcareo arsenicosa,	86
Cuprum arsenicosum,	87
Kalium arsenicosum,	87
Natrum arsenicosum,	87
IODUM AND IODINE PREPARATIONS,	88
Calcareo iodata,	88
Kalium iodatum,	89
Natrum iodatum,	89
Plumbum iodatum,	89
Zincum iodatum,	90
Baryta iodata,	90
CUPRUM, PLUMBUM AND ZINCUM,	90
Cuprum,	90
Plumbum,	91
Zincum,	92
BROMIUM AND ITS COMBINATIONS,	93
Arsenicum bromatum,	94
Calcareo bromata,	94
Kalium bromatum,	94
Natrum bromatum,	94
Lithium bromatum,	94
Zincum bromatum,	94
III. CLINICAL RELATIONS BETWEEN THE OLD AND NEW REMEDIES AND EACH OTHER,	95

PART II.

SEMIOTIK,	101
EXPLANATORY REMARK,	102

A.

Abdomen,	103
Abortus,	104
Abrasio,	104

Abscess,	104
Acne,	105
Actinomycosis,	106
Achylia gastrica,	106
Adenitis,	106
Adynamia,	106
Addison's disease,	106
After pains,	106
Agalacia,	106
Aggravations,	106
Agoraphobia,	107
Ague, <i>vide</i> Malaria,	174
Albuminuria,	107
Alcoholismus,	107
Alopecia,	108
Amblyopia,	108
Amenorrhœa,	108
Amygdalitis,	109
Anæmia,	109
Anasarca,	110
Angina pectoris,	110
Angina tonsillaris,	110
Anæsthesia,	111
Anxiety,	111
Anthrax,	111
Aphonia,	111
Aphthæ,	111
Appendicitis,	111
Apoplexy,	112
Arteriosclerosis,	112
Arthritis,	112
Ascarides, <i>vide</i> Worms,	224
Ascites, <i>vide</i> Dropsical affections,	140
Asphyxia,	113
Asthenopia,	113

Asthma,	113
Ataxia,	114
Atheroma,	114
Atrophy,	114

B.

Backache,	115
Baker's itch,	116
Balanitis,	116
Barber's itch,	116
Barlow's disease,	116
Bedsore,	116
Bed wetting,	116
Bilious fever,	116
Bites,	116
Bladder,	117
Blepharitis,	118
Blepharospasmus,	118
Blennorrhœa neonatorum,	118
Body,	118
Boils,	119
Bone,	119
Brain,	120
Bromidrosis,	121
Bronchial catarrh,	121
Bronchocele, <i>vide</i> Goitre,	158
Bruises,	123
Burns,	123
Bubo,	124
Bursitis,	124

C.

Calculi,	125
Callosity,	125
Camp fever, <i>vide</i> Typhus,	215

Cancer,	125
Carbuncle,	126
Catalepsy, <i>vide</i> Katalepsy,	170
Cataract,	126
Catarrh,	126
Cavity of the mouth,	127
Caro luxurians,	129
Caries,	129
Chancre,	129
Chaps,	130
Chickenpox,	130
Chilblains,	130
Chloasma,	130
Chlorosis, <i>vide</i> Anæmia,	109
Cholera, preventive,	130
Cholera vera,	130
Cholera nostras, infantum,	130
Cholera nostras, adults,	131
Chordee,	131
Chorea,	131
Choroiditis, <i>vide</i> Eye,	149
Coitus,	131
Coldness,	132
Cold,	132
Collapse,	132
Coma,	132
Concussion of the brain, <i>vide</i> Brain,	120
Condylomata,	132
Congestio cerebri,	133
Constipation,	133
Conjunctivitis, <i>vide</i> Eye,	149
Cornea, <i>vide</i> Eye,	149
Contusion, <i>vide</i> Injuries,	168
Coryza,	134
Cough,	121

Cramps,	135
Craniotabes,	136
Cretenismus	136
Crick in the back,	136
Croup,	136
Crusts,	136
Cyanosis,	136
Cysts,	136
Cystitis,	137
Cystolithiasis,	137

D.

Dacryocystitis,	137
Dandruff, <i>vide</i> Skin,	203
Deafness, <i>vide</i> Ear,	137; 142
Debility,	137
Decubitus,	137
Delirium tremens,	137
Depression,	138
Desquamation, <i>vide</i> Skin,	203
Diabetes,	138
Diarrhœa,	138
Diphtheria,	139
Dizziness, <i>vide</i> Brain,	120
Dropsical affections,	140
Dysentery,	140
Dyspepsia,	141
Dysmenorrhœa,	141
Dysphagia,	142
Dysuria, <i>vide</i> Bladder,	117
Dyspnœa,	142

E.

Ear diseases,	142
Ecchymosæ,	144

Eclampsia,	144
Eczema,	144
Emaciation,	144
Endometritis,	145
Enteralgia, <i>vide</i> Kolica,	171
Enuresis, <i>vide</i> Bladder,	117
Epilepsy,	146
Epistaxis,	146
Epithelioma of face,	146
Epithelioma, <i>vide</i> Cancer,	125
Eruption, <i>vide</i> Skin,	203
Erysipelas, <i>vide</i> Skin,	203
Excoriation, <i>vide</i> Skin,	203
Exophthalmic goitre,	147
Exudation,	147
Eyes,	149

F.

Face,	151
Feet,	152
Fever,	152
Finger-nails, <i>vide</i> Skin,	203
Finger joints,	153
Fibroid,	153
Fistula in ano,	153
Fistula lachrymalis,	153
Fissuræ, <i>vide</i> Rhagades,	200
Flatulence,	154
Fœtor,	154
Fungous growth,	154
Furuncle, <i>vide</i> Skin,	203

G.

Galactorrhœa,	154
Gall stone,	154

Ganglion tendinosum,	154
Gangræna,	154
Gastric affections. <i>vide</i> Abdomen,	103
Gastralgia,	155
Glands,	157
Gleet,	158
Goitre,	158
Gonorrhœa,	158
Gout,	159
Graphospasmus,	159
Gravidity, complaints,	159
Grossesse nerveuse,	160
Gynæcology,	160

H.

Hæmatomesis,	160
Hæmatom,	161
Hæmaturia,	161
Hæmostatic,	161
Hæmophilia, <i>vide</i> Morbus Werlhofii,	180
Hæmorrhagia,	161
Hæmorrhoids,	162
Hair,	162
Hay fever,	162
Headaches,	162
Hearing, <i>vide</i> Ear,	142
Heart,	164
Helminthiasis,	163
Hemicrania,	163
Hepatitis,	164
Herpes,	165
Hiccough,	165
Hives,	165
Hoarseness,	166
Homesickness,	166

Hydræmia,	166
Hydrocephalus <i>vide</i> , Brain, Meningitis,	120; 175
Hydrophobia,	166
Hydrops genu and patellæ, <i>vide</i> Bone,	119
Hysteria,	166

I.

Icterus,	167
Impotence,	167
Incubus,	167
Indigestion, <i>vide</i> Gastric affections,	155
Inflammation,	167
Influenza,	168
Injuries,	168
Insanity, <i>vide</i> Mental state,	178
Insolatio, <i>vide</i> Sunstroke,	209
Insomina,	168
Intercostal neuralgia,	169
Intermittents, <i>vide</i> Malaria,	174
Intertrigo,	169
Ischias,	169

K.

Katalepsy,	170
Keloid,	170
Keratitis, <i>vide</i> Eye,	149
Kidney,	170
Koccygodynia,	171
Kolica,	171

L.

Labor,	172
Lactation,	172
Laryngospasms,	172
Larynx,	172
Laryngitis,	172

Leucaemia,	172
Leucorrhœa,	172
Limbs,	173
Lipoma,	173
Liver,	173
Locomotor ataxia,	173
Loss of memory,	173
Lumbago,	173; 191
Lupus,	173
Lymphatic glands,	157

M.

Malaria,	174
Marasmus,	174
Mastitis,	174
Mastoiditis,	175
Measles,	175
Meningitis,	175
Menstruation,	175
Mental state,	178
Migraine,	180
Morbus Addisonii,	106
Morbus Brightii, <i>vide</i> Kidney, Nephritis,	170; 182
Morbus Basedowii,	180
Morbus Werlhoffii,	180
Morphine Habit,	180
Mouth,	181; 127
Mucous membranes,	181; 147
Mumps,	181
Myelitis,	181

N.

Nasal diseases,	182
Nausea,	182
Nephritis,	182

Neuralgia,	183
Neurasthenia,	185
Neurosis,	185
Noma,	185
Nymphomania,	185

O.

Obesity,	186
Odontalgia, <i>vide</i> Teeth,	211
Œdema,	186
Œsophagus,	187
Onchya,	187
Oophoritis,	187
Opisthotonus,	188
Oppressio pectoris,	188
Ophthalmia,	188
Orchitis,	188
Orgasmus,	189
Ostitis,	189
Oxaluria,	189
Ozæna,	189

P.

Pain,	189
Palpitatio cordis,	193
Panaritium,	193
Pancreas,	194
Paralysis,	194
Paresis,	195
Paronychia,	195
Pemphigus, <i>vide</i> Skin,	203
Pericarditis,	195
Periostitis,	195
Petechiæ,	195
Phagadænia,	195

Phlebitis,	195
Phlegmasia alba dolens,	196
Phlegmonous inflammation,	196
Photophobia, <i>vide Eye</i> ,	149
Phthisis pulmonum,	196
Pleuritis,	196
Pneumonia,	196
Podagra,	197
Poliomyelitis, <i>vide Myelitis</i> ,	181
Polypus,	197
Pregnancy,	197
Prostata,	198
Proud flesh,	198
Pruritus,	198
Pseudo croup, <i>vide Croup</i> ,	136
Psoriasis,	198
Puerperal fever,	199
Pustules, <i>vide Skin</i> ,	203
Pyæmia,	199
Pyrosis,	199

R.

Rachitis,	199
Raynaud's disease,	200
Rectum,	200
Reflex,	200
Reflex neurosis,	200
Renal gravel,	200
Retinitis, <i>vide Eye</i> ,	149
Rhagades,	200
Rheumatismus,	200
Rubeolæ,	201

S.

Salivatio,	201
Saturnismus,	201

Satyriasis,	201
Scab-head, <i>vide</i> Skin,	203
Scabs, <i>vide</i> Skin,	203
Scales, <i>vide</i> Skin,	203
Scalp, <i>vide</i> Skin,	203
Scarlatina,	202
Sciatica,	202
Scoliosis,	202
Scrofulosis,	202
Scurvy,	203
Sea-sickness,	203
Secretions,	203
Septicæmia,	203
Singultus,	203
Skin diseases,	203
Small-pox,	207
Smell,	207
Sparks,	207
Spasms,	207
Speech,	208
Spina ventosa,	208
Spinal irritation,	208
Sprains,	209
Sternutatio convulsiva,	209
Stomacace, <i>vide</i> Cavity of the mouth,	127
Stomach, <i>vide</i> Abdomen, Gastric affections,	103
Stomatitis, <i>vide</i> Cavity of the mouth,	127
Strabismus, <i>vide</i> Eye,	149
Strangury, <i>vide</i> Bladder,	117
Struma,	209
Styes, <i>vide</i> Eyes,	149
Sunstroke,	209
Suppuration,	209
Surgical operations,	210
Sycosis,	210
Syphilis,	210

T.

Tabes dorsalis,	211
Tabes meseraica,	211
Tarantismus,	211
Taste,	211
Teeth,	211
Telangiectasia,	213
Tenalgia crepitans,	213
Testicles,	213
Tetanus,	213
Throat, <i>vide</i> Cavity of the mouth,	127
Thrush, <i>vide</i> Cavity of the mouth,	127
Tic douloureux,	214
Tongue,	127
Tonsillitis,	109
Trachoma, <i>vide</i> Eyes,	149
Transudations, <i>vide</i> Exudation,	147
Trismus,	214
Tuberculosis,	214
Tumors,	215
Typhoid,	215
Typhus,	215

U.

Ulcus,	215
Urethra,	217
Urine,	217
Urticaria,	218
Uterus,	218
Uvula,	219

V.

Vaccination,	219
Vagina,	219
Vaginitis,	220

Varices,	220
Vertigo,	220
Verruca,	223
Vomiting,	223
Vulva,	224

W.

Whooping cough,	224
Worms,	224
Wounds,	224

ALPHABETICAL REGISTER OF
ALL THE NECESSARY
REMEDIES.

A.

Alumina.

Alumina sulf., silc., calc.—(Slag).

Aluminium.

Arsenicum album.

Arsenicum bromatum.

Arsenicum iodatum.

B.

Baryta iodata.

Baryta muriatica.

Baryta phosphorica.

Bromium.

C.

Calcareo arsenicosa.

Calcareo bromata.

Calcareo fluorica.

Calcareo hypophosphorica.

Calcareo iodata.

Calcareo muriatica.

Calcareo phosphorica.

Calcareo silicata.

Calcareo silicofluorica—Lapis albus.

Calcareo sulfurata (sulfide).

Calcareo sulfurica.

Cuprum.
Cuprum arsenicosum.
Cuprum oxydatum.
Cuprum phosphoricum.
Cuprum sulfuricum.

F.

Ferrum arsenicosum.
Ferrum bromatum.
Ferrum iodatum.
Ferrum muriaticum.
Ferrum phosphoricum.
Ferrum pyrophosphoricum.
Ferrum sulfuricum.

I.

Iodum.

K.

Kalium arsenicosum.
Kalium bromatum.
Kalium hypophosphoricum.
Kalium iodatum.
Kalium muriaticum.
Kalium phosphoricum.
Kalium silicicum.
Kalium sulfuratum.
Kalium sulfuricum.

L.

Lithium bromatum.
Lithium muriaticum.
Lithium phosphoricum.

M.

Magnesia muriatica.
Magnesia phosphorica.

Magnesia sulfurica.
Manganum iodatum.
Manganum muriaticum.
Manganum oxydatum.
Manganum phosphoricum.
Manganum sulfuricum.

N.

Natrum arsenicosum.
Natrum bromatum.
Natrum cacodylicum.
Natrum fluoricum.
Natrum iodatum.
Natrum muriaticum.
Natrum phosphoricum.
Natrum silicatum.
Natrum silicofluoricum.
Natrum sulfuricum.

P.

Phosphorus,
Phosphorus iodatus.
Plumbum iodatum.
Plumbum muriaticum.
Plumbum oxydatum.
Plumbum phosphoricum.

S.

Silicea.
Sulfur.
Sulfur iodatus.

Z.

Zincum arsenicosum,
Zincum bromatum.

Zincum iodatum.
Zincum muriaticum.
Zincum oxydatum.
Zincum phosphoricum,
Zincum sulfuricum.

ERRATA.

- p. 13. Correct II instead of III in the 4th and 7th line from above.
- “ 44. “ Caro in No. 34.
- “ 45. “ hyperoxygenatum in the fifth line from above.
- “ 52. “ Chromopsy in No. 15.
- “ 53. “ (?) —, to be erased in No. 33.
- “ 54. “ the —, has been omitted in No. 44.
- “ 55. “ Enteritis in No. 9.
- “ 80. “ Arsenic iodatum in the 18th line from above.
- “ 86. “ Cuprum, Mangan in the 6th line from above.
- “ 99. “ Tabes Meseraica in the 13th line from above.
- “ 102. “ cellulartherapeutical in the 6th line from above.
- “ 208. “ “Spinal Irritations”—to be erased on foot of page.

